

**MinEx CRC Limited**

26 Dick Perry Avenue, Kensington, WA, 6151  
PO Box 1130, Bentley, WA, 6102, Australia  
admin@minexcrc.com.au



**MinEx CRC provides financial support to the value of \$1K to promote Honours and Masters by Coursework projects that are aligned with the mission of MinEx CRC and to encourage young researchers toward a career in mineral exploration research. Projects are not restricted to MinEx CRC Participants and Affiliates.**

**Please note that the content of this thesis has not been subjected to peer-review and subsequent corrections.**



Australian Government  
Department of Industry,  
Science and Resources

**Cooperative Research  
Centres Program**

# Geochemical analysis of the McArthur and Tawallah Groups, McArthur Basin: Chemostratigraphy & palaeo-redox proxies using shales and carbonates

Thesis submitted in accordance with the requirements of the University of  
Adelaide for an Honours Degree in Geology/Geophysics

Gareth John McFadzean

November 2019

Word count: 6737



THE UNIVERSITY  
*of* ADELAIDE

## **GEOCHEMICAL ANALYSIS OF THE MCARTHUR AND TAWALLAH GROUPS, MCARTHUR BASIN: CHEMOSTRATIGRAPHY & PALAEO-REDOX PROXIES USING SHALES AND CARBONATES**

### **CHEMOSTRATIGRAPHY OF THE MCARTHUR AND TAWALLAH GROUPS**

#### **ABSTRACT**

The lower portion of the McArthur Basin includes the Palaeoproterozoic to Mesoproterozoic McArthur and Tawallah Groups that were examined in this study. During this time, Earth had comparatively less oxygen following the beginning of The Great Oxygenation Event (GOE, Palaeoproterozoic ca. 2.34 Ga) and organisms were simple. In conjunction, the Boring Billion (1800 to 800 Ma) is an acknowledged period following the GOE due to reported flat carbon and oxygen isotope trends which is evidence for a relatively stable climate and delayed organism evolution. The aim of this thesis is to gather a coupled data set using conventional geochemistry and organic geochemistry through the use of carbon/oxygen isotopes, redox sensitive trace elements (Mo, V and U), rare earth elements and organic carbon content in order to understand the oxygen conditions through palaeo-redox techniques within the lower portions of the Palaeoproterozoic McArthur Basin. Shale units of the McArthur and Tawallah groups (Mallapunyah, Wollongorang and Wuraliwuntya formations) are shown to be deposited in a stratified oxygenation and sulfidic environment. These episodes of anoxia or euxinia are shown by elevated concentrations of Rare Earth Elements (REE) and trace elements at specific drill core depth. Subtle and fluctuating cerium and europium anomalies along with trace and major elemental data were coupled by Total Organic Carbon (TOC) to show a relationship with the organic matter within the Wollongorang specifically. The trace elements seemingly concentrated within the regions of high organic content, which results in euxinia events causing elevated levels of trace metals. Potential trace metal elevations within the Wollongorang and Mallapunyah formations specifically will be compared against the reported evidence for Sedimentary Exhalative deposits (SedEX deposits). The Amelia Dolostone recorded carbon isotope values of 0 to -2‰ and oxygen isotope values of -5 to -9‰ expected carbon and oxygen isotopic concentrations for the Palaeoproterozoic to Mesoproterozoic Era.

#### **KEYWORDS**

McArthur Group, Tawallah Group, McArthur Basin, Glyde Package, Redbank Package, Chemostratigraphy, trace elements, rare earth elements, total organic carbon

## TABLE OF CONTENTS

|                                                                            |    |
|----------------------------------------------------------------------------|----|
| Geochemical analysis of the McArthur and tawallah groups, mcarthur basin:  |    |
| Chemostratigraphy & palaeo-redox proxies using shales and carbonates ..... | i  |
| Chemostratigraphy of the Mcarthur and tawallah groups .....                | i  |
| Abstract.....                                                              | i  |
| Keywords.....                                                              | i  |
| List of Figures and Tables .....                                           | 2  |
| Introduction .....                                                         | 3  |
| Background to Trace Elements & Redox proxies .....                         | 5  |
| Marine Carbon Cycle.....                                                   | 6  |
| Geological Setting .....                                                   | 8  |
| Redbank Package.....                                                       | 11 |
| Glyde Package .....                                                        | 12 |
| Methods .....                                                              | 13 |
| Observations and Results .....                                             | 16 |
| Amelia Dolostone .....                                                     | 16 |
| Wollogorang Formation .....                                                | 16 |
| Mallapunyah Formation .....                                                | 17 |
| Wuraliwuntya Formation.....                                                | 18 |
| Discussion.....                                                            | 19 |
| Redox Analysis: Trace Elements and REE Behaviour.....                      | 19 |
| Biogeochemical influence on redox .....                                    | 26 |
| Potential SEDEX Mineralisation of the Tawallah Group .....                 | 29 |
| Carbon and Oxygen .....                                                    | 31 |
| Conclusions .....                                                          | 34 |
| Acknowledgments .....                                                      | 35 |
| References .....                                                           | 36 |
| Appendix: .....                                                            | 38 |

## LIST OF FIGURES AND TABLES

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Figure 1. Digitised study map of the Northern Australian Craton Boundary which includes the Greater McArthur Basin and its accompanying basins (modified after Yang et al., 2018), most important for this thesis being the McArthur Basin, highlighting the study area and location of drill cores MCDD0003 and MCDD0005.....                                                                                                                                                           | 10 |
| Figure 2. Detailed sequence stratigraphy cross section (Created by Cruz, C., modified after Kunzmann, 2019) of McArthur and Tawallah Groups over five separate drill cores. Most relevant to this study being MCDD0003 and MCDD0005 and specifically the highlighted formations where samples were taken. Individual colours represent different depositional environments and the blow out shows an accurate spatial positioning of all five drill cores within the McArthur Basin..... | 12 |
| Table 1. Elemental suite analysed by Bureau Veritas, 2/35 Cormack Rd, Wingfield SA 5013, with the corresponding instrument and scheme used with reported units of elemental concentrations (ICP-OES : Coupled Plasma (ICP) Optical Emission Spectrometry, ICP-MS : Inductively Coupled Plasma (ICP) Mass Spectrometry).....                                                                                                                                                              | 14 |
| Figure 3. Top: high resolution stratigraphic log of drill core MCDD0005, bottom: high resolution stratigraphic log of drill core MCDD0005 (created by Cris Cruz, modified after Kunzmann, 2019). Redox-sensitive trace element concentrations of Mo, V and U correlated to stratigraphic depths within the Wollongorang, Mallapunyah and Wuraliwuntya with shale-normalised (SN) Ce anomalies to PAAS alongside.....                                                                     | 21 |
| Figure 4. Left: drill core MCDD0003, right: drill core MCDD0005. Shale-normalised (SN) Ce and Eu anomalies to normalised to PAAS (Post Archean Australian Shale) (Nance and Taylor, 1976) against depth for three separate formations. Anomalies calculated as: $Ce*SN = (2*CeSN)/(LaSN+PrSN)$ , $Eu*SN = (2*EuSN)/(SmSN+GdSN)$ .....                                                                                                                                                    | 22 |
| Figure 5. Left: drill core MCDD0003, right: drill core MCDD0005. Shale-normalised (SN) Ce and Pr anomalies cross plot after Bau and Dulski (1996). Normalisation was to PAAS (Post Archean Australian Shale) (Nance and Taylor, 1976). $Pr*SN = (2*PrSN)/(CeSN+NdSN)$ .....                                                                                                                                                                                                              | 23 |
| Figure 6. Top: drill core MCDD0005, Bottom: drill core MCDD0003. REE spiderplot normalised to PAAS values from Nance and Taylor (1976) with depth intervals (including correlated formations) colour coded and the y-axis representing REE concentration in ppm. Created in GCD kit using R-Studio software.....                                                                                                                                                                         | 24 |
| Figure 7. Left: drill core MCDD0003, Right: MCDD0005. TOC variations with depth based on pyrolysis data between 3 separate formations, showing a pronounced enrichment in the Wollongorang Formation and a slight enrichment in the Mallapunyah Formation. Thermal maturity index based on Tmax and vitrinite reflectance (Calculated %Ro = $0.0180 \times Tmax - 7.16$ , Jarvie et al., 2001) indicating different stages of TOC maturity based on increasing Tmax.....                 | 26 |
| Figure 8. Left: drill core MCDD0003, Right: drill core MCDD0005. Cross-plots of total organic carbon (TOC) against redox-sensitive trace elements (Mo, V and U) normalised to aluminium, showing the euxinic threshold at 4% TOC and contrasting relationships over 3 formations.....                                                                                                                                                                                                    | 27 |
| Figure 9. Left: drill core MCDD0003, right: drill core MCDD0005. Shale-normalised (SN) Ce anomalies to PAAS plotted against TOC, highlighting each formation and showing increasing TOC content is restricted within primarily negative Ce anomaly regions. The shaded regions represent areas of anoxia, with cerium not being oxidised.....                                                                                                                                            | 28 |
| Figure 10. Top: drill core MCDD0003, bottom: drill core MCDD0005. Trace metals (Al, Zn, Pb and Tl) and S concentrations within three separate cores showing evidence for sedimentary exhalative ore deposit (SEDEX) related mineralisation.....                                                                                                                                                                                                                                          | 31 |
| Figure 11. Carbon ( $\delta^{13}C$ ) and oxygen ( $\delta^{18}O$ ) isotope data with depth for the Amelia Dolostone within the McArthur Group, fractionation in isotopic values represented in permil (‰).....                                                                                                                                                                                                                                                                           | 32 |
| Figure 12. Carbon and oxygen isotope cross-plot from the Amelia Dolostone within the McArthur Group in order to decipher diagenetic behaviour after Banner and Gilbert, (1990). Demonstrating a modelled diagenetic relationship indicated via covariation of carbon and oxygen isotopes (blue arrows) from a theorised marine calcite and diagenetic calcite.....                                                                                                                       | 33 |

## INTRODUCTION

The McArthur Basin is a Palaeo-Mesoproterozoic sedimentary basin that preserves vast mineralisation and potential ancient hydrocarbons in the Northern Territory (Ahmad et al., 2003). It forms part of the unofficially labelled greater McArthur Basin which covers roughly 180,000km<sup>2</sup> within the Northern Territory Craton (Close, 2014) and includes the Tomkinson province to the south and Birrindudu Basin to the west. This estimation is largely due to regions of uncertainty beneath the Neoproterozoic to Early Palaeozoic Georgina Basin to the south, the Cenozoic Carpentaria Basin to the west, Murphy inlier and Arnhem Province to the north east (Jackson et al. 1987; Plumb et al. 1990; Lodwick & Lindsay 1990; Haines et al. 1993; Ahmad et al., 2003). Many studies have provided key interpretations of the depositional environments, including studies by Rawlings et al., (1999) who provided paramount interpretations of stratigraphic sequences based on physical properties. However, there are fewer studies produced on the specific units of the McArthur and Tawallah Groups within the lower portions of the McArthur Basin. This study will focus on two new drill cores retrieved last year, MCDD0003 and MCDD0005, which intersect the lower McArthur and Tawallah Groups and were kindly made available by Todd River Resources. For each drill core, palaeo-redox signals of specific shale formations will be analysed through trace element and rare earth element concentrations coupled with organic geochemistry in order to construct chemostratigraphy and decipher the specific oxygen environments and how biological productivity interacted at the time of deposition. Finally, carbon and oxygen isotope data will explain the input of organic carbon burial and biological productivity within the Palaeoproterozoic McArthur and Tawallah groups of the McArthur Basin.

The early-Paleoproterozoic was a critical era in Earth's evolution as it governed the stepwise increase of atmospheric oxygen, known as the Great Oxygenation Event. Weathering profiles of redox-sensitive trace elements, specifically iron and uranium, were paramount for the GOE discovery (Cloud, 1972; Holland, 1984 & Beukes, 1990; Holland, 1990). The redox-sensitive trace elements used in this study include molybdenum, vanadium and uranium as they are abundant within the modern ocean and their concentrations show affinities relating to specific oxic, suboxic, anoxic or euxinic conditions (Tribovillard et al., 2008). The trigger for the GOE was proposed to be an increased sedimentary burial of organic matter ca. 2.3 - 2 Ga (Karhu & Holland, 1996). These dates correspond with global scale rifting and orogeny occurrences during the initial assembly of relatively stable continental plates (Windley, 1984; Lowe, 1992). An archive for this oxidation during the early-Palaeoproterozoic is therefore reflected by pronounced positive carbon isotope excursions via the burial of organic carbon. However, this positive carbon isotope excursion dramatically flat lines throughout the late-Palaeoproterozoic (during the formation of the McArthur and Tawallah Groups of the McArthur Basin ca. 1800-1650 Ma), which coincide with the disappearance of banded iron formations ca. 1.8 Ga via oxidised bottom waters (Cloud, 1972; Holland, 1984). Contrastingly, Canfield (1998) claimed that anoxic bottom water conditions were still prevalent throughout the late-Palaeoproterozoic and only became oxic within the Neoproterozoic Oxidation Event ca. 800 Ma (Lyons et al., 2004; Canfield et al., 2007; Och et al., 2012). He further states that the disappearance of banded iron formations was due to increased sulphide production instead of oxidised bottom waters, resulting in euxinic bottom water conditions that were sulphide-rich and oxygen-poor. Thus, giving rise to the global euxinic Canfield ocean model', supported based on sulphur isotopes

recording consistent increases in oceanic sulphate concentrations which coincide with the GOE, beginning ca. 2.3 Ga (Hayes et al., 1992). This increasing sulphate concentration lead to enhanced sulphide production (through the reduction of sulphate) before reaching necessary levels which surpassed the total flux of iron by ca. 1.8 Ga to allow precipitation of iron into the ocean. Additional evidence for low oxygenation within the Palaeoproterozoic (Post GOE) involved manganese-poor palaeosols as recorded by chromium isotopes (Zbinden et al., 1988; Frei et al., 2009).

### **Background to Trace Elements & Redox proxies**

Trace elements Mo, U and V used in this study assist as palaeo redox proxies because they can exist in seawater in a soluble form or coexist with particles by adsorption. The redox conditions in which they exist ultimately governs the pathway for removal from sediments and into seawater, this can be either by abiotic or biotic processes. Biotic processes refer to the uptake of trace elements which constitute minor or micronutrients for phytoplankton. In contrast, abiotic processes occur in two ways and its effectiveness is dependent on an oxygen-rich environment. In suboxic environments, diffusion of dissolved trace elements from the seawater are incorporated through the sediment-water interface or via remobilization and repartitioning along redox gradients within the sediments (Tribovillard et al., 2006). Numerous studies include such trace elements as palaeo redox proxies and the specific methodology within Cox et al., (2016) on the Velkerri Formation of the upper McArthur Group, as well as Spinks et al., (2016) will be followed throughout this thesis. These elements have low detrital input characteristics, discerning primarily the authigenic signature from a dissolved aqueous source. Vanadium (V) is the second most abundant element in modern seawater (~40 nM) (Tribovillard et al., 2006) and is enriched in sediments via adsorption to organic matter

as it shares a strong relationship to organo-metallic complexes under specifically oxic conditions (Alego and Maynard, 2004), contrasting to Mo, which is enriched during euxinic conditions. Vanadium exists as  $V^{5+}$  during oxic conditions and is reduced to  $V^{4+}$  under anoxic conditions with the addition of hydrogen sulfide (Breit and Wanty, 1991). Soluble molybdate can convert to thiomolybdate under high levels of dissolved sulphide concentrations, which is then subsequently absorbed by organic matter as S complexes (Helz *et al.*, 1996). Uranium is also an effective redox sensitive element and shares similar traits to Mo and V. Specifically, it can exist as a mobile  $U^{6+}$  under oxidised conditions or as immobile  $U^{4+}$  ion under reducing anoxic conditions (Lanmuir, 1978). There is an inverse relationship with U and oxygen yet a positive relationship with TOC (McManus *et al.*, 2005). Aluminium normalisation for these trace elements is used commonly to remove the effects of authigenic minerals which interfere with the redox signal. This method will be implemented and plotted against TOC content within shale samples in order to decipher what relationship organic matter has with the redox conditions of the Palaeoproterozoic to Mesoproterozoic seawater (Calvert & Pedersen, 1993; Tribovillard *et al.*, 2006).

## **Marine Carbon Cycle**

Carbon isotopes are used in this study as a proxy for biological productivity during the Palaeoproterozoic. This is achieved specifically through the changing isotopic ratios composition of organic carbon ( $\delta^{13}C_{org}$ ) and inorganic ( $\delta^{13}C_{carb}$ ) carbonate which accumulate into a balance within carbonates (Hayes *et al.*, 2006). The dissolved inorganic carbon pool of the oceans (DIC) is produced by atmospheric carbon ( $CO_2$ ) entering the ocean by a diffusional process and existing in equilibrium with bioavailable  $HCO_3^-$ . Unaltered inorganic carbon isotopes reflect this DIC if they are precipitated in


equilibrium with seawater because there is no fractionation occurring relative to the DIC pool. However, organisms cause an isotopic fractionation as they prefer to uptake light carbon isotopes ( $\delta^{12}\text{C}$ ) against heavier carbon isotopes ( $\delta^{13}\text{C}$ ) through fixation of  $\text{CO}_2$  during photosynthesis. This changes the ratio of organic to inorganic carbon removed from the ocean during burial, resulting in organic material being enriched in light carbon isotope compared to the original pool of carbon. Negative carbon isotope excursions are the result of decreased burial of organic matter from either a loss of primary productivity via organisms or lower burial efficiency (Knoll *et al.*, 1986). The DIC is altered by organic carbon burial and water column stratification (Hayes & Waldbauer, 2006; Guo *et al.*, 2006; Halverson *et al.*, 2010; Worden *et al.*, 2015). The isotopic signature of organic carbon has a depleted heavy carbon isotope signal relative to DIC, making it harder to acquire. Increases in the organic carbon isotope trend is largely due to raised concentrations of aqueous  $\text{CO}_2$ , which governs a greater discrimination during biological processes (Kump and Arthur, 1999). An increase in the organic carbon isotope trend implies the burial of a higher fraction of organic carbon, or alternatively a decrease in the oxidation of organic matter relative to the weathering of carbonate rocks (Hayes *et al.* 1999). The Palaeoproterozoic to Mesoproterozoic reflects very little organism input, hence the carbon isotope excursions stay within a relatively narrow interval of between +1 and -2 ‰ (Veizer *et al.*, 1992; Buick *et al.*, 1995; Knoll *et al.*, 1995b). Contrastingly, the late Mesoproterozoic and Neoproterozoic are characterised by large positive carbon values as a result of the major tectonic events and the biological evolution of eukaryotes. Specifically, the initial assembly and breakup of Rodinia which reorganised the global carbon cycle and resulted in increased steady-state burial flux of organic carbon relative to inorganic carbon

(Knoll et al., 1986; Kaufman et al., 1993; Kah et al., 1999; Butterfield, 2000; Bartley et al., 2001). Additionally, carbon and oxygen isotopes will be cross plotted in this study to yield information on diagenetic behaviours within the Amelia Dolostone.

## **GEOLOGICAL SETTING**

The McArthur Basin contains an approximate 10km archive of carbonate, un-metamorphosed sedimentary and lesser volcanic rocks ranging from the Paleoproterozoic to Mesoproterozoic (Plumb & Wellman 1987). It is widely known for substantial base metal commodities (lead, zinc, silver and copper), most notable of which is the world-class sedimentary exhalative McArthur River Mine. This specific site is hosted within the early Mesoproterozoic pyritic and carbonaceous shale, HYC member ('Heres Your Chance'). The depositional environment of this deposit suggests an area of active subsidence with an accompanied growth fault which allows for fluid flow through the metal-rich sedimentary system. The source of metal precipitation is a product of reduced anoxic conditions within organic-rich sub-basins (Large et al. 2002). Similarities are observed between the 1.64 Ga HYC member and the 1.73 Ga Wollogorang Formation as they share an extensional rift environment and carbonaceous shale composition. Studies by Spinks et al. (2016) suggest that the Wollogorang Formation was deposited under mostly euxinic conditions with periodically high concentrations of sedimentary pyrite, their work proposes that this formation is a possible chemical trap for base metals, such as copper. These similarities are one of the drivers for this research, as the extent of geochemical data for the lower McArthur and upper Tawallah Groups is are poorly constrained.

The McArthur Basin stratigraphy is grouped into five divisions, which has been commonly termed ‘packages’ (Rawlings, 1999). These packages occur throughout the entire northern and southern regions of the basin and are organised based on their stratigraphic position, maximum depositional age, similarities in lithological composition, volcanism composition and basin-fill geometry. This paper will focus on the Glyde and Redbank packages, which are the two lowest packages within the southern portion of the McArthur Basin. Accompanying Rawlings, three intracontinental Superbasins were identified by sequence stratigraphy (Jackson & Southgate, 2000). These are the 1800 to 1750 Ma Leichhardt Superbasin, the 1730 to 1670 Ma Calvert Superbasin, and the 1668 to 1590 Ma Isa Superbasin. In terms of Superbasin evolution, the Redbank Package formed during the Leichhardt Superbasin successions, which are characterised as bimodal magmatism, fluvial and shallow marine sedimentation whilst the Glyde package formed coeval with the Isa Superbasin and possibly the Calvert Superbasin. The environment for this evolution occurred throughout a period of subsidence that was evenly distributed throughout the basin, with local unconformities giving additional evidence for a syn-depositional tectonic system (Betts & Giles, 2006). This produced thickening of successions overlying the half-grabens and large-scale erosion of the younger previous unit. Both the approaches validate the concept of large-scale stratigraphic packages initially being continuous or contiguous with other Proterozoic depocentres and that the cyclical depositional environment was governed by episodic tectonism over a period of ~600 million years. This repetitive tectonism formed a sag in the basin morphology and allowed for increased mantle presence which was followed by amalgamation of the supercontinent (Walter et al., 1995; Lindsay, 2001).




**Figure 1. Digitised study map of the Northern Australian Craton Boundary which includes the Greater McArthur Basin and its accompanying basins (modified after Yang et al., 2018), most important for this thesis being the McArthur Basin, highlighting the study area and location of drill cores MCDD0003 and MCDD0005.**

The region of this study is shown in figure 1, it is located within the southern McArthur Basin, focused in the south-western extent of the Batten Fault Zone. The Batten Fault Zone consists of the Mallapunyah Fault and Tawallah Fault which both orientate NNW-SSE, intersect the stratigraphy within the McArthur and Tawallah Groups and provide majority of the deformation within this region (Ahmad, et al. 2013). The two diamond drill cores investigated in this study are MCDD0003 and MCDD0005 which were both recovered in late 2018 by Todd River Resources. They intersect the lower McArthur Group and upper Tawallah Group within the Glyde and Redbank packages respectively, which is complimentary for chemostratigraphic purposes of this study. The McArthur and Tawallah Groups are classified as being thinner when compared to the overlying Roper Group. Their thin sequence formation is a result of basin-controlled underlying

rift elements, whereas the Roper Group governs a more widespread evolution which allows for thicker sequences (Leaman, 1998).

### **Redbank Package**

The Redbank package represents the basement of the McArthur Basin stratigraphy and is defined as being equivalent to the basal sandstone succession of the Tomkinson Province and Birrindudu Basin (Ahmad et al. 2015). It comprises up to 6km of siliclastic sedimentary rocks during, conglomerate, dolostone, organic-rich siltstone/shale and bi-modal volcanic rocks. It is proposed to be deposited in a shallow-marine environment during approximately 1815-1710 Ma, governed by the U-Pb SHRIMP zircon ages of the bi-modal volcanic rocks. The Tawallah Group has well defined minimum ages of 1710 Ma (Ahmad et al. 2015). The Wollogorang Formation is a laterally extensive intracontinental shallow marine to near-shore clastic sedimentary unit with carbonaceous shale and siltstone with up to 350m thickness (Jackson, 1985, Ahmad et al., 2013), it is a key focus for this study and 142 samples were taken throughout both drill cores (figure 2). It is both underlain and overlain by extrusive and intrusive volcanic units which yield a depositional age of  $1729 \pm 4$  to  $1730 \pm 3$  Ma from the observed tuffaceous green clays, which were also noted in the drill cores in this study (Page et al., 2000). The central to lower portions of the Wollogorang Formation has gained attention within the literature as being a potential mineralisation and petroleum source. Its composition has dolomitic ovoid beds within highly bituminous black shale and displays trace heavy metal mineralisation of zinc and sulphide-bearing fine-grained sphalerite and fine-grained stratiform pyrite and galena.



**Figure 2. Detailed sequence stratigraphy cross section (Created by Cruz, C., modified after M Kunzmann, personal communication, June 26, 2019) of McArthur and Tawallah Groups over five separate drill cores. Most relevant to this study being MCDD0003 and MCDD0005 and specifically the highlighted formations where samples were taken. Individual colours represent different depositional environments and the blow out shows an accurate spatial positioning of all five drill cores within the McArthur Basin.**

## Glyde Package

The Glyde package is the second lowest stratigraphy and unconformably overlies the Redbank Package. It comprises up to 5km of stromatolitic-evaporitic dolostone, siliclastic sedimentary rocks, carbonaceous siltstone and minor tuffaceous rocks. It is

proposed to have been deposited in a shallow to moderately deep water and locally emergent environment during approximately 1640-1600 Ma, governed by U-Pb SHRIMP zircon ages of the tuffaceous rocks (Haines et al., 1999; Rawlings et al., 1997, 1999). It is restricted to the Batten, Walker and Urapunga fault zones within the southern regions of the McArthur Basin. Two separate formations within the McArthur Group were sampled from this package, including 83 from the Amelia Dolostone and 130 from the Mallapunyah formation (figure 2).

## **METHODS**

### **Sample Collection**

Samples were collected from drill cores: MCDD0003, MCDD0005 (Northern Territory Government Core Library, Darwin). These samples were all situated within the southern McArthur Basin, in the south-western portion of the Batten Fault Zone and are situated approximately 5-10km apart. The carbonate samples were taken approximately every 2 metres, whilst the shale samples were restricted to every 1 metre. This was done to achieve a high-resolution data set.

### **Crushing**

All 287 shales were crushed using a Rocklabs jaw crusher/hammer to produce sizable chunks in preparation for the Rocklabs tungsten carbide ring mill which homogenised the chunks into fine powder. The cleaning process involved high pressure air and ethanol after each sample was loaded into the jaw crusher and ring mill. The use of a quartz blank was also implemented after each sample ran through the ring mill; these steps were taken in order to reduce cross contamination between samples.

## Drilling

Carbonate-rich areas were targeted within samples and drilled using a tungsten carbide dermal tool to extract powder that was collected in cleaned 14 ml Sarstedt PVC centrifuge tubes. These samples were carefully drilled instead of crushed into a homogenised powder in order to capture the true un-diagenetic d13C and d18O signal.

## Elemental Analysis

The 287 powdered shale samples were sent to the Bureau Veritas for whole rock geochemical analysis and underwent two separate methods based on the element in order to recover elemental concentrations including trace, major and rare earth elements. The first method involved a specific set of samples being digested and refluxed with a mixture of Acids, including: Hydrofluoric, Nitric, Hydrochloric and Perchloric Acids. The second method involved an aliquot of sample being accurately weighed and fused with lithium metaborate at high temperature in a Pt crucible. The fused glass is then digested in nitric acid.

**Table 1. Elemental suite analysed by Bureau Veritas, 2/35 Cormack Rd, Wingfield SA 5013, with the corresponding instrument and scheme used with reported units of elemental concentrations (ICP-OES : Coupled Plasma (ICP) Optical Emission Spectrometry, ICP-MS : Inductively Coupled Plasma (ICP) Mass Spectrometry)**

| Elements                                                                                                                                    | Method  | Scheme | Unit          |
|---------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|---------------|
| Cu, Li, Ni, S, Sc, Zn                                                                                                                       | ICP-OES | MA101  | ppm           |
| Ag, As, Be, Bi, Cd, Ce, Co, Cs, Dy, Er, Eu, Ga, Gd, Hf, Ho, In, La, Lu, Mo, Nb, Nd, Pb, Pr, Sb, Se, Sm, Sr, Ta, Tb, Te, Th, Tl, Tm, Yb, Zr, | ICP-MS  | MA102  | ppm           |
| Ai, Ba, Ca, Cr, Fe, K, Mg, Mn, Na, P, Si, Ti, V                                                                                             | ICP-OES | LB101  | %<br>(Cr:ppm) |
| Rb, Re, U, W, Y                                                                                                                             | ICP-MS  | LB102  | ppm           |

## **Organic Geochemistry Analysis**

Pyrolysis measurements were undertaken using a Weatherfords Source Rock Analyser™ at The University of Adelaide. Shale powders were weighed at 80-120 mg (dependent on the amount of organic carbon) into crucibles and were loaded into the carousel and heated under inert Helium in both the pyrolysis (to obtain S1, S2, Tmax and S3 peaks) and oxidation modes (to obtain the S4 peak). The pyrolysis oven was first held at 300°C for 5 minutes and ramped at 25°C per minute from 300°C to 650°C. Subsequently the oven was reduced to 220°C and held for 5 minutes with the carrier gas converted to inert air (CO & CO<sub>2</sub> free) and purged, ramped at maximum heating to 580°C and held for 20 minutes. The flame ionisation detector (FID) was calibrated by running Weatherford Laboratories Instruments Division Standard 533. The IR Analysers were calibrated against standard gas with known concentration of CO<sub>2</sub> and CO. An analysis blank was run as ‘blank’ mode with the sample batch and the blank data was automatically subtracted from all analyses. An external check standard was also run first with each batch to ensure the instrument status with additional check standards every 10 samples. The results were processed where peak areas and geochemical indices including Total organic carbon (TOC), Oxygen Index (OI), Hydrogen Index (HI) and Production Index (PI) are automatically calculated.

## **Isotope Ratio Mass Spectrometry (IRMS)**

The 83 carbonate-rich extracted powder were weighed at ~4mg before being placed into cleaned individual glass vials with septum's and caps (this weight was based on the sample calcium carbonate content and achieved during test runs). Powders were purged with eight drops of concentrated 1M phosphoric acid in order to dissolve the calcium

carbonate and helium injected. The resultant fumes were measured via the dual inlet element in the IRMS in order to produce  $\delta^{13}\text{C}$  and  $\delta^{18}\text{O}$  values. The calibration method was determined against standards ANU P3, UAC and NCM with the use of 1 blank (for a total run, 28 standards were used per 72 samples).

## **OBSERVATIONS AND RESULTS**

### **AMELIA DOLOSTONE**

From the 83 samples run for carbon and oxygen analysis, the specific values for  $\delta^{13}\text{C}$  ranged from -3.10 to +0.47‰, with a mean value of -0.93 and errors between 0.01 to 0.13. For the analysis on  $\delta^{18}\text{O}$ , values ranged from -9.60 to -2.34, with a mean value of -6.86 and errors between 0.00 to 0.33.

### **WOLLOGORANG FORMATION**

For the 143 samples analysed over the two separate drill cores, the specific redox-sensitive elemental concentrations for Mo, V and U are given: Mo concentrations ranged from 1 to 43.5 ppm, maximum value correlated to a depth of 57.4 metres within drill core MCDD000, with a mean of 10.20 ppm. A total of 15 samples failed to detect any trace of Mo (0.5 ppm). V concentrations ranged from 20 to 500 ppm, maximum value correlated to a depth of 541.5 metres within drill core MCDD0005, with a mean of 105.7 ppm. A total of 3 samples fell under the detection limit of V (20 ppm). U concentrations ranged from 1 to 36.5ppm, maximum value correlated to a depth of 541.5 metres within drill core MCDD0005, with a mean of 7.18 ppm. No samples fell under the detection limit of U (0.5 ppm).

Al concentrations ranged from 1.7 to 10.4%, maximum value correlated to a depth of 499 metres within drill core MCDD0005, with a mean of 5.75%. No samples fell under the detection limit of Al (0.005%). S concentrations ranged from 0 to 72200 ppm, maximum value correlated to a depth of 52.45 metres within drill core MCDD0003, with a mean of 9340.2 ppm. 43 samples fell under the detection limit of S (50 ppm). Zn concentrations ranged from 10 to 2500, maximum value correlated to a depth of 550.90 metres within drill core MCDD0005, with a mean of 161.7. No samples fell under the detection limit of Zn (2 ppm). Pb concentrations ranged from 0 to 1450, maximum value correlated to a depth of 56.3 metres within drill core MCDD0003, with a mean of 46.4 1 sample fell under the detection limit of Pb (1 ppm). Tl concentrations ranged from 0 to 10.7 ppm, maximum value correlated to a depth of 544.63 metres, with a mean of 2.3. 1 sample fell under the detection limit of Tl (0.1 ppm).

#### MALLAPUNYAH FORMATION

For the 130 samples within drill core MCDD0005, the specific redox-sensitive elemental concentrations for Mo, V and U are comparatively less enriched than the Wollogorang, they are as follows: Mo values range from 1 to 4.5ppm, maximum value correlated at a depth of 188 metres, with a mean of 1.38. A total of 95 samples fell under the detection limit of Mo (0.5ppm). V values ranged from 20 to 400, maximum value correlated at a depth of 273.4 metres, with a mean of 63.42. A total of 13 samples fell under the detection limit of V (20ppm). U values ranged from 1 to 7.5ppm, maximum value correlated at a depth of 273.4 metres, with a mean of 3.10. A total of 2 samples fell under the detection limit of U (0.5ppm).

Al concentrations ranged from 0.075 to 8.64 %, maximum value correlated to a depth of 165.2 metres, with a mean of 5.2. No samples fell under the detection limit of Al (0.005%). S concentrations ranged from 0 to 24700 ppm, maximum value correlated to a depth of 274.6 metres, with a mean of 1238.5. 61 samples fell under the detection limit of S (50 ppm). Zn concentrations ranged from 4 to 104 ppm, maximum value correlated to a depth of 277.3 metres, with a mean of 35.6. No samples fell under the detection limit of Zn (2 ppm). Pb concentrations ranged from 0 to 126, maximum value correlated to a depth of 181.6 metres, with a mean of 11.5. 1 sample fell below the detection limit for Pb (1 ppm). Tl concentrations ranged from 0 and 4.1 ppm, maximum value correlated to a depth of 182.8 metres, with a mean of 0.5. 8 samples fell under the detection limit of Tl (0.1 ppm).

#### WURALIWUNTYA FORMATION

For the 56 samples within drill core MCDD0003, the specific redox-sensitive concentrations for Mo, V and U are comparatively less enriched than the Wollogorang, they are as follows: Mo concentrations range from 0 to 40.5ppm, maximum value correlated at a depth of 266.75 metres and was highly outside the range of other values as the mean was just 3.26 ppm. A total of 7 samples fell under the detection limit of Mo (0.5ppm). V concentrations range from 40 to 300ppm, maximum value correlated at a depth of 225.10 metres, with a mean of 145.45. No samples fell under the detection limit of V (20ppm). U concentrations range from 2.7 to 32.3ppm, maximum value correlated to a depth of 266.75 metres, with a mean of 5.73. No samples fell under the detection limit of U (0.1ppm).

Al concentrations ranged from 4.76 to 13.6 ppm, maximum value correlated to a depth of 271.21 metres, with a mean of 9.2. No samples fell under the detection limit of Al

(0.005%). S concentrations ranged from 0 to 4600 ppm, maximum value correlated to a depth of 298.33 metres, with a mean of 419.6. 32 samples fell under the detection limit of S (50 ppm). Zn concentrations ranged from 4 to 54 ppm, maximum value correlated to a depth of 341.56 metres, with a mean of 28.2. No samples fell under the detection limit of Zn (2 ppm). Pb concentrations ranged from 5 to 46, maximum value correlated to a depth of 266.75 metres, with a mean of 12.7. No samples fell under the detection limit of Pb (1 ppm). Tl concentrations ranged from 0.4 to 2.7 ppm, maximum value correlated to a depth of 299.38 metres, with a mean of 1.05. No samples fell under the detection limit of Tl (0.1 ppm).

## TOC

A total of 154 samples over all three formations were analysed for TOC. High resolution was not required for this technique as the focus was only on darker coloured powders, this restricted majority of the sampling to the Wollogorang Formation. TOC values ranged from 0.01 to 8.31 wt.%, maximum value correlated to a depth of 57.4 metres within the Wollogorang Formation of drill core MCDD0003 with a mean of 0.85.

## DISCUSSION


### REDOX ANALYSIS: TRACE ELEMENTS AND REE BEHAVIOUR

Cerium (Ce) is the only REE which can convert from a soluble 3+ state to an insoluble 4+ state in the presence of oxidised seawater. During the conversion of Ce 3+ to Ce 4+, Ce's insoluble state allows it to become enriched into ferromanganese sediments (iron and manganese rich sediments), resulting in a depleted signature from residual seawater

(Elderfield et al., 1988). This discriminates its behaviour from other neighbouring REEs which remain in a soluble trivalent state under oxidised seawater and hence do not become enriched in sediments (German et al., 1991). This process is the key factor that enables the interpretation of palaeo redox conditions of seawater and is sensitive on a metre scale (Carlo and Green, 2002). Ce anomalies are weakened (more positive) in sub-oxic and anoxic seawater due to the reductive dissolution of ferromanganese sediments, causing a limitation on the amount of Ce able to become enriched (German et al., 1991). This depleted Ce anomaly is commonly calculated as  $Ce^*_{SN}$  as:  
 $Ce^*_{SN} = (2 * Ce_{SN}) / (La_{SN} + Pr_{SN})$ , which incorporates neighbouring REEs of La and Pr, all of which are normalised to specific Post Archean Australian Shale (PAAS) values by Nance & Taylor (1976).


The trace element concentrations of Mo, V and U show noticeable contrasts within the three sampled formations within a somewhat  $Ce^*$  fluctuating environment (figure 3). The Wologorang formation (within both studied cores) shows the highest concentrations of these trace elements and additionally, the most negative Ce anomalies, indicating the most oxic conditions amongst the formations. Interestingly, trace element spikes closely mirror each other to show and are restricted within negative  $Ce^*$  anomalies produced at the time of deposition, indicating that these relatively oxygen-rich conditions share an affinity with elevated Mo and U concentrations. However, this relationship cannot be justified purely based on  $Ce^*$  anomalies as Mo is soluble during oxic conditions and only converts to thiomolybdate to be subsequently absorbed by organic matter as S complexes under high levels of dissolved sulphide (euxinic conditions) (Helz et al., 1996). Additionally, uranium is in a soluble  $U^{6+}$  form during

oxidised conditions and is only immobile and absorbed into sediments under similar anoxic conditions (Lanmuir, 1978). Further analysis of how organic matter with respect to such trace element concentrations and corresponding Ce\* anomalies will be investigated below.




**Figure 3.** Top: high resolution stratigraphic log of drill core MCDD0005, bottom: high resolution stratigraphic log of drill core MCDD0003 (created by Cris Cruz, modified after Kunzmann, 2019). Redox-sensitive trace element concentrations of Mo, V and U correlated to stratigraphic depths within the Wologorang, Mallapunyah and Wuraliwuntya with shale-normalised (SN) Ce anomalies to PAAS alongside.

The Ce\* anomalies reflect a fluctuating pattern from positive to negative throughout the two studied drill cores. Specially within the Wollogorang formation of drill core MCDD0005, increasing oxic conditions occur with depth as Ce anomalies become more negative. The opposite pattern is true for the higher stratigraphy of the Mallapunyah formation within the same drill core, as it becomes more anoxic with depth as Ce anomalies become more positive. Contrastingly, the Wuraliwuntya is restricted within the anoxic region whilst the Wollogorang of the higher stratigraphy in drill core



**Figure 4. Left: drill core MCDD0003, right: drill core MCDD0005. Shale-normalised (SN) Ce and Eu anomalies to normalised to PAAS (Post Archean Australian Shale) (Nance and Taylor, 1976) against depth for three separate formations. Anomalies calculated as:  $Ce^*_{SN} = (2 * Ce_{SN}) / (La_{SN} + Pr_{SN})$ ,  $Eu^*_{SN} = (2 * Eu_{SN}) / (Sm_{SN} + Gd_{SN})$ .**


MCDD0003 shows a middle spike in negative Ce anomalies (figure 4). These negative Ce\* anomalies reach up to 0.80, which is interpreted as sub-oxic by conditions after Bau & Dulski (1996). By comparison, negative Ce\* anomalies for strongly oxidised modern oceans are 0.4-0.7 (Elderfield & Greaves, 1982). Eu anomalies are attained in seawater as it can reduce from  $\text{Eu}^{3+}$  to  $\text{Eu}^{2+}$  in anoxic environments. Large positive Eu anomalies ( $>1.5$ ) are indicative of hydrothermal fluid mixing with seawater (Meyer et al., 2015). The Eu\* anomaly is calculated in a similar fashion as Ce\*, through the relationship of its respective neighbouring REEs using the following equation:  $\text{Eu}^*\text{SN} = (2 * \text{EuSN}) / (\text{SmSN} + \text{GdSN})$ . Slight positive Eu\* anomalies are evident within the bottom of the Wollogorang of drill core MCDD0003, throughout the Wuraliwuntya formation and partly within the top of the Mallapunyah formation. This may be slight evidence for a hydrothermal exhaust within the basin, yet these values are all  $<1.5$  and negligible for this thesis.



**Figure 5. Left: drill core MCDD0003, right: drill core MCDD0005. Shale-normalised (SN) Ce and Pr anomalies cross plot after Bau & Dulski, (1996). Normalisation was to PAAS (Post Archean Australian Shale) (Nance and Taylor, 1976).  $\text{Pr}^*\text{SN} = (2 * \text{PrSN}) / (\text{CeSN} + \text{NdSN})$ .**

Cross plotting Ce\* and Pr\* after Bau and Dulski, (1996) removes the effects of positive La anomalies in order to interpret a true negative Ce anomaly. The plot is split up into three specific bounds of positive Ce anomalies, true negative Ce anomalies and positive


La anomalies. The results in figure 5 are predominately  $Ce < 1$  and are observed in a scattered pattern restricted within the middle-bounded section of PAAS. However, the Wollogorang and Mallapunyah formations record limited true negative Ce anomalies, which is indicative of no La anomaly contamination within the signal (as stated above).



**Figure 6. Top: drill core MCDD0005, bottom: drill core MCDD0003. REE spiderplot normalised to PAAS values from Nance and Taylor (1976) with depth intervals (including correlated formations) colour coded and the y-axis representing REE concentration in ppm. Created in GCD kit using R-Studio software.**


The distribution of rare earth elements and yttrium (REY) within the oceans has several possible pathways including rivers, aeolian input and hydrothermal vents. The concentrations of REY accumulate via erosion and sedimentation and are carried by suspension rather than dissolution and reflect their source (Taylor & McLennan, 1985). These carried accumulations also undergo removal of specific REEs (such as Ce depletions) during sedimentation via particle scavenging which give identifiable characteristic REY signatures based on different environments (Byrne and Kim, 1990; Douville et al., 1999; Elderfield et al., 1990). For modern seawater, depleted Ce signatures and heavy rare earth (HREE) enrichments are evident (James et al., 1995). These depleted Ce anomalies are slightly pronounced within the Wollongorang formation in both studied cores, yet HREEs are comparatively depleted against light and medium rare earths in drill core MCDD0003. Indicating less heavy mineral and zircon (Nesbitt, 1979) concentrations over drill core MCDD0005 that represents a flatter overall pattern. Supporting evidence for HREE depletion is given through chemical analysis studies (Gromet et al., 1984; Schokovitz, 1990; Chen et al., 1990), their results indicate deficient heavy mineral dissolution within the seawater. Additionally, hydrothermal activity reflects REY patterns which have flat or depletions in HREEs and excess in Eu (Bau & Dulski, 1996; Douville et al., 1999). This could be a result of mantle influences within drill core MCDD0003. However, as represented above (figure 4), Eu\* anomalies are negligible throughout all studied formations. Therefore, the REY pattern observed in drill core MCDD0003 is more likely representative of riverine waters from Soyol-Erdene & Huh (2013).

## BIGOCHEMICAL INFLUENCE ON REDOX



**Figure 7. Left: drill core MCDD0003, Right: MCDD0005. TOC variations with depth based on pyrolysis data between 3 separate formations, showing a pronounced enrichment in the Wollgorang Formation and a slight enrichment in the Mallapunyah Formation. Thermal maturity index based on Tmax and vitrinite reflectance (Calculated %Ro =  $0.0180 \times \text{Tmax} - 7.16$ , Jarvie et al., 2001) indicating different stages of TOC maturity based on increasing Tmax.**


The variations in TOC content throughout all formations is observed in figure 7, with highest TOC enrichments being primarily within the black shale bearing Wollgorang Formation with a slight enrichment in the Mallapunyah Formation. Thermal maturity index based on vitrinite reflectance and Tmax disregard Tmax values below 400 °C within the calculations, as these falls below the immature window, hence it is a more accurate representation of TOC maturity. Majority of the high TOC values from Wollgorang Formation fall within the oil window, with a few samples reaching the condensate-wet gas zone and Tmax values of above 400 °C. This shows the potential for the hydrocarbon exploration of this specific formation and is analogous to findings from Cox et al., (2016) within the Velkerri formation.



**Figure 8. Left: drill core MCDD0003, Right: drill core MCDD0005. Cross-plots of total organic carbon (TOC) against redox-sensitive trace elements (Mo, V and U) normalised to aluminium, showing the euxinic threshold at 4% TOC and contrasting relationships over 3 formations.**

Increasing TOC content highlights key redox conditions and shares a co-variance with redox-sensitive trace elements of Mo, V and U (figure 8). These results were compared with similar reports by Cox et al., (2016) within the 1.4 Ga Velkerri Formation of the McArthur Basin which show strong TOC and Trace Element co-variance from ~0.5 - 4% TOC. Based on the results in this study however, trace elements from the Wollogorang and Mallapunyah showed a weaker co-variance between 0.5 and 4% TOC, with U showing the strongest co variance. This region interprets the sub-oxic and anoxic conditions within a closed system. For this specific redox condition, trace element concentrations are enriched via productivity of organo-metallic complexes

within somewhat closed system (Algeo & Maynard, 2004; Scott & Lyons, 2012). Outside these TOC parameters (<0.5% and >4% TOC), euxinic redox conditions prevail, resulting in the co-variation relationship between trace elements and TOC becoming less pronounced by scattering of data values. Notably, this relationship and decoupling of trace elements only persists within Wollongorang as it is the only formation which surpasses the 4% TOC euxinic threshold. Trace element concentrations which exist in euxinic conditions are succumb to an open system rather than a sub-oxic to anoxic closed system. Concentrations for Mo are increased due water column sulphides ( $H_2S$ ) becoming the primary sink, whereas concentrations of U and V are elevated due to further reduction of V and U species, (Algeo & Maynard, 2004; Scott & Lyons, 2012). This evidence of trace element enrichment with respect to TOC highlights dominant sub-oxic to anoxic redox conditions with episodes of euxinia within the Palaeoproterozoic seawater which allows organic compounds to accumulate. Supporting evidence for this result is governed by studies from Spinks et al., (2006) whom use Mo, V, Re and TOC to show that the Wollongorang Formation plots within the anoxic and euxinic region within a normal marine environment.




**Figure 9. Left: drill core MCDD0003, right: drill core MCDD0005. Shale-normalised (SN) Ce anomalies to PAAS plotted against TOC, highlighting each formation and showing increasing TOC content is restricted within primarily negative Ce anomaly regions. The shaded regions represent areas of anoxia, with cerium not being oxidised.**

In order to evaluate the specific redox environment in which the organic matter accumulated, TOC contents from all three formations were plotted against  $Ce^*$  anomalies, again normalised to PAAS (figure 9). The Wollogorang Formation and Mallapunyah Formations both plot within a negative  $Ce^*$  anomaly against TOC, with the Wollogorang showing a more pronounced negative  $Ce^*$  anomaly and increase in TOC content. Samples with limited TOC (<1%) show very slight to no negative anomaly and fall within the anoxic shaded zone, providing further evidence that the negative  $Ce$  anomalies share an affinity to increasing TOC content. This negative  $Ce^*$  anomaly relationship with organic matter is interpreted to be representative of authigenic mineral precipitation within oxygenated seawater (Dumoulin et al., 2011; Pi et al., 2013; Slack et al., 2015). This evidence is similar to findings by Cox et al., (2016) and further infers that the oxidised waters during the deposition of the Wollogorang and Mallapunyah Formations within the study is influenced by organic matter. These results indicate the Wollogorang Formation and Mallapunyah Formations being formed within highly productive sub-oxic to oxic surface mixed layers of the Palaeoproterozoic seawater.

#### POTENTIAL SEDEX MINERALISATION OF THE TAWALLAH GROUP

Trace element and metal concentrations of S, Al, Zn, Pb, Tl within the Wollogorang and Mallapunyah are comparatively elevated against the Wuraliwuntya (figure 10). These specific metals are seemingly sequestered into sediments within a sub-oxic to anoxic conditions based on  $Ce^*$  anomalies. This trace metal mineralisation is analogous to findings from Spinks et al. (2016) whom describes evidence for sedimentary exhalative (SEDEX) ore deposit style mineralisation within the Tawallah Group of the McArthur Basin. There are two simplified conditions required for a SEDEX deposit, firstly: base

metal sulfide precipitation is governed by metallic basinal brines from proximal active faulting within synsedimentary depositional conditions (Large et al., 1998; Large and McGoldrick, 2000; Large et al., 2005), secondly via syndiagenetic replacement of carbonate (Large et al., 1998; Ireland et al., 2004). Two major categories were brought forward by Cooke et al., (2004), characterised by mineralising brines, sedimentary basin and lithology type: McArthur type (oxidising brines) and Selwyn type (reduced brines). The formation of the major McArthur River Mine SEDEX deposit, within the Barney Creek Formation of the upper McArthur Group, has underlying volcanic lithologies, which is argued to have been essential for governing oxidized metallic-rich brines that are deposited along faults zones into anoxic/euxinic basin floor or shallow marine surface waters (Cook et al., 2000). This scenario is somewhat analogous for the Wollongorang and Mallapunyah Formations as the proximal Batten Fault Zone could potentially produce an interesting target as a base metal trap due to underlying Settlement Creek Volcanics, overlying Gold Creek Volcanics and sub-oxic to anoxic conditions as discussed above.




**Figure 10. Top: drill core MCDD0003, Bottom: drill core MCDD0005. Trace element and metals (S, Al, Zn, Pb and Tl) concentrations alongside  $Ce^*_{SN}$  evidence for sedimentary exhalative ore deposit (SEDEX) related mineralisation.**

## CARBON AND OXYGEN

The  $\delta^{13}C$  values range between +0.47 and -3.10 ‰, whilst  $\delta^{18}O$  values range from -2.34 and -9.57 ‰ (figure 11). There is no evidence for large scale shifts in positive carbon isotopes via enhanced organic carbon burial or high levels of biological activity fixating  $CO_2$  that result in enrichments of lighter carbon ( $^{12}C$ ) (Braiser & Lindsay, 1998).


Interestingly, the trend for  $\delta^{13}C$  does demonstrate a systematic variation from <-1 ‰ at

the bottom of the formation, with a bulge to  $>-1$  ‰ in the middle section and increasing again to  $>-2$  ‰ at the top of the formation. This indicates decreased burial of organic matter which could be a result of decreasing biological productivity or lower burial efficiency. Additionally, the trend for  $\delta^{18}\text{O}$  stays low which makes sense for the oxygen-poor Palaeoproterozoic. Both trends are relatively flat, with isotope values within a narrow band, these findings are similar studies by Des Marais et al. (1992) for the mid-Palaeoproterozoic to late Mesoproterozoic (Des Marais et al., 1992). The low negative excursions also supports the reported delay of biological activity during this period, termed ‘the boring billion’ (Buick et al., 1995). This restriction on biological activity was mainly due to insufficient bioavailable nutrients such as phosphates and nitrate (Lindsay & Braiser, 1999).



**Figure 11. Carbon ( $\delta^{13}\text{C}$ ) and oxygen ( $\delta^{18}\text{O}$ ) isotope data with depth for the Amelia Dolostone within the McArthur Group, fractionation in isotopic values represented in permil (‰) and error bars for each value given in red.**

Cross-plotting carbon and oxygen isotopes is a method after Banner & Gilbert (1990) for checking diagenetic overprint on carbonate samples. The scattered pattern for the Amelia Dolostone seem to share no covariance relationship between carbon and oxygen isotopes, which indicates they are not influenced by diagenetic overprint. However, whether it is safe to assume these isotope systems are recording a primary signal is ambiguous due to lack of trace element data.



**Figure 12. Carbon and oxygen isotope cross-plot from the Amelia Dolostone within the McArthur Group in order to decipher diagenetic behaviour after Banner and Gilbert, (1990). Demonstrating a modelled diagenetic relationship indicated via covariation of carbon and oxygen isotopes (blue arrows) from a theorised marine calcite and diagenetic calcite.**

## CONCLUSIONS

Using a new high resolution coupled dataset of conventional and organic geochemistry, the palaeoredox conditions of the units within the McArthur and Tawallah groups have been inferred.

- Cerium anomalies indicate fluctuations within the palaeoredox history of the lower McArthur Basin from suboxic to anoxic during the deposition of the Mallapunyah and Wollogorang formations. Similar suboxic signals were reported by 1.74-1.74 Ga chert and iron formation within the Jerome mining district Arizona (Slack et al., 2007). Depositional environments for the Wollogorang formation were due to episodic euxinic conditions as evident by redox-sensitive trace element enrichments sharing a covariance with increasing organic matter content, with additional large influxes of sulphur concentrations within (>70,000 ppm). This supports evidence of euxinia within the Palaeoproterozoic given by Canfield (1998), however suboxic conditions are contrasting. These findings are analogous to other studies (Spinks et al., 2016; Shen et al., 2002; Kendall et al., 2009) and share a resemblance to the depositional conditions for the 1.4Ga Velkerri formation (Cox et al., 2016).
- The Wollogorang shows evidence for sedimentary exhalative deposit style mineralisation, evident by spikes in trace metals which is supported by Spinks et al. (2016).
- Flat carbon isotope trends and slight increasing negative excursions indicate limited organic carbon burial and biological productivity. The narrow range of values are analogous to The Boring Billion period (Veizer et al., 1992; Buick et al., 1995; Knoll et al., 1995b).

## **ACKNOWLEDGMENTS**

I would like to give my thanks and appreciation to my supervisors Prof. Alan Collins and Dr. Juraj Farkas for giving up their time, encouraging me and being so understanding throughout my honours project. Much thanks to Morgan Blades for organising my large sample list with Bureau Veritas and to Dr. Robert Klæbe, Dr. Tony Hall, Dr. David Bruce for their expertise in the laboratories. Special thanks to Bo Yang for taking time out of his busy PhD schedule and assisting with sampling, Darwin Subarkah, Jarred Lloyd, Pavan Katuru and other TES group members for their knowledge and support. Huge thanks to Todd River Resources for providing the funding and drill core samples for this project as well as NTGS for allowing the use of their premises. Lastly, I'm grateful for having such a supportive, welcoming and passionate honours cohort which helped motivate me throughout the year.

## REFERENCES

- AHMAD, M., & MUNSON, T. J. (2013). Geology and mineral resources of the Northern Territory: Northern Territory Geological Survey.
- ALGEO, T., & LYONS, T. (2006). Mo–total organic carbon covariation in modern anoxic marine environments: Implications for analysis of paleoredox and paleohydrographic conditions. *Paleoceanography*, 21(1)
- ANBAR, A.D., & KNOLL, A.H. (2002). Proterozoic Ocean Chemistry and Evolution: A Bioinorganic Bridge?, *Science*, 297(5584), 1137-1142. doi: 10.1126/science.1069651
- BANNER, J.L., & HANSON, G.N. (1990). Calculations of simultaneous isotopic and trace element variations during water-rock interaction with applications to carbonate diagenesis, *Geochimica et Cosmochimica Acta*, 54(11), 3123-3137.
- BAU, M., & DULSKI, P. (1996). Distribution of yttrium and rare-earth elements in the Penge and Kuruman iron-formations, Transvaal Supergroup, South Africa, *Precambrian Research*, 79(1-2), 37-55. doi:10.1016/0301-9268(95)00087-9
- BETTS, P. G., & GILES, D. (2006). The 1800–1100 Ma tectonic evolution of Australia. *Precambrian Research*, 144(1), 92-125. doi:10.1016/j.precamres.2005.11.006
- BLAIKIE, T. N., BETTS, P. G., ARMIT, R. J., & AILLERES, L. (2017). The ca. 1740–1710 Ma Leichhardt Event: Inversion of a continental rift and revision of the tectonic evolution of the North Australian Craton. *Precambrian Research*, 292, 75-92. doi:10.1016/j.precamres.2017.02.003
- BRAISER, M.D., & LINDSAY, J.F. (1998). A billion years of environmental stability and the emergence of eukaryotes: New data from Northern Australia. *Geology*, 26(6), 555-558. doi:10.1130/0091-7613(1998)026<0555:ABYOE>2.3.CO;2
- CANFIELD, D.E. (1998). A new model for Proterozoic ocean chemistry, *Nature*, 396(6710), 450-453. doi: 10.1038/24839
- CLOSE, D. (2014). The McArthur Basin: NTGS' approach to a frontier petroleum basin with known base metal prospectivity. Paper presented at the Annual Geoscience Exploration Seminar (AGES) Proceedings, Alice Springs, Northern Territory
- CONDIE, K.C. (1991). Another look at rare earth elements in shales, *Geochemica et Cosmochimica Acta*, 55(9), 2527-2531
- COX, G.M., JARRET, A., EDWARDS, D., CROCKFORD, P.W., HALVERSON, G.P., COLLINS, A.S., POIRIER, A., & LI, Z. (2016). Basin redox and primary productivity within the Mesoproterozoic Roper Seaway, *Chemical Geology*, 440, 101-114, doi:10.1016/j.chemgeo.2016.06.025
- CULLERS, R.L. (2002). Implications of elemental concentrations for provenance, redox conditions, and metamorphic studies of shales and limestones near Pueblo, CO, USA, *Chemical Geology*, 191(4), 305-327. doi: 10.1016/S0009-2541(02)00133-X
- DONNELLY, T.H. & JACKSON, M.J. (1987). Sedimentology and geochemistry of a mid-Proterozoic lacustrine unit from northern Australia, 58, 159-169.
- ELDERFIELD, H., & GREAVES, J.H. (1982). The rare earth elements in seawater, *Nature*, 296(5845), 214-219.
- German, C.R., Hollidat, B.P., & Elderfield, H. (1991). Redox cycling of rare earth elements in the suboxic zone of the Black Sea, *Geochimica et Cosmochimica Acta*, 55(12), 3553-3558. doi:10.1016/0016-7037(91)90055-A
- GREY, K. (2018). McArthur river project: 2018 stratigraphic diamond drilling program EL 27711 and EL 30085. Todd River Resources Limited
- JACKSON, M. J., SCOTT, D. L., & RAWLINGS, D. J. (2000). Stratigraphic framework for the Leichhardt and Calvert Superbasins: Review and correlations of the pre- 1700 Ma successions between Mt Isa and McArthur River. *Australian Journal of Earth Sciences*, 47(3), 381-403. doi:10.1046/j.14400952.2000.00789.x
- KUMP, L.R., & ARTHUR, M.A. (1999). Interpreting carbon-isotope excursions: carbonates and organic matter, *Chemical Geology*, 161(1-3), 181-198. doi: 10.1016/S0009-2541(99)00086-8
- KUNZMANN, M., SCHMID, S., BLAIKIE, T. N., & HALVERSON, G. P. (2019). Facies analysis, sequence stratigraphy, and carbon isotope chemostratigraphy of a classic Zn-Pb host succession: The Proterozoic middle McArthur Group, McArthur Basin, Australia. *Ore Geology Reviews*, 106, 150-175. doi:10.1016/j.oregeorev.2019.01.011
- LANGMUIR, D. (1978). Uranium solution-mineral equilibria at low temperatures with applications to sedimentary ore deposits, *Geochimica et Cosmochimica Acta*, 42, 547-569

- LINDSAY, J.F. (2010). Basin dynamics and mineralization McArthur Basin northern Australia, *Australian Journal of Earth Sciences*, 48(5), 703-720. doi: 10.1046/j.1440-0952.2001.485892.x
- LINDSAY, J.F., & BRAISER, M.D. (2000). A carbon isotope reference curve for ca. 1700-1575 Ma, McArthur and Mount Isa Basins, Northern Australia, 99(3), 271-308. doi:10.1016/S0301-9268(99)00062-5
- LYONS, W.T., REINHARD, T.C. & PLANAVSKY, J.N. (2014). The rise of oxygen in Earth's early ocean and atmosphere, *Nature*, (506), 307-315. doi:10.1038/nature13068
- MUKHERJEE, I., LARGE, R. R., CORKREY, R., & DANYUSHEVSKY, L.V. (2018). The Boring Billion, a slingshot for Complex Life on Earth, *Nature*, 8, 1-7. doi:10.1038/s41598-018-22695-x
- MYERS, J. S., SHAW, R. D., & TYLER, I. M. (1996). *Tectonic evolution of Proterozoic Australia. Tectonics*, 15(6), 1431.
- NANCE, W.B., & TAYLOR, S.R. (1976). Rare earth element patterns and crustal evolution-I. Australia post-Archean sedimentary rocks, *Geochimica et Cosmochimica Acta*, 40, 1539-1551. doi:10.1016/0016-7037(76)90093-4
- NESBITT, H., & YOUNG, G. (1996). Petrogenesis of sediments in the absence of chemical weathering: Effects of abrasion and sorting on bulk composition and mineralogy. *Sedimentology*, 43(2), 341-358.
- PIPER, D.Z., & CALVERT, S.E. (2009). A marine biogeochemical perspective on black shale deposition, *Earth Science Reviews*, 95, 63-96. doi:10.1016/j.earscirev.2009.03.001
- POULTON, S.W., FRALICK, P.W., & CANFIELD, D.E. Spatial variability in oceanic redox structure 1.8 billion years ago, *Natural Geoscience*, 3(7), 486-490. doi: 10.1038/ngeo889
- RAWLINGS, D. J. (1999). Stratigraphic resolution of a multiphase intracratonic basin system: the McArthur Basin, northern Australia. *Australian Journal of Earth Sciences*, 46(5), 703-723. doi:10.1046/j.1440-0952.1999.00739.x
- RAWLINGS, D. J. (2002). Sedimentology, volcanology and geodynamics of the Redbank package, Northern Australia. (PhD). University of Tasmania, Hobart, Tasmania
- SCHRAG, D.P., HIGGINS, J.A., MACDONALD, F.A., & JOHNSTON D.T. (2013). Authigenic Carbonate and the History of the Global Carbon Cycle, *Science*, 339(6119), 540-543. doi: 10.1126/science.1229578
- SLACK, J.F., GRENNE, T., BEKKER, A., ROUXEL, O.J., & LINDBERG, P.A. (2007). Suboxic deep seawater in the late Paleoproterozoic: Evidence from hematitic chert and iron formation related to seafloor-hydrothermal sulfide deposits, central Arizona, USA, *Earth and Planetary Science Letters*, 255(1-2), 243-256. doi: 10.1016/j.epsl.2006.12.018
- SPINKS, S.C., SCHMID, S., PAGÉS, A., & BLUETT, J. (2016). Evidence for SEDEX-style mineralization in the 1.7 Ga Tawallah Group, McArthur Basin, Australia, *Ore Geology Reviews*, 76(C), 122-139. doi:10.1016/j.oregeorev.2016.01.007
- SPINKS, S.C., SCHMID, S., PAGÉS, A., & BLUETT, J. (2016). Delayed euxinia in Paleoproterozoic intracontinental seas: Vital havens for the evolution of eukaryotes?, *Precambrian Research*, 287, 108-114. Doi: 10.1016/j.precamres.2016.11.0020301-9268/
- TOSTEVIN, R., SHIELDS, G., TARBUCK, G., He, T., CLARKSON, M., & WOOD, R. (2016). Effective use of cerium anomalies as a redox proxy in carbonate-dominated marine settings. *Chemical Geology*, 438(C), 146-162.
- TRIBOVILLARD, N., ALGEO, T.J., LYONS, T., & RIBOULLEAU, A. (2006). Trace metals as paleoredox and paleoproductivity proxies: An update, *Chemical geology*, 232(1-2), 12-32. doi: 10.1016/j.chemgeo.2006.02.012

## APPENDIX:

### Carbon and oxygen isotope data

| Depth (m) | sample # | $\delta^{13}\text{C}$ | $\delta^{13}\text{C}_{\text{err}}$ | $\delta^{18}\text{O}$ | $\delta^{18}\text{O}_{\text{err}}$ |
|-----------|----------|-----------------------|------------------------------------|-----------------------|------------------------------------|
| 10.81     | 1        | -2.40                 | 0.03                               | -5.37                 | 0.05                               |
| 12.24     | 2        | -1.27                 | 0.04                               | -5.53                 | 0.04                               |
| 13.71     | 3        | -0.72                 | 0.04                               | -5.22                 | 0.04                               |
| 14.41     | 4        | -1.15                 | 0.11                               | -6.79                 | 0.22                               |
| 15.27     | 5        | -2.25                 | 0.04                               | -6.34                 | 0.03                               |
| 17.51     | 6        | -0.94                 | 0.07                               | -7.41                 | 0.03                               |
| 21.41     | 7        | -1.20                 | 0.04                               | -8.21                 | 0.07                               |
| 19.15     | 8        | 0.21                  | 0.03                               | -4.94                 | 0.07                               |
| 23.54     | 9        | -0.64                 | 0.06                               | -6.01                 | 0.17                               |
| 25.57     | 10       | -0.96                 | 0.03                               | -8.16                 | 0.02                               |
| 28.02     | 11       | -0.38                 | 0.06                               | -6.46                 | 0.10                               |
| 29.21     | 12       | -0.72                 | 0.04                               | -7.57                 | 0.06                               |
| 30.49     | 13       | -3.10                 | 0.01                               | -2.34                 | 0.33                               |
| 32.72     | 14       | -0.46                 | 0.04                               | -6.92                 | 0.04                               |
| 33.95     | 15       | 0.47                  | 0.02                               | -8.45                 | 0.00                               |
| 36        | 16       | -0.76                 | 0.01                               | -7.02                 | 0.03                               |
| 37.54     | 17       | -0.53                 | 0.05                               | -6.98                 | 0.14                               |
| 38.9      | 18       | -0.65                 | 0.06                               | -7.02                 | 0.03                               |
| 40.15     | 19       | -0.54                 | 0.04                               | -6.58                 | 0.10                               |
| 41.5      | 20       | -0.65                 | 0.02                               | -7.08                 | 0.07                               |
| 43.27     | 21       | -0.76                 | 0.06                               | -7.60                 | 0.04                               |
| 44        | 22       | -1.50                 | 0.03                               | -6.79                 | 0.05                               |
| 45.84     | 23       | -0.70                 | 0.03                               | -7.40                 | 0.03                               |
| 46.9      | 24       | -1.54                 | 0.01                               | -9.57                 | 0.04                               |
| 48.4      | 25       | -0.63                 | 0.05                               | -6.88                 | 0.05                               |
| 52.03     | 26       | -0.53                 | 0.05                               | -6.70                 | 0.08                               |
| 53.93     | 27       | -0.96                 | 0.05                               | -6.29                 | 0.03                               |
| 55.37     | 28       | -0.67                 | 0.09                               | -6.34                 | 0.12                               |
| 55.87     | 29       | -0.75                 | 0.05                               | -6.37                 | 0.07                               |
| 58.8      | 30       | -0.65                 | 0.03                               | -7.02                 | 0.05                               |
| 60.2      | 31       | -1.02                 | 0.02                               | -6.33                 | 0.03                               |
| 63.13     | 32       | -1.47                 | 0.13                               | -7.58                 | 0.13                               |
| 66.69     | 33       | -1.13                 | 0.04                               | -7.31                 | 0.06                               |
| 68.29     | 34       | -1.07                 | 0.10                               | -7.13                 | 0.07                               |
| 71.7      | 35       | -1.35                 | 0.05                               | -7.45                 | 0.05                               |
| 73.35     | 36       | -1.16                 | 0.02                               | -6.99                 | 0.04                               |
| 75.75     | 37       | -1.07                 | 0.02                               | -7.62                 | 0.07                               |
| 76.7      | 38       | -0.74                 | 0.02                               | -6.76                 | 0.06                               |
| 78.57     | 39       | -1.58                 | 0.06                               | -7.35                 | 0.19                               |
| 80.95     | 40       | -1.30                 | 0.02                               | -7.15                 | 0.01                               |
| 83.35     | 41       | -1.30                 | 0.02                               | -7.26                 | 0.02                               |
| 85.6      | 42       | -1.17                 | 0.01                               | -7.28                 | 0.06                               |
| 85.75     | 43       | -0.58                 | 0.02                               | -6.09                 | 0.03                               |
| 87.5      | 44       | -0.45                 | 0.04                               | -6.15                 | 0.04                               |
| 89.42     | 45       | -0.07                 | 0.04                               | -6.45                 | 0.07                               |
| 91.23     | 46       | -1.46                 | 0.03                               | -6.29                 | 0.02                               |
| 92.86     | 47       | -1.49                 | 0.02                               | -5.55                 | 0.03                               |
| 93.2      | 48       | -1.22                 | 0.03                               | -6.68                 | 0.06                               |
| 95.19     | 49       | -1.34                 | 0.02                               | -6.62                 | 0.15                               |
| 97.97     | 50       | -1.39                 | 0.03                               | -5.81                 | 0.05                               |
| 99.5      | 51       | -1.18                 | 0.07                               | -6.88                 | 0.12                               |
| 101.9     | 52       | -0.70                 | 0.05                               | -7.52                 | 0.04                               |
| 103.63    | 53       | -1.22                 | 0.04                               | -7.38                 | 0.06                               |
| 104.83    | 54       | -1.20                 | 0.03                               | -6.61                 | 0.07                               |

|        |    |       |      |       |      |
|--------|----|-------|------|-------|------|
| 107.07 | 55 | -1.57 | 0.08 | -6.84 | 0.09 |
| 108.3  | 56 | -1.36 | 0.03 | -7.08 | 0.06 |
| 110.75 | 57 | -1.30 | 0.08 | -6.67 | 0.05 |
| 113.05 | 58 | -1.22 | 0.04 | -6.43 | 0.09 |
| 114    | 59 | -1.42 | 0.04 | -6.96 | 0.07 |
| 115.9  | 60 | -0.76 | 0.04 | -6.28 | 0.03 |
| 116.77 | 61 | -0.73 | 0.02 | -6.90 | 0.09 |
| 119.77 | 62 | -0.76 | 0.02 | -7.02 | 0.07 |
| 121.03 | 63 | -0.68 | 0.01 | -6.53 | 0.03 |
| 122.86 | 64 | -0.54 | 0.01 | -7.01 | 0.02 |
| 124.4  | 63 | -0.85 | 0.02 | -6.61 | 0.06 |
| 125.83 | 66 | -0.48 | 0.06 | -6.17 | 0.04 |
| 127.71 | 67 | -0.66 | 0.03 | -7.55 | 0.05 |
| 129.35 | 68 | -0.55 | 0.03 | -7.37 | 0.07 |
| 130.63 | 69 | -0.53 | 0.02 | -6.66 | 0.02 |
| 133.09 | 70 | -0.31 | 0.03 | -6.83 | 0.01 |
| 135.55 | 71 | -0.31 | 0.04 | -6.96 | 0.04 |
| 136.62 | 72 | -0.48 | 0.05 | -8.02 | 0.08 |
| 140.1  | 73 | -1.25 | 0.05 | -7.55 | 0.04 |
| 142.52 | 74 | -0.36 | 0.03 | -6.94 | 0.04 |
| 144.55 | 75 | -0.55 | 0.02 | -7.20 | 0.01 |
| 147.07 | 76 | -0.29 | 0.02 | -6.80 | 0.04 |
| 148.15 | 77 | -0.40 | 0.05 | -6.67 | 0.03 |
| 150.96 | 78 | -0.88 | 0.05 | -7.69 | 0.10 |
| 156.42 | 80 | -0.68 | 0.05 | -7.51 | 0.06 |
| 158.38 | 81 | -0.85 | 0.02 | -9.6  | 0.08 |
| 159.73 | 82 | -0.93 | 0.04 | -7.86 | 0.08 |
| 161.98 | 83 | -0.51 | 0.04 | -4.73 | 0.07 |
| 164.68 | 84 | -1.66 | 0.07 | -7.32 | 0.07 |

# **Drill core MCDD0005 – Mallapunyah formation**

| IDENT  | Depth | Ag    | Al    | As    | Ba    | Be    | Bi    | Ca    | Cd    | Co    | Cr    | Cs    | Cu    | Fe    | Ga    |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| UNITS  |       | ppm   | %     | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   |
| SCHEME |       | MA102 | LB101 | MA102 | LB101 | MA102 | MA102 | LB101 | MA102 | MA102 | LB101 | MA102 | MA101 | LB101 | MA102 |
| LOD    |       | 0.2   | 0.005 | 1     | 20    | 0.5   | 0.1   | 0.01  | 0.5   | 1     | 20    | 0.1   | 2     | 0.01  | 0.2   |
| 1      | 165.2 | 0.6   | 8.64  | 17    | 220   | 6.5   | 0.8   | 0.35  | <0.5  | 39    | 100   | 15    | 86    | 3.11  | 25.6  |
| 2      | 166.3 | <0.2  | 7.99  | 4     | 140   | 6     | <0.1  | 0.24  | <0.5  | 38    | 100   | 10.9  | 102   | 6.92  | 23.8  |
| 3      | 167.3 | <0.2  | 6.25  | 5     | 200   | 6     | <0.1  | 4.61  | <0.5  | 27    | 60    | 17.8  | 8     | 3.42  | 21.4  |
| 4      | 167.9 | <0.2  | 4.99  | 6     | 220   | 2.5   | 0.6   | 6.64  | <0.5  | 20    | 60    | 7.1   | 50    | 2.32  | 14.8  |
| 5      | 169.9 | 0.4   | 7.09  | 17    | 200   | 6     | 0.3   | 2.88  | <0.5  | 85    | 80    | 15.1  | 350   | 3.36  | 24.2  |
| 6      | 170.7 | 0.4   | 7.59  | 9     | 160   | 6.5   | 0.3   | 1.33  | <0.5  | 65    | 100   | 12.7  | 148   | 4.25  | 24.4  |
| 7      | 171.8 | <0.2  | 6.32  | 4     | 220   | 4     | 0.5   | 0.66  | <0.5  | 19    | 80    | 12.4  | 12    | 2.39  | 19.8  |
| 8      | 172.8 | <0.2  | 5.98  | 2     | 160   | 3.5   | <0.1  | 4.15  | <0.5  | 20    | 60    | 16    | 4     | 4.2   | 20.4  |
| 9      | 173.9 | <0.2  | 7.63  | 2     | 200   | 3     | <0.1  | 0.22  | <0.5  | 16    | 100   | 15.5  | 6     | 5.56  | 23.4  |
| 10     | 175.3 | <0.2  | 7.6   | 4     | 140   | 3     | <0.1  | 0.29  | <0.5  | 16    | 100   | 13.8  | 6     | 5.66  | 23.4  |
| 11     | 176.3 | <0.2  | 7.5   | 3     | 180   | 3.5   | <0.1  | 0.23  | <0.5  | 32    | 100   | 15.5  | <2    | 7.34  | 23.8  |
| 12     | 177.5 | <0.2  | 7.83  | 2     | 140   | 3.5   | <0.1  | 0.18  | <0.5  | 20    | 100   | 13    | 338   | 6.58  | 25.2  |
| 13     | 179.1 | <0.2  | 7.82  | 19    | 180   | 3.5   | 0.4   | 1.26  | <0.5  | 33    | 100   | 11.6  | 80    | 3.2   | 27    |
| 14     | 180.6 | <0.2  | 7.5   | 16    | 560   | 1     | 0.2   | 0.06  | <0.5  | 62    | 80    | 3.1   | 6     | 2.46  | 21    |
| 15     | 181.6 | 1     | 8     | 57    | 760   | 2.5   | 0.4   | 1.18  | <0.5  | 101   | 100   | 10.9  | 194   | 2.73  | 31.8  |
| 16     | 182.8 | 0.4   | 5.66  | 16    | 220   | 2.5   | 0.6   | 5.59  | <0.5  | 35    | 60    | 9.6   | 384   | 2.11  | 20.2  |
| 17     | 184.2 | 0.4   | 6.21  | 20    | 260   | 3.5   | 0.3   | 4.07  | <0.5  | 24    | 40    | 13.6  | 24    | 3.03  | 19.8  |
| 18     | 185.1 | <0.2  | 5.02  | 5     | 300   | 2.5   | <0.1  | 5.46  | <0.5  | 16    | 60    | 11.5  | 10    | 3.71  | 13.8  |
| 19     | 185.9 | <0.2  | 4.64  | 3     | 320   | 2.5   | <0.1  | 7.45  | <0.5  | 16    | 60    | 11.1  | 6     | 2.77  | 13.8  |
| 20     | 187.2 | <0.2  | 6.56  | 10    | 740   | 2     | 0.6   | 0.88  | <0.5  | 32    | 60    | 10.5  | 24    | 1.77  | 18    |
| 21     | 188   | 1.6   | 5.54  | 44    | 260   | 3     | 1.3   | 4.01  | <0.5  | 81    | 60    | 15.8  | 100   | 2.86  | 19.4  |
| 22     | 189.6 | <0.2  | 4.54  | 3     | 900   | 1.5   | <0.1  | 5.18  | <0.5  | 24    | 40    | 8.3   | 10    | 2.94  | 11.4  |
| 23     | 190.8 | 0.6   | 5.86  | 18    | 360   | 2.5   | 0.8   | 5     | <0.5  | 33    | 60    | 12.8  | 34    | 2.69  | 18.6  |
| 24     | 192.3 | <0.2  | 5.42  | 6     | 840   | 2.5   | <0.1  | 4.55  | <0.5  | 18    | 40    | 12.8  | 26    | 4.78  | 15.2  |
| 25     | 194   | <0.2  | 3.54  | 4     | 420   | 1.5   | <0.1  | 10.8  | <0.5  | 15    | 40    | 7.8   | 10    | 1.91  | 10.8  |
| 26     | 195   | 0.4   | 4.64  | 13    | 360   | 3     | 0.5   | 7.9   | <0.5  | 23    | 60    | 10.4  | 22    | 2.96  | 14.6  |
| 27     | 196.3 | <0.2  | 6.43  | 8     | 340   | 3.5   | 0.3   | 2.78  | <0.5  | 22    | 60    | 15.6  | 12    | 6.76  | 19.6  |
| 28     | 197.6 | <0.2  | 6.52  | 4     | 560   | 3     | <0.1  | 3.26  | <0.5  | 21    | 60    | 14.7  | 40    | 4.46  | 21    |
| 29     | 198.4 | <0.2  | 5.93  | 8     | 420   | 3     | 0.3   | 3.96  | <0.5  | 20    | 60    | 11.2  | 10    | 4.36  | 18    |
| 30     | 199.5 | 0.4   | 5.66  | 9     | 480   | 3     | 0.3   | 4.41  | <0.5  | 19    | 60    | 14    | 8     | 5.42  | 19.4  |
| 31     | 200.9 | <0.2  | 5.37  | 9     | 680   | 2     | 0.3   | 5.39  | <0.5  | 19    | 60    | 11.1  | 8     | 4.85  | 16    |
| 32     | 201.6 | <0.2  | 4.86  | 7     | 300   | 3     | 0.3   | 5.78  | <0.5  | 31    | 40    | 9.8   | 6     | 3.42  | 14.4  |

|    |       |      |       |    |       |      |      |      |      |    |     |      |     |      |      |
|----|-------|------|-------|----|-------|------|------|------|------|----|-----|------|-----|------|------|
| 33 | 202.8 | <0.2 | 5.52  | 7  | 220   | 3    | 0.2  | 5.46 | <0.5 | 18 | 60  | 12.1 | 4   | 4.66 | 16.6 |
| 34 | 203.9 | <0.2 | 6.01  | 8  | 520   | 2.5  | 0.3  | 5.3  | <0.5 | 17 | 60  | 12.2 | 6   | 5.01 | 17.4 |
| 35 | 204.9 | <0.2 | 5.67  | 10 | 400   | 2.5  | 0.3  | 5.01 | <0.5 | 20 | 60  | 11.9 | 6   | 4.87 | 16.2 |
| 36 | 206.6 | <0.2 | 5.46  | 6  | 440   | 2    | 0.2  | 5.24 | <0.5 | 18 | 40  | 10.6 | 6   | 4.56 | 14.8 |
| 37 | 207.9 | <0.2 | 5.51  | 4  | 2280  | 2    | 0.2  | 5.81 | <0.5 | 20 | 40  | 6.8  | 4   | 2.53 | 13.6 |
| 38 | 209.3 | <0.2 | 5.67  | 6  | 480   | 3    | 0.3  | 5.03 | <0.5 | 18 | 40  | 12.7 | 6   | 3.84 | 16.8 |
| 39 | 210.5 | <0.2 | 6.25  | 8  | 700   | 3    | 0.4  | 3.91 | <0.5 | 23 | 60  | 12   | 8   | 4.32 | 16.8 |
| 40 | 211.4 | <0.2 | 5.64  | 7  | 420   | 3    | 0.3  | 4.56 | <0.5 | 25 | 40  | 11.3 | 10  | 3.69 | 14.8 |
| 41 | 212.6 | <0.2 | 5.95  | 9  | 480   | 2.5  | 0.4  | 4.19 | <0.5 | 18 | 60  | 11.8 | 6   | 5.11 | 17   |
| 42 | 213.9 | <0.2 | 6.17  | 9  | 540   | 3    | 0.4  | 3.49 | <0.5 | 16 | 40  | 12.2 | 10  | 4.93 | 17.4 |
| 43 | 214.9 | <0.2 | 6.08  | 8  | 340   | 3    | 0.4  | 3.64 | <0.5 | 16 | 40  | 11.8 | 6   | 4.17 | 16.2 |
| 44 | 216   | <0.2 | 6.33  | 8  | 480   | 3.5  | 0.4  | 4.04 | <0.5 | 18 | 40  | 10.8 | 16  | 4.47 | 19.2 |
| 45 | 217   | <0.2 | 5.41  | 8  | 380   | 3.5  | 0.5  | 5.2  | <0.5 | 17 | 40  | 11   | 14  | 3.98 | 15.8 |
| 46 | 218.8 | <0.2 | 5.31  | 3  | 680   | 2    | 0.3  | 6.35 | <0.5 | 13 | 60  | 6.6  | <2  | 1.45 | 14   |
| 47 | 220.7 | 0.6  | 6.7   | 26 | 760   | 3    | 5.5  | 2.92 | <0.5 | 36 | 60  | 8.3  | 16  | 1    | 19.4 |
| 48 | 221.9 | <0.2 | 0.405 | 4  | 4900  | <0.5 | 0.2  | 14.6 | <0.5 | 16 | <20 | 0.3  | 10  | 0.89 | 0.8  |
| 49 | 222.9 | <0.2 | 0.33  | 29 | 1480  | <0.5 | 1.1  | 19.4 | <0.5 | 16 | <20 | 0.2  | 10  | 1.68 | 0.4  |
| 50 | 224   | <0.2 | 1.89  | 2  | 60    | 1    | <0.1 | 13.2 | <0.5 | 12 | 20  | 2.9  | 8   | 1.18 | 5.4  |
| 51 | 224.9 | <0.2 | 0.115 | 6  | 17400 | <0.5 | <0.1 | 19   | <0.5 | 8  | <20 | <0.1 | 416 | 1.24 | 0.2  |
| 52 | 225.5 | <0.2 | 0.445 | 10 | 160   | <0.5 | 0.2  | 16.4 | <0.5 | 19 | <20 | 0.3  | 6   | 0.84 | 0.8  |
| 53 | 227.8 | <0.2 | 0.285 | 13 | 120   | <0.5 | <0.1 | 16.3 | <0.5 | 22 | <20 | 0.2  | 6   | 0.86 | 0.6  |
| 54 | 229.1 | <0.2 | 1.97  | 4  | 120   | 0.5  | <0.1 | 10.6 | <0.5 | 13 | 20  | 1.8  | 118 | 0.84 | 5.4  |
| 55 | 229.9 | <0.2 | 0.215 | 6  | 300   | <0.5 | <0.1 | 16.6 | <0.5 | 8  | <20 | <0.1 | 8   | 1.06 | 0.4  |
| 56 | 232   | 0.4  | 7.4   | 9  | 200   | 5    | 2.7  | 1.42 | <0.5 | 23 | 40  | 12.1 | 10  | 1.18 | 24.4 |
| 57 | 232.6 | <0.2 | 0.1   | <1 | 340   | <0.5 | <0.1 | 16   | <0.5 | 10 | <20 | <0.1 | 6   | 0.76 | 0.2  |
| 58 | 233.7 | <0.2 | 4.87  | 2  | 320   | 2.5  | <0.1 | 2.69 | <0.5 | 16 | 20  | 14.4 | 22  | 2.44 | 15.4 |
| 59 | 236.1 | <0.2 | 3.13  | 2  | 3000  | 1.5  | <0.1 | 5.25 | <0.5 | 27 | 20  | 6.9  | 18  | 1.18 | 9.8  |
| 60 | 237.3 | <0.2 | 5.85  | 3  | 80    | 4.5  | 0.4  | 0.08 | <0.5 | 7  | <20 | 6.1  | 4   | 2.98 | 20.6 |
| 61 | 238.8 | <0.2 | 4.16  | 6  | 160   | 2.5  | 0.2  | 2.64 | <0.5 | 16 | <20 | 14.9 | 8   | 2.72 | 17   |
| 62 | 240   | <0.2 | 0.075 | 3  | 980   | <0.5 | 0.4  | 10.2 | <0.5 | 29 | <20 | 0.2  | 10  | 0.17 | <0.2 |
| 63 | 242.2 | <0.2 | 5.34  | 2  | 240   | 2    | <0.1 | 3.68 | <0.5 | 16 | 40  | 17   | 12  | 3.92 | 13.2 |
| 64 | 243.1 | <0.2 | 4.64  | 2  | 260   | 1    | <0.1 | 6.76 | <0.5 | 14 | 40  | 12.5 | 34  | 1.74 | 11.6 |
| 65 | 244.5 | <0.2 | 6.78  | 2  | 280   | 3    | <0.1 | 0.39 | <0.5 | 16 | 40  | 20.6 | 8   | 2.04 | 16   |
| 66 | 245.8 | <0.2 | 4.33  | 3  | 140   | 1.5  | 0.2  | 5.95 | <0.5 | 15 | 40  | 15.5 | 40  | 2.46 | 10.2 |
| 67 | 246.9 | <0.2 | 5.09  | 3  | 200   | 2    | 0.3  | 4.12 | <0.5 | 14 | 40  | 20.4 | 26  | 2.42 | 12.2 |
| 68 | 247.5 | <0.2 | 4.66  | 3  | 200   | 2    | 0.2  | 1.68 | <0.5 | 18 | 40  | 19.5 | 22  | 3.87 | 13.8 |
| 69 | 248.6 | <0.2 | 4.24  | 2  | 180   | 2    | 0.3  | 4.26 | <0.5 | 21 | 40  | 15.6 | 56  | 2.88 | 11.2 |
| 70 | 249.7 | <0.2 | 5.26  | 4  | 260   | 2.5  | 0.2  | 0.96 | <0.5 | 17 | 40  | 17.3 | 44  | 2.29 | 14   |
| 71 | 251.5 | <0.2 | 6.15  | 13 | 600   | 3    | 1.2  | 0.43 | <0.5 | 30 | 60  | 16   | 16  | 2.51 | 15.8 |

|     |       |      |       |    |      |      |      |      |      |    |     |      |     |      |      |
|-----|-------|------|-------|----|------|------|------|------|------|----|-----|------|-----|------|------|
| 72  | 252.5 | <0.2 | 4.8   | 2  | 640  | 2    | <0.1 | 4.57 | <0.5 | 22 | 40  | 12.7 | 12  | 1.99 | 11.6 |
| 73  | 254.5 | <0.2 | 4.68  | 2  | 580  | 2    | 0.2  | 5.01 | <0.5 | 20 | 40  | 12.3 | 18  | 2.07 | 12.2 |
| 74  | 255.5 | <0.2 | 5.05  | 3  | 220  | 1.5  | 0.2  | 3.46 | <0.5 | 20 | 40  | 16.3 | 14  | 3.66 | 13.2 |
| 75  | 256.8 | <0.2 | 0.785 | 2  | 200  | <0.5 | 0.7  | 19.3 | <0.5 | 11 | <20 | 1.4  | 176 | 0.52 | 1.6  |
| 76  | 258.3 | <0.2 | 5.04  | 4  | 640  | 3    | 0.3  | 0.46 | <0.5 | 32 | 40  | 16.1 | 12  | 5.48 | 13.2 |
| 77  | 259.8 | <0.2 | 4.86  | 3  | 220  | 2    | 0.2  | 2.56 | <0.5 | 36 | 40  | 18.7 | 74  | 2.5  | 13.2 |
| 78  | 261.6 | <0.2 | 3.92  | 4  | 460  | 1.5  | 0.6  | 4.28 | <0.5 | 48 | 40  | 12.6 | 16  | 1.9  | 10.8 |
| 79  | 262.6 | <0.2 | 5.14  | 6  | 200  | 2    | 0.4  | 4.32 | <0.5 | 26 | 40  | 14.3 | 14  | 3.79 | 12.4 |
| 80  | 264.2 | <0.2 | 4.33  | 9  | 1240 | 2.5  | 0.3  | 6.27 | <0.5 | 20 | 40  | 13.5 | 16  | 3.24 | 12.2 |
| 81  | 266.8 | <0.2 | 5.85  | 10 | 740  | 2.5  | 0.3  | 3.13 | <0.5 | 29 | 60  | 16.3 | 12  | 4.8  | 16.4 |
| 82  | 268.5 | <0.2 | 6.24  | 18 | 360  | 3    | 0.3  | 2.54 | <0.5 | 22 | 60  | 18.3 | 14  | 4.06 | 19.8 |
| 83  | 269.7 | <0.2 | 5.73  | 13 | 240  | 3    | 0.3  | 4.33 | <0.5 | 24 | 60  | 16.1 | 10  | 4.02 | 17.4 |
| 84  | 271.7 | 0.4  | 5.42  | 10 | 220  | 2    | 0.5  | 5.03 | <0.5 | 25 | 60  | 14.9 | 12  | 1.75 | 18   |
| 85  | 273.4 | <0.2 | 3.91  | 8  | 520  | 1.5  | 1.8  | 8    | <0.5 | 21 | 40  | 8.8  | 16  | 1.03 | 12.2 |
| 86  | 274.6 | <0.2 | 5.08  | 12 | 180  | 1.5  | 0.5  | 5.53 | <0.5 | 21 | 40  | 10.5 | 14  | 3.26 | 15.4 |
| 87  | 276.2 | <0.2 | 5.77  | 33 | 200  | 2.5  | 0.6  | 3.19 | <0.5 | 27 | 60  | 12.4 | 16  | 4.94 | 18   |
| 88  | 277.3 | <0.2 | 5.02  | 30 | 380  | 2    | 0.3  | 4.69 | <0.5 | 21 | 40  | 10.3 | 26  | 3.17 | 13.4 |
| 89  | 279.1 | <0.2 | 4.81  | 21 | 260  | 2.5  | 0.5  | 4.76 | <0.5 | 19 | 40  | 12.9 | 16  | 2.21 | 15.6 |
| 90  | 280.6 | <0.2 | 5.1   | 26 | 220  | 3    | 0.4  | 4.27 | <0.5 | 24 | 40  | 13.9 | 14  | 2.22 | 18   |
| 91  | 281.3 | <0.2 | 4.62  | 10 | 260  | 2    | 0.4  | 4.56 | <0.5 | 22 | 40  | 11.8 | 16  | 3.09 | 15.4 |
| 92  | 282.8 | <0.2 | 4.31  | 10 | 260  | 2    | 0.4  | 5.52 | <0.5 | 25 | 40  | 9.1  | 18  | 3.23 | 13.8 |
| 93  | 284.9 | <0.2 | 3.97  | 9  | 1160 | 0.5  | 0.4  | 5.67 | <0.5 | 23 | 40  | 5    | 36  | 2.61 | 10.6 |
| 94  | 286.6 | <0.2 | 4.35  | 10 | 420  | 2.5  | 0.4  | 4.01 | <0.5 | 22 | 40  | 8.6  | 20  | 3.52 | 14.2 |
| 95  | 288   | <0.2 | 4.55  | 11 | 240  | 1.5  | 0.8  | 4.66 | <0.5 | 23 | 40  | 9.5  | 32  | 3.59 | 14.2 |
| 96  | 289.6 | <0.2 | 4.86  | 28 | 240  | 2.5  | 0.4  | 3.68 | <0.5 | 26 | 60  | 13   | 22  | 2.93 | 19.4 |
| 97  | 290.6 | <0.2 | 4.47  | 21 | 220  | 3    | 0.4  | 4.38 | <0.5 | 25 | 40  | 13.4 | 24  | 3.54 | 16.8 |
| 98  | 292.1 | <0.2 | 3.86  | 10 | 1900 | 2    | 0.7  | 4.68 | <0.5 | 36 | 20  | 9.2  | 26  | 2.36 | 13.4 |
| 99  | 293.9 | <0.2 | 3.8   | 10 | 220  | 1.5  | 0.4  | 5.59 | <0.5 | 24 | 40  | 10.4 | 24  | 2.54 | 14.6 |
| 100 | 295   | <0.2 | 3.3   | 13 | 340  | 1.5  | 0.4  | 5.3  | <0.5 | 25 | 20  | 10.9 | 24  | 2.63 | 14   |
| 101 | 296.2 | <0.2 | 6.38  | 16 | 300  | 2.5  | 0.4  | 4.3  | <0.5 | 22 | 40  | 16.1 | 18  | 4.77 | 18   |
| 102 | 297.9 | <0.2 | 5.44  | 11 | 500  | 2.5  | 0.3  | 2.82 | <0.5 | 34 | 40  | 12.9 | 18  | 3.15 | 14.4 |
| 103 | 299.5 | <0.2 | 6.95  | 18 | 300  | 3    | 0.8  | 3.35 | <0.5 | 21 | 60  | 18.5 | 18  | 2.37 | 21   |
| 104 | 301.4 | <0.2 | 5.62  | 21 | 720  | 2    | 6.4  | 3.74 | <0.5 | 31 | 40  | 13   | 24  | 3.31 | 14.8 |
| 105 | 302.7 | <0.2 | 5.38  | 10 | 760  | 2    | 0.4  | 4.68 | <0.5 | 34 | 40  | 12.5 | 20  | 3.41 | 13.2 |
| 106 | 304.9 | <0.2 | 6.21  | 13 | 280  | 2.5  | 0.4  | 3.06 | <0.5 | 24 | 40  | 13.9 | 28  | 4.58 | 16.4 |
| 107 | 306.2 | <0.2 | 6.33  | 10 | 280  | 2.5  | 0.7  | 4.9  | <0.5 | 25 | 40  | 13   | 14  | 2.21 | 15.8 |
| 108 | 307.4 | <0.2 | 5.84  | 13 | 320  | 2.5  | 0.3  | 3.16 | <0.5 | 26 | 40  | 15.2 | 16  | 3.19 | 16   |
| 109 | 308.9 | <0.2 | 6.13  | 10 | 400  | 2    | 0.7  | 5.02 | <0.5 | 21 | 40  | 14.3 | 20  | 2.11 | 16.6 |
| 110 | 310.4 | <0.2 | 5.59  | 11 | 280  | 2.5  | 0.5  | 4.47 | <0.5 | 29 | 40  | 14   | 18  | 3.62 | 15   |

|               |              |            |             |             |           |              |              |            |             |            |           |              |           |            |            |
|---------------|--------------|------------|-------------|-------------|-----------|--------------|--------------|------------|-------------|------------|-----------|--------------|-----------|------------|------------|
| 111           | 311.2        | <0.2       | 5.75        | 12          | 500       | 2.5          | 0.4          | 4.95       | <0.5        | 30         | 40        | 12.9         | 16        | 3.43       | 13.8       |
| 112           | 312.8        | <0.2       | 5.46        | 11          | 880       | 2            | 0.2          | 6.07       | <0.5        | 20         | 40        | 14.1         | 14        | 1.87       | 14.2       |
| 113           | 314.3        | <0.2       | 5.16        | 10          | 420       | 1.5          | 0.4          | 4.56       | <0.5        | 28         | 40        | 12.7         | 16        | 3.34       | 13.2       |
| 114           | 315.5        | <0.2       | 5.31        | 12          | 340       | 2.5          | 0.3          | 4.38       | <0.5        | 29         | 40        | 13.3         | 18        | 3.01       | 14.6       |
| 115           | 317.4        | <0.2       | 6.58        | 23          | 260       | 2.5          | 0.4          | 3.26       | <0.5        | 26         | 60        | 13.8         | 40        | 4.33       | 16.2       |
| 116           | 318.5        | <0.2       | 6.23        | 22          | 340       | 2            | 0.3          | 2.54       | <0.5        | 23         | 60        | 14.9         | 30        | 4.29       | 16.2       |
| 117           | 319.3        | <0.2       | 5.77        | 19          | 280       | 2            | 0.4          | 4.15       | <0.5        | 24         | 40        | 15.8         | 18        | 3.68       | 15.4       |
| 118           | 323.6        | <0.2       | 6.19        | 13          | 280       | 2.5          | 0.4          | 2.81       | <0.5        | 23         | 40        | 16.2         | 12        | 4.3        | 17         |
| 119           | 325          | <0.2       | 5.58        | 17          | 320       | 2.5          | 0.3          | 2.56       | <0.5        | 30         | 40        | 15           | 20        | 4.27       | 15.6       |
| 120           | 326.7        | <0.2       | 6.31        | 10          | 300       | 3            | 0.4          | 2.23       | <0.5        | 27         | 40        | 15.6         | 22        | 4.6        | 17         |
| 121           | 329.1        | <0.2       | 5.29        | 10          | 320       | 1.5          | 0.5          | 7.4        | <0.5        | 17         | 40        | 8.3          | 44        | 3.68       | 13.8       |
| 122           | 330.1        | <0.2       | 5.1         | 9           | 300       | 1.5          | 0.5          | 5.38       | <0.5        | 24         | 40        | 10.8         | 16        | 4.35       | 13.4       |
| 123           | 331.7        | <0.2       | 5.61        | 9           | 500       | 2            | 0.5          | 5.36       | <0.5        | 19         | 40        | 13.6         | 16        | 3.95       | 14.6       |
| 124           | 332.9        | <0.2       | 6.22        | 8           | 860       | 2.5          | 0.5          | 4.6        | <0.5        | 19         | 40        | 13.1         | 12        | 4.43       | 16.2       |
| 125           | 334.2        | <0.2       | 5.46        | 5           | 360       | 2.5          | 0.4          | 4.57       | <0.5        | 34         | 40        | 10.6         | 8         | 1.74       | 14.8       |
| 126           | 353.4        | <0.2       | 6.17        | 11          | 300       | 2            | 0.4          | 4.2        | <0.5        | 20         | 40        | 12.4         | 20        | 4.9        | 15.6       |
| 127           | 336.8        | <0.2       | 6.74        | 36          | 380       | 2.5          | 0.6          | 3.45       | <0.5        | 17         | 40        | 12.3         | 24        | 4.08       | 19.4       |
| 128           | 340.8        | <0.2       | 6.59        | 8           | 280       | 4            | 0.4          | 2.95       | <0.5        | 23         | 40        | 14.2         | 10        | 4.35       | 17.2       |
| 129           | 341.7        | <0.2       | 6.31        | 8           | 320       | 2            | 0.5          | 3.79       | <0.5        | 19         | 40        | 12.5         | 10        | 3.88       | 15.4       |
| 130           | 344.9        | <0.2       | 5.86        | 9           | 260       | 3            | 0.5          | 3.79       | <0.5        | 20         | 40        | 12.9         | 8         | 5.01       | 14.6       |
| <b>IDENT</b>  | <b>Depth</b> | <b>Hf</b>  | <b>In</b>   | <b>K</b>    | <b>Li</b> | <b>Mg</b>    | <b>Mn</b>    | <b>Mo</b>  | <b>Na</b>   | <b>Nb</b>  | <b>Ni</b> | <b>P</b>     | <b>Pb</b> | <b>Rb</b>  | <b>Re</b>  |
| <b>UNITS</b>  |              | ppm        | ppm         | %           | ppm       | %            | %            | ppm        | %           | ppm        | ppm       | %            | ppm       | ppm        | ppm        |
| <b>SCHEME</b> |              | MA102      | MA102       | LB101       | MA101     | LB101        | LB101        | MA102      | LB101       | MA102      | MA101     | LB101        | MA102     | LB102      | LB102      |
| <b>LOD</b>    |              | <b>0.2</b> | <b>0.05</b> | <b>0.01</b> | <b>10</b> | <b>0.005</b> | <b>0.005</b> | <b>0.5</b> | <b>0.01</b> | <b>0.5</b> | <b>2</b>  | <b>0.005</b> | <b>1</b>  | <b>0.5</b> | <b>0.1</b> |
| Shale1        | 165.2        | 4.4        | <0.05       | 7.44        | 190       | 1.69         | 0.01         | 1.5        | 0.09        | 9.5        | 40        | 0.07         | 63        | 244        | <0.1       |
| Shale2        | 166.3        | 2.8        | <0.05       | 7.36        | 140       | 1.73         | 0.01         | 1          | 0.06        | 9          | 32        | 0.04         | 5         | 234        | <0.1       |
| Shale3        | 167.3        | 3          | <0.05       | 5.52        | 110       | 3.84         | 0.06         | <0.5       | 0.07        | 11.5       | 18        | 0.065        | 5         | 234        | <0.1       |
| Shale4        | 167.9        | 2.2        | <0.05       | 4.52        | 60        | 4.42         | 0.08         | <0.5       | 0.06        | 8.5        | 14        | 0.045        | 10        | 139        | <0.1       |
| Shale5        | 169.9        | 2.8        | <0.05       | 6.13        | 150       | 3.11         | 0.045        | <0.5       | 0.09        | 9          | 54        | 0.085        | 15        | 237        | <0.1       |
| Shale6        | 170.7        | 3.2        | <0.05       | 6.68        | 140       | 2.52         | 0.03         | 1          | 0.08        | 9          | 64        | 0.075        | 8         | 236        | <0.1       |
| Shale7        | 171.8        | 3          | <0.05       | 5.91        | 100       | 1.46         | 0.015        | <0.5       | 0.08        | 10.5       | 26        | 0.065        | 23        | 235        | <0.1       |
| Shale8        | 172.8        | 2.6        | <0.05       | 5.1         | 90        | 3.66         | 0.085        | <0.5       | 0.09        | 8.5        | 30        | 0.075        | 4         | 237        | <0.1       |
| Shale9        | 173.9        | 2.6        | <0.05       | 6.75        | 80        | 1.7          | 0.015        | <0.5       | 0.09        | 9          | 34        | 0.07         | 4         | 250        | <0.1       |
| Shale10       | 175.3        | 2.4        | <0.05       | 7.3         | 80        | 1.77         | 0.01         | <0.5       | 0.08        | 8.5        | 36        | 0.11         | 5         | 237        | <0.1       |
| Shale11       | 176.3        | 2.6        | <0.05       | 6.51        | 80        | 1.9          | 0.02         | 1          | 0.09        | 8.5        | 42        | 0.08         | 5         | 264        | <0.1       |
| Shale12       | 177.5        | 2.8        | <0.05       | 7.44        | 80        | 1.85         | 0.01         | 1          | 0.07        | 8.5        | 38        | 0.06         | 4         | 250        | <0.1       |
| Shale13       | 179.1        | 2.8        | 0.05        | 7.56        | 100       | 2.1          | 0.025        | 1          | 0.08        | 9          | 56        | 0.07         | 20        | 228        | <0.1       |
| Shale14       | 180.6        | 2.4        | <0.05       | 8.74        | 20        | 0.895        | <0.005       | <0.5       | 0.04        | 8          | 48        | 0.025        | 10        | 114        | <0.1       |
| Shale15       | 181.6        | 3.2        | <0.05       | 8.21        | 90        | 1.67         | 0.03         | 1.5        | 0.08        | 11.5       | 170       | 0.055        | 126       | 218        | <0.1       |

|         |       |      |       |      |     |      |       |      |      |      |    |       |    |      |      |
|---------|-------|------|-------|------|-----|------|-------|------|------|------|----|-------|----|------|------|
| Shale16 | 182.8 | 2.6  | <0.05 | 5.59 | 70  | 3.89 | 0.09  | 1    | 0.07 | 9.5  | 30 | 0.07  | 32 | 178  | <0.1 |
| Shale17 | 184.2 | 5.2  | <0.05 | 6.04 | 120 | 3.73 | 0.065 | 2.5  | 0.08 | 12.5 | 32 | 0.065 | 30 | 216  | <0.1 |
| Shale18 | 185.1 | 3    | <0.05 | 4.84 | 80  | 4.26 | 0.085 | 1    | 0.08 | 9    | 16 | 0.05  | 5  | 178  | <0.1 |
| Shale19 | 185.9 | 2.4  | <0.05 | 4.45 | 80  | 5.34 | 0.105 | 1    | 0.08 | 8.5  | 16 | 0.075 | 5  | 172  | <0.1 |
| Shale20 | 187.2 | 3.6  | <0.05 | 6.76 | 90  | 1.35 | 0.015 | 2    | 0.07 | 11.5 | 22 | 0.14  | 48 | 199  | <0.1 |
| Shale21 | 188   | 2.8  | <0.05 | 5.21 | 110 | 3.64 | 0.07  | 4.5  | 0.08 | 11.5 | 48 | 0.06  | 46 | 194  | <0.1 |
| Shale22 | 189.6 | 3.2  | <0.05 | 4.73 | 50  | 3.81 | 0.085 | <0.5 | 0.07 | 8.5  | 12 | 0.045 | 6  | 144  | <0.1 |
| Shale23 | 190.8 | 3    | <0.05 | 5.63 | 110 | 4.11 | 0.07  | 2    | 0.07 | 10   | 30 | 0.06  | 33 | 178  | <0.1 |
| Shale24 | 192.3 | 3.8  | <0.05 | 5.18 | 90  | 3.92 | 0.07  | 1.5  | 0.08 | 10.5 | 18 | 0.05  | 6  | 178  | <0.1 |
| Shale25 | 194   | 2    | <0.05 | 3.32 | 100 | 6.99 | 0.15  | 1    | 0.07 | 6    | 12 | 0.065 | 6  | 120  | <0.1 |
| Shale26 | 195   | 2.4  | <0.05 | 4.13 | 120 | 5.98 | 0.125 | 2    | 0.08 | 8.5  | 22 | 0.055 | 19 | 159  | <0.1 |
| Shale27 | 196.3 | 3.6  | <0.05 | 5.89 | 140 | 3.5  | 0.05  | 1.5  | 0.07 | 11.5 | 26 | 0.045 | 6  | 228  | <0.1 |
| Shale28 | 197.6 | 3.8  | <0.05 | 6.76 | 150 | 3.51 | 0.055 | 1    | 0.06 | 13   | 20 | 0.05  | 5  | 217  | <0.1 |
| Shale29 | 198.4 | 3.8  | <0.05 | 5.72 | 130 | 3.69 | 0.055 | 1    | 0.07 | 11.5 | 18 | 0.045 | 6  | 192  | <0.1 |
| Shale30 | 199.5 | 3.6  | <0.05 | 5.21 | 140 | 4.14 | 0.065 | 1    | 0.08 | 11.5 | 24 | 0.05  | 7  | 183  | <0.1 |
| Shale31 | 200.9 | 3.6  | <0.05 | 4.93 | 100 | 4.35 | 0.07  | 1    | 0.07 | 10.5 | 20 | 0.06  | 6  | 162  | <0.1 |
| Shale32 | 201.6 | 4.2  | <0.05 | 4.84 | 80  | 4.4  | 0.07  | 1    | 0.07 | 11.5 | 16 | 0.04  | 6  | 153  | <0.1 |
| Shale33 | 202.8 | 3.2  | <0.05 | 5.03 | 120 | 4.43 | 0.06  | 1    | 0.07 | 11   | 22 | 0.045 | 6  | 183  | <0.1 |
| Shale34 | 203.9 | 3.6  | <0.05 | 5.4  | 130 | 4.35 | 0.065 | <0.5 | 0.08 | 10.5 | 22 | 0.04  | 10 | 182  | <0.1 |
| Shale35 | 204.9 | 3.6  | <0.05 | 5.42 | 130 | 4.12 | 0.065 | <0.5 | 0.09 | 11.5 | 20 | 0.045 | 6  | 178  | <0.1 |
| Shale36 | 206.6 | 2.8  | <0.05 | 5.08 | 140 | 4.19 | 0.065 | <0.5 | 0.08 | 10   | 18 | 0.035 | 6  | 177  | <0.1 |
| Shale37 | 207.9 | 3.6  | <0.05 | 6.33 | 70  | 3.88 | 0.09  | <0.5 | 0.06 | 12.5 | 12 | 0.03  | 6  | 132  | <0.1 |
| Shale38 | 209.3 | 3.6  | <0.05 | 5.15 | 150 | 4.04 | 0.065 | <0.5 | 0.09 | 11.5 | 20 | 0.035 | 6  | 195  | <0.1 |
| Shale39 | 210.5 | 3    | <0.05 | 5.51 | 140 | 3.39 | 0.05  | <0.5 | 0.09 | 10.5 | 26 | 0.04  | 6  | 197  | <0.1 |
| Shale40 | 211.4 | 2.8  | <0.05 | 4.96 | 120 | 3.72 | 0.06  | <0.5 | 0.08 | 8.5  | 20 | 0.03  | 6  | 179  | <0.1 |
| Shale41 | 212.6 | 2.4  | <0.05 | 5.44 | 150 | 3.54 | 0.055 | <0.5 | 0.08 | 8.5  | 26 | 0.03  | 6  | 186  | <0.1 |
| Shale42 | 213.9 | 2.8  | <0.05 | 5.54 | 150 | 3.16 | 0.055 | <0.5 | 0.08 | 8.5  | 24 | 0.04  | 8  | 195  | <0.1 |
| Shale43 | 214.9 | 2.8  | <0.05 | 5.51 | 170 | 3.17 | 0.05  | <0.5 | 0.1  | 8.5  | 22 | 0.045 | 6  | 203  | <0.1 |
| Shale44 | 216   | 2.8  | <0.05 | 5.89 | 140 | 3.42 | 0.07  | 1    | 0.1  | 8.5  | 24 | 0.025 | 6  | 192  | <0.1 |
| Shale45 | 217   | 2.8  | <0.05 | 5.11 | 140 | 3.99 | 0.07  | <0.5 | 0.08 | 8.5  | 18 | 0.04  | 6  | 171  | <0.1 |
| Shale46 | 218.8 | 2.8  | <0.05 | 5.74 | 80  | 4.06 | 0.065 | <0.5 | 0.07 | 9    | 6  | 0.045 | 6  | 142  | <0.1 |
| Shale47 | 220.7 | 2.8  | <0.05 | 7.2  | 90  | 2.21 | 0.025 | 1    | 0.07 | 10   | 12 | 0.06  | 40 | 183  | <0.1 |
| Shale48 | 221.9 | <0.2 | <0.05 | 0.51 | <10 | 8.34 | 0.18  | <0.5 | 0.03 | 1    | 4  | 0.015 | 6  | 9.5  | <0.1 |
| Shale49 | 222.9 | <0.2 | <0.05 | 0.44 | <10 | 11   | 0.235 | 1    | 0.03 | <0.5 | 6  | 0.015 | 55 | 6.5  | <0.1 |
| Shale50 | 224   | 0.8  | <0.05 | 2.02 | 40  | 7.63 | 0.13  | <0.5 | 0.04 | 3.5  | 4  | 0.02  | 5  | 53.5 | <0.1 |
| Shale51 | 224.9 | <0.2 | <0.05 | 0.18 | <10 | 11   | 0.28  | <0.5 | 0.04 | <0.5 | 4  | 0.01  | 11 | 2.5  | <0.1 |
| Shale52 | 225.5 | <0.2 | <0.05 | 0.69 | <10 | 10   | 0.185 | 1.5  | 0.06 | 1    | 4  | 0.025 | 4  | 9    | <0.1 |
| Shale53 | 227.8 | <0.2 | <0.05 | 0.49 | <10 | 9.94 | 0.17  | <0.5 | 0.06 | 1    | 4  | 0.02  | 5  | 6    | <0.1 |
| Shale54 | 229.1 | 0.8  | <0.05 | 2.39 | 30  | 6.58 | 0.14  | <0.5 | 0.07 | 3.5  | 4  | 0.02  | 5  | 46.5 | <0.1 |

|         |       |      |       |      |     |      |        |      |      |      |    |       |    |      |      |
|---------|-------|------|-------|------|-----|------|--------|------|------|------|----|-------|----|------|------|
| Shale55 | 229.9 | <0.2 | <0.05 | 0.33 | <10 | 9.96 | 0.225  | 1    | 0.03 | <0.5 | 4  | 0.01  | 6  | 5    | <0.1 |
| Shale56 | 232   | 3.8  | <0.05 | 7.63 | 160 | 1.62 | 0.025  | <0.5 | 0.09 | 13   | 16 | 0.045 | 34 | 228  | <0.1 |
| Shale57 | 232.6 | <0.2 | <0.05 | 0.25 | <10 | 10.1 | 0.285  | <0.5 | 0.04 | <0.5 | <2 | 0.01  | <1 | 2.5  | <0.1 |
| Shale58 | 233.7 | 3.6  | <0.05 | 4.99 | 170 | 2.75 | 0.04   | <0.5 | 0.11 | 8.5  | 12 | 0.03  | 7  | 203  | <0.1 |
| Shale59 | 236.1 | 2.6  | <0.05 | 3.63 | 90  | 3.82 | 0.095  | <0.5 | 0.08 | 6    | 12 | 0.03  | 6  | 111  | <0.1 |
| Shale60 | 237.3 | 4.6  | <0.05 | 7.42 | 550 | 1.58 | <0.005 | <0.5 | 0.11 | 17   | 6  | 0.025 | 13 | 218  | <0.1 |
| Shale61 | 238.8 | 2.8  | <0.05 | 4.58 | 190 | 2.44 | 0.045  | <0.5 | 0.1  | 9    | 16 | 0.035 | 6  | 184  | <0.1 |
| Shale62 | 240   | <0.2 | <0.05 | 0.12 | <10 | 5.77 | 0.105  | 1    | 0.04 | <0.5 | <2 | 0.015 | 8  | 2    | <0.1 |
| Shale63 | 242.2 | 2.8  | <0.05 | 4.78 | 560 | 5.86 | 0.06   | <0.5 | 0.12 | 8.5  | 14 | 0.035 | 6  | 190  | <0.1 |
| Shale64 | 243.1 | 2    | <0.05 | 4.09 | 470 | 7.32 | 0.115  | <0.5 | 0.1  | 8    | 12 | 0.05  | 8  | 146  | <0.1 |
| Shale65 | 244.5 | 3    | 0.1   | 7.02 | 820 | 4.54 | 0.015  | <0.5 | 0.12 | 11.5 | 16 | 0.1   | 6  | 220  | <0.1 |
| Shale66 | 245.8 | 2    | <0.05 | 3.93 | 680 | 7.15 | 0.105  | <0.5 | 0.09 | 7    | 12 | 0.045 | 6  | 154  | <0.1 |
| Shale67 | 246.9 | 2.6  | <0.05 | 4.92 | 790 | 6.22 | 0.09   | <0.5 | 0.11 | 8.5  | 14 | 0.055 | 6  | 220  | <0.1 |
| Shale68 | 247.5 | 2.2  | <0.05 | 3.38 | 780 | 5.94 | 0.035  | <0.5 | 0.1  | 8    | 18 | 0.05  | 6  | 234  | <0.1 |
| Shale69 | 248.6 | 2.6  | <0.05 | 3.91 | 860 | 6.51 | 0.075  | <0.5 | 0.1  | 7.5  | 14 | 0.07  | 6  | 216  | <0.1 |
| Shale70 | 249.7 | 4    | <0.05 | 4.76 | 770 | 4.72 | 0.04   | <0.5 | 0.11 | 10   | 16 | 0.07  | 7  | 255  | <0.1 |
| Shale71 | 251.5 | 2.8  | <0.05 | 5.06 | 610 | 4.94 | 0.02   | <0.5 | 0.13 | 10.5 | 18 | 0.07  | 7  | 226  | <0.1 |
| Shale72 | 252.5 | 3    | <0.05 | 4.08 | 370 | 5.81 | 0.11   | <0.5 | 0.1  | 8    | 14 | 0.06  | 6  | 167  | <0.1 |
| Shale73 | 254.5 | 1.2  | <0.05 | 3.9  | 370 | 6.44 | 0.115  | <0.5 | 0.11 | 5.5  | 14 | 0.055 | 5  | 188  | <0.1 |
| Shale74 | 255.5 | 1.8  | <0.05 | 4.44 | 380 | 5.24 | 0.085  | <0.5 | 0.1  | 7.5  | 14 | 0.055 | 6  | 201  | <0.1 |
| Shale75 | 256.8 | 0.6  | <0.05 | 0.89 | 40  | 11.4 | 0.43   | <0.5 | 0.06 | 2    | 4  | 0.03  | 21 | 22.5 | <0.1 |
| Shale76 | 258.3 | 2.8  | <0.05 | 4.05 | 430 | 4.08 | 0.02   | <0.5 | 0.1  | 8.5  | 18 | 0.08  | 9  | 196  | <0.1 |
| Shale77 | 259.8 | 2    | <0.05 | 3.82 | 510 | 5.37 | 0.075  | <0.5 | 0.1  | 8    | 22 | 0.085 | 5  | 197  | <0.1 |
| Shale78 | 261.6 | 2    | <0.05 | 2.9  | 470 | 6.43 | 0.115  | <0.5 | 0.08 | 6    | 24 | 0.07  | 40 | 145  | <0.1 |
| Shale79 | 262.6 | 2.8  | <0.05 | 4.82 | 580 | 5.73 | 0.08   | <0.5 | 0.1  | 8.5  | 18 | 0.055 | 7  | 205  | <0.1 |
| Shale80 | 264.2 | 2.6  | <0.05 | 4.24 | 380 | 5.1  | 0.13   | <0.5 | 0.08 | 7.5  | 18 | 0.03  | 6  | 179  | <0.1 |
| Shale81 | 266.8 | 3.4  | <0.05 | 6.15 | 370 | 3.38 | 0.095  | <0.5 | 0.08 | 11   | 24 | 0.035 | 7  | 196  | <0.1 |
| Shale82 | 268.5 | 2.6  | <0.05 | 6.01 | 460 | 3.45 | 0.08   | <0.5 | 0.08 | 10   | 30 | 0.045 | 9  | 210  | <0.1 |
| Shale83 | 269.7 | 2.8  | <0.05 | 5.1  | 290 | 4.08 | 0.12   | <0.5 | 0.09 | 9.5  | 28 | 0.04  | 6  | 209  | <0.1 |
| Shale84 | 271.7 | 2.8  | <0.05 | 5.7  | 210 | 3.86 | 0.11   | <0.5 | 0.09 | 9.5  | 26 | 0.035 | 29 | 189  | <0.1 |
| Shale85 | 273.4 | 3    | <0.05 | 4.52 | 100 | 5.25 | 0.2    | <0.5 | 0.07 | 7.5  | 16 | 0.03  | 26 | 133  | <0.1 |
| Shale86 | 274.6 | 2.4  | <0.05 | 6.19 | 100 | 2.48 | 0.09   | <0.5 | 0.07 | 9    | 18 | 0.05  | 7  | 168  | <0.1 |
| Shale87 | 276.2 | 2.8  | <0.05 | 6.26 | 150 | 2.95 | 0.1    | <0.5 | 0.09 | 10   | 26 | 0.03  | 7  | 208  | <0.1 |
| Shale88 | 277.3 | 3.6  | <0.05 | 5.59 | 100 | 3.63 | 0.13   | <0.5 | 0.08 | 9.5  | 20 | 0.035 | 8  | 164  | <0.1 |
| Shale89 | 279.1 | 4.2  | <0.05 | 4.87 | 120 | 3.89 | 0.125  | <0.5 | 0.09 | 10   | 26 | 0.045 | 7  | 202  | <0.1 |
| Shale90 | 280.6 | 4.2  | <0.05 | 5.17 | 140 | 3.71 | 0.115  | <0.5 | 0.09 | 11   | 28 | 0.04  | 6  | 209  | <0.1 |
| Shale91 | 281.3 | 3.8  | <0.05 | 4.63 | 100 | 3.6  | 0.135  | <0.5 | 0.08 | 9.5  | 24 | 0.035 | 8  | 174  | <0.1 |
| Shale92 | 282.8 | 3.4  | <0.05 | 4.58 | 70  | 4    | 0.16   | <0.5 | 0.07 | 8.5  | 16 | 0.03  | 7  | 163  | <0.1 |
| Shale93 | 284.9 | 2    | <0.05 | 4.87 | 40  | 3.61 | 0.2    | <0.5 | 0.05 | 7    | 10 | 0.03  | 7  | 114  | <0.1 |

|          |       |     |       |      |    |      |       |      |       |      |    |       |    |     |      |
|----------|-------|-----|-------|------|----|------|-------|------|-------|------|----|-------|----|-----|------|
| Shale94  | 286.6 | 3.6 | <0.05 | 4.55 | 50 | 3.01 | 0.13  | <0.5 | 0.06  | 9    | 16 | 0.03  | 8  | 172 | <0.1 |
| Shale95  | 288   | 3   | <0.05 | 5.22 | 20 | 3.07 | 0.175 | <0.5 | 0.05  | 10   | 12 | 0.045 | 13 | 149 | <0.1 |
| Shale96  | 289.6 | 3.6 | <0.05 | 4.66 | 50 | 2.85 | 0.13  | <0.5 | 0.06  | 10.5 | 22 | 0.035 | 10 | 202 | <0.1 |
| Shale97  | 290.6 | 3.8 | <0.05 | 4.53 | 50 | 3.1  | 0.145 | <0.5 | 0.06  | 10.5 | 22 | 0.03  | 8  | 195 | <0.1 |
| Shale98  | 292.1 | 3.4 | <0.05 | 4.24 | 30 | 2.99 | 0.165 | <0.5 | 0.06  | 8.5  | 16 | 0.025 | 17 | 140 | <0.1 |
| Shale99  | 293.9 | 2.8 | <0.05 | 3.97 | 30 | 3.56 | 0.165 | <0.5 | 0.06  | 8    | 16 | 0.035 | 8  | 165 | <0.1 |
| Shale100 | 295   | 3.6 | <0.05 | 3.57 | 30 | 3.54 | 0.15  | <0.5 | <0.01 | 8.5  | 14 | 0.035 | 8  | 164 | <0.1 |
| Shale101 | 296.2 | 3   | <0.05 | 5.5  | 40 | 3.49 | 0.16  | <0.5 | 0.09  | 9.5  | 26 | 0.055 | 8  | 222 | <0.1 |
| Shale102 | 297.9 | 4.8 | <0.05 | 4.52 | 40 | 2.23 | 0.095 | <0.5 | 0.08  | 8.5  | 22 | 0.035 | 7  | 189 | <0.1 |
| Shale103 | 299.5 | 4.6 | <0.05 | 5.79 | 60 | 2.67 | 0.095 | <0.5 | 0.09  | 13   | 30 | 0.045 | 8  | 248 | <0.1 |
| Shale104 | 301.4 | 5   | <0.05 | 5.02 | 40 | 2.35 | 0.11  | <0.5 | 0.09  | 11   | 22 | 0.045 | 10 | 191 | <0.1 |
| Shale105 | 302.7 | 4.6 | <0.05 | 5.1  | 40 | 3.25 | 0.175 | <0.5 | 0.08  | 10   | 18 | 0.035 | 8  | 163 | <0.1 |
| Shale106 | 304.9 | 4.4 | <0.05 | 5.53 | 40 | 2.64 | 0.11  | <0.5 | 0.09  | 10.5 | 26 | 0.04  | 8  | 212 | <0.1 |
| Shale107 | 306.2 | 3   | <0.05 | 5.21 | 40 | 3.62 | 0.14  | <0.5 | 0.08  | 9    | 24 | 0.045 | 6  | 198 | <0.1 |
| Shale108 | 307.4 | 4.2 | <0.05 | 4.89 | 40 | 2.68 | 0.105 | <0.5 | 0.09  | 9.5  | 26 | 0.04  | 7  | 219 | <0.1 |
| Shale109 | 308.9 | 4.4 | <0.05 | 5.33 | 40 | 3.55 | 0.145 | <0.5 | 0.09  | 11   | 20 | 0.05  | 11 | 190 | <0.1 |
| Shale110 | 310.4 | 3.8 | <0.05 | 4.75 | 40 | 3.31 | 0.13  | <0.5 | 0.09  | 10.5 | 22 | 0.04  | 8  | 191 | <0.1 |
| Shale111 | 311.2 | 4   | <0.05 | 4.9  | 30 | 3.53 | 0.14  | <0.5 | 0.09  | 8.5  | 20 | 0.045 | 7  | 183 | <0.1 |
| Shale112 | 312.8 | 3.6 | <0.05 | 4.6  | 40 | 4.25 | 0.155 | <0.5 | 0.09  | 8.5  | 22 | 0.04  | 6  | 170 | <0.1 |
| Shale113 | 314.3 | 3.8 | <0.05 | 4.58 | 30 | 3.34 | 0.135 | <0.5 | 0.09  | 9    | 18 | 0.04  | 7  | 173 | <0.1 |
| Shale114 | 315.5 | 4.4 | <0.05 | 4.52 | 40 | 3.32 | 0.13  | <0.5 | 0.09  | 9    | 22 | 0.045 | 6  | 179 | <0.1 |
| Shale115 | 317.4 | 4   | <0.05 | 5.63 | 40 | 2.87 | 0.11  | <0.5 | 0.09  | 10.5 | 26 | 0.05  | 7  | 198 | <0.1 |
| Shale116 | 318.5 | 4.4 | <0.05 | 4.96 | 40 | 2.41 | 0.1   | <0.5 | 0.09  | 10   | 26 | 0.045 | 7  | 220 | <0.1 |
| Shale117 | 319.3 | 3.6 | <0.05 | 4.85 | 40 | 3.22 | 0.13  | <0.5 | 0.09  | 9.5  | 22 | 0.045 | 8  | 195 | <0.1 |
| Shale118 | 323.6 | 4.4 | <0.05 | 4.8  | 40 | 2.69 | 0.095 | <0.5 | 0.09  | 10.5 | 26 | 0.035 | 7  | 227 | <0.1 |
| Shale119 | 325   | 4.2 | <0.05 | 4.41 | 40 | 2.31 | 0.095 | <0.5 | 0.09  | 9.5  | 24 | 0.04  | 7  | 202 | <0.1 |
| Shale120 | 326.7 | 4.2 | <0.05 | 4.88 | 40 | 2.28 | 0.08  | <0.5 | 0.09  | 10   | 26 | 0.045 | 7  | 235 | <0.1 |
| Shale121 | 329.1 | 2.4 | <0.05 | 4.85 | 20 | 3.25 | 0.125 | <0.5 | 0.08  | 7.5  | 12 | 0.03  | 7  | 139 | <0.1 |
| Shale122 | 330.1 | 2.8 | <0.05 | 4.75 | 30 | 3.67 | 0.13  | 1.5  | 0.09  | 8.5  | 14 | 0.045 | 9  | 149 | <0.1 |
| Shale123 | 331.7 | 3   | <0.05 | 5.03 | 30 | 3.62 | 0.12  | <0.5 | 0.09  | 9.5  | 16 | 0.045 | 10 | 170 | <0.1 |
| Shale124 | 332.9 | 4   | <0.05 | 5.72 | 40 | 3.29 | 0.115 | <0.5 | 0.09  | 11   | 16 | 0.045 | 9  | 177 | <0.1 |
| Shale125 | 334.2 | 3.4 | <0.05 | 4.51 | 40 | 2.74 | 0.075 | <0.5 | 0.09  | 8.5  | 20 | 0.05  | 11 | 182 | <0.1 |
| Shale126 | 353.4 | 3.2 | <0.05 | 5.43 | 30 | 3.24 | 0.1   | 1    | 0.09  | 9    | 18 | 0.05  | 9  | 186 | <0.1 |
| Shale127 | 336.8 | 3.2 | <0.05 | 6.4  | 30 | 2.56 | 0.095 | <0.5 | 0.09  | 14   | 16 | 0.05  | 17 | 186 | <0.1 |
| Shale128 | 340.8 | 5.2 | <0.05 | 5.55 | 30 | 2.56 | 0.065 | 1.5  | 0.09  | 11.5 | 20 | 0.055 | 7  | 204 | <0.1 |
| Shale129 | 341.7 | 3.4 | <0.05 | 5.51 | 30 | 3.02 | 0.085 | 1    | 0.09  | 9.5  | 18 | 0.045 | 8  | 199 | <0.1 |
| Shale130 | 344.9 | 2.8 | <0.05 | 5.17 | 30 | 2.82 | 0.085 | 1    | 0.09  | 8.5  | 14 | 0.04  | 7  | 189 | <0.1 |

| IDENT   | Depth | S     | Sb    | Sc    | Se    | Si    | Sn    | Sr    | Ta    | Te    | Th    | Ti    | Tl    | U     | V     |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| UNITS   |       | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppm   |
| SCHEME  |       | MA101 | MA102 | MA101 | MA102 | LB101 | MA102 | MA102 | MA102 | MA102 | MA102 | LB101 | MA102 | LB102 | LB101 |
| LOD     |       | 50    | 0.1   | 1     | 5     | 0.005 | 0.1   | 0.5   | 0.1   | 0.2   | 0.1   | 0.005 | 0.1   | 0.5   | 20    |
| Shale1  | 165.2 | 5200  | 2.6   | 22    | <5    | 27.7  | 2.8   | 44    | 0.8   | <0.2  | 10.7  | 0.355 | 1.9   | 2     | 140   |
| Shale2  | 166.3 | 500   | 1.2   | 34    | <5    | 25.3  | 2.1   | 47    | 0.7   | <0.2  | 7.5   | 0.415 | 0.4   | 2     | 180   |
| Shale3  | 167.3 | 650   | 1.2   | 13    | <5    | 22.9  | 3.1   | 59.5  | 1     | <0.2  | 12.5  | 0.29  | 0.6   | 2.5   | 80    |
| Shale4  | 167.9 | 600   | 1.4   | 12    | <5    | 21    | 2.6   | 41    | 0.7   | <0.2  | 9.5   | 0.215 | 0.5   | 2.5   | 60    |
| Shale5  | 169.9 | 4300  | 1.6   | 24    | <5    | 24.4  | 3     | 49    | 0.8   | <0.2  | 10.4  | 0.31  | 1.2   | 2     | 120   |
| Shale6  | 170.7 | 2400  | 1.8   | 28    | <5    | 25.3  | 2.8   | 50    | 0.6   | <0.2  | 8.5   | 0.385 | 0.8   | 2     | 160   |
| Shale7  | 171.8 | 500   | 1     | 12    | <5    | 31.3  | 3.2   | 34.5  | 0.9   | <0.2  | 12.2  | 0.285 | 1.3   | 5     | 80    |
| Shale8  | 172.8 | <50   | 0.9   | 19    | <5    | 22.7  | 2.3   | 47    | 0.7   | <0.2  | 9.3   | 0.29  | 0.5   | 2     | 100   |
| Shale9  | 173.9 | 100   | 1     | 26    | <5    | 27.1  | 2.6   | 46.5  | 0.8   | <0.2  | 9.9   | 0.36  | 0.6   | 2     | 140   |
| Shale10 | 175.3 | 100   | 0.8   | 28    | <5    | 26    | 2.1   | 43.5  | 0.7   | <0.2  | 7.5   | 0.38  | 0.4   | 2.5   | 200   |
| Shale11 | 176.3 | 450   | 1.1   | 25    | <5    | 25.8  | 2.5   | 47    | 0.7   | <0.2  | 9.2   | 0.36  | 0.5   | 2     | 140   |
| Shale12 | 177.5 | 450   | 0.8   | 32    | <5    | 25.8  | 2.2   | 44.5  | 0.7   | <0.2  | 7.9   | 0.41  | 0.4   | 2     | 200   |
| Shale13 | 179.1 | 1900  | 2     | 27    | <5    | 25.4  | 2.5   | 47.5  | 0.7   | <0.2  | 8     | 0.395 | 0.6   | 2     | 220   |
| Shale14 | 180.6 | 5000  | 0.9   | 21    | <5    | 31.2  | 2.2   | 34    | 0.6   | <0.2  | 6.2   | 0.295 | 0.6   | 1.5   | 180   |
| Shale15 | 181.6 | 11600 | 1.9   | 18    | <5    | 27.4  | 3.2   | 45    | 1     | <0.2  | 10.9  | 0.405 | 1.3   | 4.5   | 180   |
| Shale16 | 182.8 | 3450  | 1.2   | 10    | <5    | 23.2  | 2.9   | 49    | 0.8   | <0.2  | 11.5  | 0.255 | 4.1   | 4     | 80    |
| Shale17 | 184.2 | 4250  | 1.2   | 13    | <5    | 24    | 3     | 50    | 1     | <0.2  | 13.5  | 0.28  | 2.8   | 4     | 60    |
| Shale18 | 185.1 | 100   | 0.8   | 11    | <5    | 23.1  | 2.1   | 48    | 0.8   | <0.2  | 10.4  | 0.245 | 0.4   | 2.5   | 60    |
| Shale19 | 185.9 | <50   | 0.8   | 10    | <5    | 20.6  | 2.1   | 52.5  | 0.7   | <0.2  | 9     | 0.235 | 0.3   | 3     | 60    |
| Shale20 | 187.2 | 900   | 1     | 9     | <5    | 31.6  | 3.3   | 48.5  | 1     | <0.2  | 13    | 0.32  | 0.8   | 6.5   | 80    |
| Shale21 | 188   | 3400  | 1.7   | 11    | <5    | 25.6  | 3     | 48.5  | 0.9   | <0.2  | 11.2  | 0.28  | 2.5   | 3.5   | 80    |
| Shale22 | 189.6 | <50   | 0.8   | 9     | <5    | 25.4  | 2     | 64.5  | 0.7   | <0.2  | 10.6  | 0.205 | 0.3   | 2.5   | 40    |
| Shale23 | 190.8 | 1150  | 1.1   | 13    | <5    | 23.4  | 3     | 52.5  | 0.9   | <0.2  | 12.2  | 0.27  | 0.9   | 2.5   | 80    |
| Shale24 | 192.3 | <50   | 1.2   | 11    | <5    | 24.8  | 2.6   | 61    | 0.9   | <0.2  | 11.9  | 0.275 | 0.4   | 3     | 60    |
| Shale25 | 194   | <50   | 0.5   | 8     | <5    | 16.1  | 1.7   | 61    | 0.5   | <0.2  | 7     | 0.16  | 0.3   | 2.5   | 40    |
| Shale26 | 195   | 750   | 1.3   | 11    | <5    | 19.8  | 2.3   | 55    | 0.7   | <0.2  | 9.2   | 0.24  | 1.1   | 2.5   | 60    |
| Shale27 | 196.3 | 200   | 1.5   | 12    | <5    | 25    | 3.1   | 50    | 1     | <0.2  | 12.5  | 0.285 | 0.5   | 3.5   | 80    |
| Shale28 | 197.6 | 100   | 1.1   | 11    | <5    | 25    | 3.7   | 51.5  | 1.1   | <0.2  | 14.1  | 0.27  | 0.5   | 3.5   | 60    |
| Shale29 | 198.4 | <50   | 1.4   | 9     | <5    | 25.4  | 3     | 51    | 1     | <0.2  | 13.4  | 0.26  | 0.4   | 4     | 60    |
| Shale30 | 199.5 | <50   | 1.5   | 10    | <5    | 23.8  | 3.4   | 63    | 1     | <0.2  | 13.8  | 0.25  | 0.5   | 3     | 60    |
| Shale31 | 200.9 | <50   | 1.4   | 10    | <5    | 23.6  | 2.9   | 62    | 0.9   | <0.2  | 12.2  | 0.245 | 0.4   | 2     | 40    |
| Shale32 | 201.6 | <50   | 1.3   | 9     | <5    | 24.1  | 2.6   | 52    | 0.9   | <0.2  | 12.6  | 0.23  | 0.4   | 3     | 40    |
| Shale33 | 202.8 | <50   | 1.4   | 10    | <5    | 23.3  | 3.1   | 49.5  | 1     | <0.2  | 12.6  | 0.24  | 0.5   | 2.5   | 60    |
| Shale34 | 203.9 | <50   | 1.4   | 11    | <5    | 24.3  | 3     | 61.5  | 0.9   | <0.2  | 12.7  | 0.26  | 0.5   | 2.5   | 40    |
| Shale35 | 204.9 | <50   | 1.5   | 10    | <5    | 25.6  | 3     | 58    | 1     | <0.2  | 13.3  | 0.265 | 0.4   | 3     | 40    |

|         |       |      |      |    |    |      |     |      |      |      |      |        |      |      |     |
|---------|-------|------|------|----|----|------|-----|------|------|------|------|--------|------|------|-----|
| Shale36 | 206.6 | <50  | 1.2  | 10 | <5 | 24.5 | 2.7 | 51   | 0.8  | <0.2 | 10.8 | 0.235  | 0.4  | 2.5  | 60  |
| Shale37 | 207.9 | 300  | 0.8  | 7  | <5 | 25   | 2.3 | 111  | 0.9  | <0.2 | 12.4 | 0.205  | 0.3  | 3.5  | 40  |
| Shale38 | 209.3 | <50  | 1.5  | 8  | <5 | 25.3 | 2.7 | 59.5 | 0.9  | <0.2 | 12.3 | 0.255  | 0.4  | 3    | 60  |
| Shale39 | 210.5 | 100  | 2.1  | 11 | <5 | 26.6 | 3   | 61   | 0.9  | <0.2 | 11.5 | 0.26   | 0.5  | 3    | 40  |
| Shale40 | 211.4 | <50  | 2.4  | 9  | <5 | 25.4 | 2.5 | 50   | 0.7  | <0.2 | 10.6 | 0.24   | 0.4  | 2    | 40  |
| Shale41 | 212.6 | <50  | 1.4  | 12 | <5 | 24.8 | 2.9 | 53   | 0.8  | <0.2 | 10.8 | 0.245  | 0.5  | 2    | 40  |
| Shale42 | 213.9 | <50  | 1.5  | 11 | <5 | 25.8 | 3   | 52.5 | 0.8  | <0.2 | 10.9 | 0.25   | 0.5  | 2.5  | 60  |
| Shale43 | 214.9 | <50  | 1.4  | 11 | <5 | 26.2 | 2.8 | 44.5 | 0.8  | <0.2 | 10.9 | 0.245  | 0.5  | 3    | 60  |
| Shale44 | 216   | 100  | 1.7  | 12 | <5 | 25.4 | 3.3 | 55.5 | 0.8  | 0.4  | 10.9 | 0.23   | 0.6  | 3    | 60  |
| Shale45 | 217   | <50  | 1.7  | 9  | <5 | 23.5 | 2.8 | 53   | 0.8  | 0.2  | 10.4 | 0.21   | 0.5  | 3.5  | 40  |
| Shale46 | 218.8 | <50  | 0.8  | 7  | <5 | 23.7 | 2.6 | 59   | 0.8  | <0.2 | 10.7 | 0.21   | 0.4  | 4    | 40  |
| Shale47 | 220.7 | 1650 | 1.7  | 6  | <5 | 28.6 | 2.7 | 52   | 1    | 0.2  | 12.8 | 0.295  | 1    | 7    | 40  |
| Shale48 | 221.9 | 650  | 0.3  | <1 | <5 | 13.6 | 0.3 | 82.5 | <0.1 | <0.2 | 0.7  | 0.015  | <0.1 | 1    | <20 |
| Shale49 | 222.9 | 2200 | 0.8  | 1  | <5 | 3.47 | 0.3 | 50   | <0.1 | <0.2 | 0.6  | 0.01   | 0.2  | 5.5  | <20 |
| Shale50 | 224   | <50  | 0.4  | 3  | <5 | 13.5 | 0.9 | 41   | 0.3  | <0.2 | 3.5  | 0.075  | 0.2  | 2    | <20 |
| Shale51 | 224.9 | 2450 | <0.1 | <1 | <5 | 1.97 | 0.3 | 368  | <0.1 | <0.2 | 0.2  | <0.005 | <0.1 | 1    | <20 |
| Shale52 | 225.5 | <50  | 0.4  | <1 | <5 | 5.21 | 0.4 | 31.5 | <0.1 | <0.2 | 0.8  | 0.015  | <0.1 | 3.5  | <20 |
| Shale53 | 227.8 | <50  | 0.5  | <1 | <5 | 4.18 | 0.3 | 51.5 | <0.1 | <0.2 | 0.7  | 0.01   | <0.1 | 2.5  | <20 |
| Shale54 | 229.1 | 450  | 0.4  | 4  | <5 | 15.1 | 0.9 | 34   | 0.3  | <0.2 | 3.7  | 0.08   | 0.3  | 1.5  | <20 |
| Shale55 | 229.9 | <50  | 0.2  | <1 | <5 | 2.69 | 0.2 | 33   | <0.1 | <0.2 | 0.3  | 0.005  | <0.1 | 1.5  | <20 |
| Shale56 | 232   | 1150 | 2.5  | 10 | <5 | 25.3 | 3.6 | 35.5 | 1.1  | 0.4  | 15.4 | 0.3    | 0.7  | 6.5  | 60  |
| Shale57 | 232.6 | <50  | <0.1 | <1 | <5 | 1.31 | 0.2 | 50   | <0.1 | <0.2 | 0.3  | <0.005 | <0.1 | <0.5 | <20 |
| Shale58 | 233.7 | <50  | 1.3  | 9  | <5 | 21.8 | 2.3 | 54   | 0.7  | <0.2 | 12   | 0.2    | 0.5  | 3.5  | 40  |
| Shale59 | 236.1 | 1000 | 0.7  | 7  | <5 | 17.7 | 1.7 | 233  | 0.5  | <0.2 | 8    | 0.13   | 0.3  | 2    | <20 |
| Shale60 | 237.3 | <50  | 1.4  | 7  | <5 | 20.2 | 4.3 | 17.5 | 2.1  | 0.2  | 34.1 | 0.1    | 0.2  | 3    | <20 |
| Shale61 | 238.8 | <50  | 1.6  | 10 | <5 | 16.6 | 2.4 | 41   | 0.8  | <0.2 | 11   | 0.15   | 0.4  | 2.5  | 20  |
| Shale62 | 240   | <50  | 0.2  | <1 | <5 | 28.3 | 0.2 | 83.5 | <0.1 | <0.2 | 0.2  | <0.005 | <0.1 | <0.5 | <20 |
| Shale63 | 242.2 | <50  | 0.8  | 9  | <5 | 25.6 | 2.1 | 50.5 | 0.7  | <0.2 | 9.9  | 0.245  | 0.4  | 2    | 40  |
| Shale64 | 243.1 | <50  | 0.5  | 7  | <5 | 22.5 | 2.1 | 65   | 0.6  | <0.2 | 9    | 0.205  | 0.3  | 2    | 40  |
| Shale65 | 244.5 | 150  | 0.8  | 8  | <5 | 31.1 | 2.7 | 54.5 | 1    | <0.2 | 14.3 | 0.275  | 0.5  | 2    | 40  |
| Shale66 | 245.8 | <50  | 0.6  | 7  | <5 | 23.2 | 1.7 | 47.5 | 0.5  | <0.2 | 7.5  | 0.195  | 0.3  | 2    | 40  |
| Shale67 | 246.9 | <50  | 0.8  | 8  | <5 | 25   | 2   | 50   | 0.7  | <0.2 | 9.5  | 0.24   | 0.4  | 3    | 40  |
| Shale68 | 247.5 | <50  | 0.9  | 9  | <5 | 28.4 | 2.1 | 50   | 0.7  | <0.2 | 9.1  | 0.205  | 0.4  | 2    | 40  |
| Shale69 | 248.6 | <50  | 1    | 7  | <5 | 26.4 | 1.9 | 54   | 0.7  | <0.2 | 9    | 0.19   | 0.3  | 2    | 40  |
| Shale70 | 249.7 | <50  | 0.8  | 9  | <5 | 31.3 | 2.1 | 48   | 0.8  | <0.2 | 11.4 | 0.26   | 0.4  | 4    | 40  |
| Shale71 | 251.5 | 800  | 1    | 9  | <5 | 30.2 | 2.3 | 60.5 | 0.9  | <0.2 | 11.2 | 0.29   | 0.5  | 5.5  | 60  |
| Shale72 | 252.5 | <50  | 0.7  | 9  | <5 | 26.9 | 1.7 | 66   | 0.8  | <0.2 | 10.3 | 0.24   | 0.3  | 4    | 40  |
| Shale73 | 254.5 | <50  | 0.5  | 8  | <5 | 25.8 | 1.3 | 68   | 0.4  | <0.2 | 9.2  | 0.24   | 0.3  | 2.5  | 40  |
| Shale74 | 255.5 | <50  | 1    | 8  | <5 | 27.6 | 1.9 | 49.5 | 0.5  | <0.2 | 9.4  | 0.245  | 0.4  | 2.5  | 40  |

|          |       |       |     |    |    |      |     |      |     |      |      |       |      |     |     |
|----------|-------|-------|-----|----|----|------|-----|------|-----|------|------|-------|------|-----|-----|
| Shale75  | 256.8 | <50   | 1.4 | 1  | <5 | 5.77 | 0.4 | 66.5 | 0.1 | <0.2 | 1.8  | 0.035 | <0.1 | 1   | <20 |
| Shale76  | 258.3 | 150   | 1.4 | 8  | <5 | 31.1 | 2.3 | 70.5 | 0.6 | <0.2 | 10.9 | 0.265 | 0.4  | 3.5 | 60  |
| Shale77  | 259.8 | 250   | 0.8 | 8  | <5 | 29   | 2.1 | 49   | 0.6 | <0.2 | 8.9  | 0.22  | 0.4  | 2   | 40  |
| Shale78  | 261.6 | 200   | 0.6 | 6  | <5 | 27.1 | 1.5 | 66   | 0.5 | <0.2 | 6.6  | 0.17  | 0.3  | 3   | 40  |
| Shale79  | 262.6 | <50   | 0.9 | 8  | <5 | 24.8 | 1.9 | 49   | 0.7 | <0.2 | 9.8  | 0.23  | 0.3  | 4   | 40  |
| Shale80  | 264.2 | <50   | 1.1 | 7  | <5 | 24.4 | 2.1 | 93   | 0.7 | <0.2 | 8.9  | 0.195 | 0.3  | 2.5 | 40  |
| Shale81  | 266.8 | 1100  | 1.1 | 10 | <5 | 26.5 | 2.8 | 58   | 0.9 | <0.2 | 11.5 | 0.245 | 0.4  | 2.5 | 60  |
| Shale82  | 268.5 | 450   | 0.9 | 12 | <5 | 27.2 | 2.6 | 56   | 0.9 | <0.2 | 11.7 | 0.27  | 0.5  | 2.5 | 60  |
| Shale83  | 269.7 | <50   | 1   | 11 | <5 | 25   | 2.4 | 47   | 0.8 | <0.2 | 11.3 | 0.255 | 0.4  | 2.5 | 60  |
| Shale84  | 271.7 | 6650  | 0.7 | 12 | <5 | 22.3 | 2.8 | 94   | 0.9 | <0.2 | 11.7 | 0.24  | 0.5  | 4   | 40  |
| Shale85  | 273.4 | 1600  | 0.5 | 8  | <5 | 19.2 | 2   | 80.5 | 0.6 | <0.2 | 10.5 | 0.185 | 0.3  | 7.5 | 400 |
| Shale86  | 274.6 | 24700 | 1.1 | 8  | <5 | 20.9 | 2.8 | 59.5 | 0.8 | <0.2 | 11   | 0.225 | 0.4  | 3   | 40  |
| Shale87  | 276.2 | <50   | 1.6 | 12 | <5 | 22.5 | 3   | 47.5 | 0.9 | <0.2 | 12.9 | 0.235 | 0.5  | 2.5 | 40  |
| Shale88  | 277.3 | <50   | 1.3 | 8  | <5 | 21.7 | 2.5 | 56   | 0.9 | 0.2  | 11.5 | 0.22  | 0.4  | 2.5 | 20  |
| Shale89  | 279.1 | <50   | 1   | 9  | <5 | 21.5 | 2.4 | 55.5 | 0.9 | 0.2  | 12.3 | 0.23  | 0.5  | 6.5 | 40  |
| Shale90  | 280.6 | 200   | 1.1 | 10 | <5 | 22.4 | 2.6 | 55.5 | 0.9 | <0.2 | 13.2 | 0.24  | 0.5  | 4   | 40  |
| Shale91  | 281.3 | 200   | 1.1 | 9  | <5 | 22.5 | 2.3 | 53   | 0.8 | <0.2 | 12   | 0.225 | 0.4  | 3   | 40  |
| Shale92  | 282.8 | 100   | 1   | 8  | <5 | 20.8 | 2.1 | 51   | 0.7 | <0.2 | 11   | 0.2   | 0.3  | 3   | 40  |
| Shale93  | 284.9 | 100   | 1   | 7  | <5 | 21.3 | 2   | 86.5 | 0.5 | <0.2 | 8.5  | 0.165 | 0.3  | 2   | 20  |
| Shale94  | 286.6 | <50   | 1.3 | 9  | <5 | 21.6 | 2.4 | 61   | 0.7 | <0.2 | 10.9 | 0.18  | 0.3  | 3   | 40  |
| Shale95  | 288   | <50   | 1.4 | 7  | <5 | 20.9 | 2.4 | 54.5 | 0.9 | <0.2 | 12.1 | 0.19  | 0.4  | 2.5 | 60  |
| Shale96  | 289.6 | 500   | 1.4 | 10 | <5 | 21.3 | 3   | 65.5 | 0.9 | <0.2 | 13.2 | 0.215 | 0.7  | 3.5 | 60  |
| Shale97  | 290.6 | 2300  | 1.6 | 9  | <5 | 20.7 | 2.6 | 82   | 0.9 | <0.2 | 12.7 | 0.2   | 0.4  | 3   | 20  |
| Shale98  | 292.1 | 4700  | 1.1 | 9  | <5 | 20.3 | 2.2 | 217  | 0.8 | <0.2 | 11   | 0.16  | 0.3  | 2.5 | 20  |
| Shale99  | 293.9 | 2000  | 1   | 9  | <5 | 18.2 | 2.3 | 72.5 | 0.7 | <0.2 | 10.2 | 0.17  | 0.3  | 2.5 | 20  |
| Shale100 | 295   | <50   | 1   | 8  | <5 | 19.2 | 2.1 | 72   | 0.8 | <0.2 | 11.5 | 0.17  | 0.4  | 2.5 | 20  |
| Shale101 | 296.2 | <50   | 1.3 | 10 | <5 | 23   | 2.8 | 56.5 | 0.8 | <0.2 | 12   | 0.275 | 0.4  | 3   | 40  |
| Shale102 | 297.9 | 3700  | 1   | 9  | <5 | 29.7 | 2.1 | 84.5 | 0.8 | <0.2 | 12   | 0.265 | 0.4  | 3.5 | 40  |
| Shale103 | 299.5 | 6450  | 0.9 | 12 | <5 | 26   | 3   | 81.5 | 1.1 | <0.2 | 15.3 | 0.31  | 0.5  | 6   | 40  |
| Shale104 | 301.4 | 8150  | 1.1 | 9  | <5 | 27.7 | 2.7 | 141  | 0.9 | <0.2 | 12.8 | 0.27  | 0.4  | 4.5 | 60  |
| Shale105 | 302.7 | <50   | 1.1 | 9  | <5 | 26   | 2.2 | 78.5 | 0.8 | <0.2 | 12.1 | 0.245 | 0.3  | 2.5 | 40  |
| Shale106 | 304.9 | 250   | 1.2 | 10 | <5 | 26.7 | 2.6 | 55.5 | 0.9 | <0.2 | 13.4 | 0.285 | 0.4  | 3.5 | 40  |
| Shale107 | 306.2 | 1500  | 0.8 | 10 | <5 | 25   | 2.7 | 63   | 0.8 | <0.2 | 11.8 | 0.27  | 0.4  | 4   | 40  |
| Shale108 | 307.4 | 750   | 1.1 | 10 | <5 | 27.3 | 2.5 | 63   | 0.8 | <0.2 | 12.1 | 0.275 | 0.4  | 4   | 40  |
| Shale109 | 308.9 | 1050  | 0.9 | 10 | <5 | 25.5 | 2.7 | 74.5 | 0.9 | <0.2 | 13.6 | 0.295 | 0.4  | 5   | 40  |
| Shale110 | 310.4 | <50   | 1.1 | 10 | <5 | 25   | 2.5 | 58   | 0.9 | <0.2 | 12.4 | 0.28  | 0.4  | 3.5 | 40  |
| Shale111 | 311.2 | 650   | 1.1 | 9  | <5 | 27.1 | 2.4 | 67.5 | 0.8 | <0.2 | 11.6 | 0.285 | 0.4  | 3   | 40  |
| Shale112 | 312.8 | <50   | 0.7 | 9  | <5 | 24.1 | 2.3 | 94   | 0.7 | <0.2 | 11.2 | 0.26  | 0.3  | 3   | 40  |
| Shale113 | 314.3 | <50   | 1.1 | 8  | <5 | 25.9 | 2.1 | 61.5 | 0.8 | <0.2 | 10.9 | 0.255 | 0.3  | 3   | 40  |

|               |              |          |          |           |           |            |            |             |             |             |             |            |             |             |             |
|---------------|--------------|----------|----------|-----------|-----------|------------|------------|-------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|
| Shale114      | 315.5        | 100      | 1        | 9         | <5        | 26.2       | 2.1        | 65.5        | 0.7         | <0.2        | 11.8        | 0.265      | 0.4         | 3           | 40          |
| Shale115      | 317.4        | 300      | 1.3      | 10        | <5        | 25.6       | 2.6        | 57          | 0.9         | <0.2        | 13.6        | 0.305      | 0.4         | 3.5         | 40          |
| Shale116      | 318.5        | 250      | 1.3      | 10        | <5        | 26.9       | 2.4        | 64.5        | 0.9         | <0.2        | 13.1        | 0.295      | 0.5         | 3.5         | 40          |
| Shale117      | 319.3        | <50      | 1.2      | 10        | <5        | 24.3       | 2.6        | 61          | 0.8         | <0.2        | 12.2        | 0.265      | 0.4         | 3           | 40          |
| Shale118      | 323.6        | <50      | 1.5      | 10        | <5        | 26.4       | 2.7        | 58.5        | 0.9         | <0.2        | 13.2        | 0.3        | 0.5         | 3.5         | 60          |
| Shale119      | 325          | 950      | 1.5      | 10        | <5        | 28.3       | 2.6        | 62.5        | 0.8         | <0.2        | 12.5        | 0.265      | 0.4         | 3           | 60          |
| Shale120      | 326.7        | 200      | 1.4      | 10        | <5        | 27.4       | 2.7        | 57          | 0.9         | <0.2        | 13.2        | 0.3        | 0.4         | 3.5         | 100         |
| Shale121      | 329.1        | 20000    | 1.3      | 8         | <5        | 22.4       | 2.4        | 150         | 0.7         | <0.2        | 9.9         | 0.22       | 0.3         | 2           | 80          |
| Shale122      | 330.1        | 200      | 1.4      | 9         | <5        | 23.8       | 2.3        | 63          | 0.7         | <0.2        | 11          | 0.245      | 0.3         | 2.5         | 60          |
| Shale123      | 331.7        | <50      | 1.4      | 9         | <5        | 23.8       | 2.5        | 77          | 0.8         | <0.2        | 11.5        | 0.255      | 0.4         | 3           | 60          |
| Shale124      | 332.9        | 1000     | 1.7      | 10        | <5        | 23.6       | 2.9        | 96.5        | 0.9         | <0.2        | 12.9        | 0.255      | 0.4         | 3           | 40          |
| Shale125      | 334.2        | 10100    | 0.9      | 9         | <5        | 26.9       | 2.4        | 129         | 0.8         | <0.2        | 11.7        | 0.25       | 0.4         | 4           | 40          |
| Shale126      | 353.4        | <50      | 1.5      | 10        | <5        | 24         | 2.5        | 56.5        | 0.8         | <0.2        | 11.8        | 0.265      | 0.4         | 3           | 60          |
| Shale127      | 336.8        | 1200     | 2.4      | 10        | <5        | 24.7       | 3          | 63.5        | 1.1         | <0.2        | 12.4        | 0.27       | 1.2         | 4           | 60          |
| Shale128      | 340.8        | <50      | 2.1      | 10        | <5        | 26.3       | 3          | 68.5        | 1           | <0.2        | 14.8        | 0.3        | 0.5         | 3.5         | 60          |
| Shale129      | 341.7        | <50      | 1.7      | 10        | <5        | 24.9       | 2.7        | 62.5        | 0.9         | <0.2        | 12.2        | 0.28       | 0.4         | 3.5         | 60          |
| Shale130      | 344.9        | <50      | 1.8      | 10        | <5        | 24.7       | 2.6        | 55          | 0.8         | <0.2        | 11.4        | 0.265      | 0.3         | 3           | 60          |
| <b>IDENT</b>  | <b>Depth</b> | <b>W</b> | <b>Y</b> | <b>Zn</b> | <b>Zr</b> | <b>La</b>  | <b>Ce</b>  | <b>Pr</b>   | <b>Nd</b>   | <b>Sm</b>   | <b>Eu</b>   | <b>Gd</b>  | <b>Tb</b>   | <b>Dy</b>   | <b>Ho</b>   |
| <b>UNITS</b>  |              | ppm      | ppm      | ppm       | ppm       | ppm        | ppm        | ppm         | ppm         | ppm         | ppm         | ppm        | ppm         | ppm         | ppm         |
| <b>SCHEME</b> |              | LB102    | LB102    | MA101     | MA102     | MA102      | MA102      | MA102       | MA102       | MA102       | MA102       | MA102      | MA102       | MA102       | MA102       |
| <b>LOD</b>    |              | <b>3</b> | <b>1</b> | <b>2</b>  | <b>1</b>  | <b>0.1</b> | <b>0.1</b> | <b>0.05</b> | <b>0.05</b> | <b>0.05</b> | <b>0.05</b> | <b>0.2</b> | <b>0.02</b> | <b>0.05</b> | <b>0.02</b> |
| Shale1        | 165.2        | 21       | 17       | 30        | 103       | 23.9       | 45.7       | 5.6         | 20.6        | 4.1         | 0.85        | 3.8        | 0.54        | 3.3         | 0.64        |
| Shale2        | 166.3        | 30       | 13       | 28        | 100       | 27.4       | 49.4       | 5.6         | 18.3        | 2.95        | 0.6         | 2.6        | 0.38        | 2.35        | 0.5         |
| Shale3        | 167.3        | 27       | 20       | 24        | 109       | 40.4       | 76.8       | 9.1         | 31.8        | 5.35        | 1.1         | 5          | 0.68        | 3.9         | 0.74        |
| Shale4        | 167.9        | 63       | 18       | 18        | 80        | 20         | 40.7       | 5.1         | 19.2        | 4.1         | 0.8         | 3.8        | 0.52        | 3.25        | 0.64        |
| Shale5        | 169.9        | 33       | 16       | 30        | 100       | 26.9       | 51         | 6.05        | 22.1        | 4.05        | 0.85        | 3.8        | 0.5         | 3.1         | 0.62        |
| Shale6        | 170.7        | 21       | 15       | 34        | 100       | 24.6       | 45.1       | 5.2         | 18.9        | 3.25        | 0.6         | 2.8        | 0.42        | 2.7         | 0.5         |
| Shale7        | 171.8        | 42       | 20       | 24        | 111       | 27.9       | 56.6       | 7.15        | 26.5        | 5           | 0.95        | 4.6        | 0.6         | 3.35        | 0.64        |
| Shale8        | 172.8        | 18       | 17       | 36        | 96        | 25.8       | 47.3       | 5.8         | 21.9        | 4.55        | 1           | 4.4        | 0.62        | 3.55        | 0.68        |
| Shale9        | 173.9        | 18       | 16       | 44        | 96        | 31.8       | 58.2       | 6.7         | 23.3        | 4.3         | 0.9         | 4          | 0.54        | 3.1         | 0.6         |
| Shale10       | 175.3        | 15       | 16       | 36        | 91        | 19.2       | 39.6       | 5.35        | 21.3        | 4.85        | 1.1         | 4.6        | 0.62        | 3.5         | 0.66        |
| Shale11       | 176.3        | 18       | 17       | 42        | 99        | 28.1       | 55.3       | 6.65        | 23.6        | 4.3         | 0.95        | 4.2        | 0.58        | 3.45        | 0.66        |
| Shale12       | 177.5        | 18       | 16       | 34        | 102       | 22.1       | 43.4       | 5.35        | 18.8        | 3.35        | 0.75        | 3.2        | 0.48        | 3.05        | 0.6         |
| Shale13       | 179.1        | 21       | 20       | 46        | 99        | 25.2       | 49.4       | 6.15        | 22.6        | 4.5         | 1           | 4.2        | 0.62        | 3.7         | 0.78        |
| Shale14       | 180.6        | 156      | 13       | 22        | 92        | 21         | 38.1       | 4.6         | 16.1        | 2.45        | 0.55        | 2          | 0.34        | 2.35        | 0.52        |
| Shale15       | 181.6        | 66       | 14       | 48        | 120       | 20.5       | 34.9       | 3.6         | 12.4        | 2.55        | 0.6         | 2.8        | 0.36        | 2.3         | 0.48        |
| Shale16       | 182.8        | 39       | 14       | 62        | 100       | 27.7       | 49.7       | 5.35        | 18          | 3.05        | 0.6         | 2.8        | 0.38        | 2.35        | 0.46        |
| Shale17       | 184.2        | 39       | 28       | 44        | 183       | 34         | 67.3       | 8.25        | 30.3        | 5.4         | 1.05        | 5.2        | 0.78        | 4.9         | 0.96        |
| Shale18       | 185.1        | 54       | 16       | 28        | 114       | 27.6       | 52.3       | 6.15        | 21.3        | 3.9         | 1.05        | 3.6        | 0.5         | 3           | 0.6         |

|         |       |     |    |    |     |      |      |      |      |      |      |     |      |      |      |
|---------|-------|-----|----|----|-----|------|------|------|------|------|------|-----|------|------|------|
| Shale19 | 185.9 | 45  | 16 | 30 | 96  | 23.8 | 48.8 | 5.95 | 22.4 | 4.4  | 0.8  | 4   | 0.56 | 3.1  | 0.6  |
| Shale20 | 187.2 | 81  | 18 | 44 | 135 | 26.8 | 50.5 | 5.95 | 21.5 | 4.05 | 0.8  | 4   | 0.52 | 3.1  | 0.62 |
| Shale21 | 188   | 39  | 17 | 44 | 110 | 31   | 63.9 | 7.65 | 28.3 | 5.1  | 0.9  | 4.4 | 0.58 | 3.5  | 0.66 |
| Shale22 | 189.6 | 114 | 16 | 24 | 121 | 21.9 | 41.9 | 4.95 | 18.1 | 3.55 | 0.7  | 3.2 | 0.44 | 2.9  | 0.54 |
| Shale23 | 190.8 | 42  | 16 | 40 | 104 | 33.5 | 65.1 | 7.8  | 27.3 | 4.85 | 0.9  | 4.4 | 0.58 | 3.55 | 0.7  |
| Shale24 | 192.3 | 54  | 19 | 38 | 153 | 32.3 | 61.9 | 7.45 | 25.7 | 4.7  | 0.9  | 4.2 | 0.6  | 3.6  | 0.74 |
| Shale25 | 194   | 39  | 15 | 28 | 74  | 17.6 | 36.8 | 4.55 | 17.6 | 3.7  | 0.75 | 3.6 | 0.48 | 2.75 | 0.48 |
| Shale26 | 195   | 33  | 19 | 36 | 92  | 24.9 | 54.5 | 6.65 | 24.2 | 4.55 | 0.85 | 4.2 | 0.58 | 3.5  | 0.68 |
| Shale27 | 196.3 | 36  | 19 | 40 | 142 | 35   | 68.9 | 8.2  | 29.1 | 4.9  | 0.85 | 4.2 | 0.6  | 3.55 | 0.7  |
| Shale28 | 197.6 | 48  | 25 | 44 | 150 | 40   | 91   | 11.6 | 42.7 | 6.6  | 1.1  | 5.2 | 0.74 | 4.45 | 0.86 |
| Shale29 | 198.4 | 48  | 24 | 34 | 146 | 38.4 | 77.1 | 9.3  | 32.5 | 5.55 | 0.95 | 4.8 | 0.68 | 4.3  | 0.84 |
| Shale30 | 199.5 | 33  | 17 | 38 | 138 | 41.4 | 77.7 | 8.65 | 29.5 | 5.05 | 0.85 | 4.4 | 0.62 | 4.05 | 0.72 |
| Shale31 | 200.9 | 39  | 17 | 34 | 137 | 31.9 | 63.9 | 7.55 | 26.2 | 4.65 | 0.85 | 4   | 0.56 | 3.45 | 0.66 |
| Shale32 | 201.6 | 117 | 19 | 30 | 158 | 31.9 | 62.9 | 7.45 | 25.9 | 5.1  | 0.9  | 4.8 | 0.66 | 4    | 0.74 |
| Shale33 | 202.8 | 39  | 17 | 40 | 121 | 31.7 | 65   | 7.85 | 28   | 4.8  | 0.85 | 4.2 | 0.56 | 3.3  | 0.62 |
| Shale34 | 203.9 | 39  | 19 | 40 | 131 | 34.6 | 67.9 | 8.1  | 29.2 | 5.2  | 0.95 | 4.6 | 0.64 | 3.85 | 0.74 |
| Shale35 | 204.9 | 63  | 20 | 40 | 143 | 37.4 | 69.8 | 8.15 | 28.1 | 5.25 | 0.9  | 4.8 | 0.66 | 3.95 | 0.74 |
| Shale36 | 206.6 | 42  | 17 | 38 | 104 | 26   | 55.4 | 7    | 25.6 | 4.55 | 0.8  | 4   | 0.54 | 3.1  | 0.6  |
| Shale37 | 207.9 | 72  | 21 | 34 | 116 | 28.5 | 64   | 8.1  | 29.8 | 5.2  | 0.85 | 4.6 | 0.62 | 3.65 | 0.74 |
| Shale38 | 209.3 | 57  | 20 | 36 | 142 | 38.3 | 66.8 | 7.2  | 24.6 | 4.65 | 0.85 | 4.6 | 0.62 | 3.7  | 0.7  |
| Shale39 | 210.5 | 69  | 18 | 42 | 116 | 30.9 | 58.9 | 6.85 | 23.5 | 4.25 | 0.85 | 4   | 0.56 | 3.35 | 0.64 |
| Shale40 | 211.4 | 105 | 18 | 38 | 109 | 27.1 | 53.4 | 6.3  | 21.8 | 4.15 | 0.8  | 3.8 | 0.54 | 3.25 | 0.62 |
| Shale41 | 212.6 | 51  | 17 | 44 | 96  | 28.5 | 56.5 | 6.7  | 24.2 | 4.35 | 0.85 | 4   | 0.54 | 3.25 | 0.62 |
| Shale42 | 213.9 | 42  | 17 | 48 | 102 | 28.2 | 56.9 | 6.85 | 25.2 | 4.55 | 0.85 | 3.8 | 0.54 | 3.1  | 0.6  |
| Shale43 | 214.9 | 48  | 19 | 44 | 104 | 31.9 | 58.7 | 6.95 | 24.5 | 4.45 | 0.8  | 4   | 0.54 | 3.3  | 0.64 |
| Shale44 | 216   | 39  | 17 | 52 | 80  | 30.4 | 61.9 | 7.6  | 28.1 | 4.7  | 0.85 | 4   | 0.52 | 3.1  | 0.6  |
| Shale45 | 217   | 63  | 16 | 38 | 101 | 27   | 53   | 6.45 | 23.2 | 4.25 | 0.75 | 3.8 | 0.54 | 3.15 | 0.62 |
| Shale46 | 218.8 | 48  | 15 | 22 | 96  | 26.2 | 54.3 | 6.65 | 23.7 | 3.7  | 0.65 | 3.2 | 0.42 | 2.6  | 0.52 |
| Shale47 | 220.7 | 72  | 14 | 30 | 105 | 27.6 | 47.2 | 5    | 16.7 | 3.05 | 0.55 | 3   | 0.36 | 2.15 | 0.44 |
| Shale48 | 221.9 | 93  | 3  | 34 | 10  | 2.5  | 6.2  | 0.8  | 2.95 | 0.6  | 0.15 | 0.6 | 0.08 | 0.45 | 0.08 |
| Shale49 | 222.9 | 36  | 4  | 36 | 4   | 2.7  | 7.2  | 1.1  | 4.35 | 1.05 | 0.2  | 1   | 0.14 | 0.8  | 0.14 |
| Shale50 | 224   | 51  | 8  | 24 | 28  | 13.6 | 31.5 | 3.85 | 13.8 | 2.1  | 0.4  | 1.6 | 0.22 | 1.4  | 0.26 |
| Shale51 | 224.9 | 27  | 3  | 16 | 3   | 2.1  | 6.1  | 0.85 | 3.35 | 0.8  | 0.2  | 0.8 | 0.1  | 0.6  | 0.12 |
| Shale52 | 225.5 | 45  | 3  | 38 | 7   | 3.2  | 7.2  | 0.9  | 3.6  | 0.7  | 0.15 | 0.6 | 0.1  | 0.55 | 0.1  |
| Shale53 | 227.8 | 63  | 2  | 6  | 5   | 2.5  | 6.2  | 0.8  | 3.35 | 0.6  | 0.1  | 0.6 | 0.08 | 0.45 | 0.08 |
| Shale54 | 229.1 | 42  | 6  | 8  | 32  | 10   | 19.1 | 2.2  | 7.9  | 1.45 | 0.25 | 1.2 | 0.18 | 1.05 | 0.2  |
| Shale55 | 229.9 | 21  | 3  | 4  | 4   | 2.1  | 5.3  | 0.7  | 2.8  | 0.6  | 0.15 | 0.6 | 0.08 | 0.5  | 0.08 |
| Shale56 | 232   | 54  | 19 | 24 | 135 | 34.1 | 54.7 | 5.8  | 20   | 3.6  | 0.65 | 3.4 | 0.48 | 3.15 | 0.74 |
| Shale57 | 232.6 | 36  | 3  | 4  | 3   | 2.1  | 6.8  | 0.95 | 3.65 | 0.85 | 0.2  | 0.8 | 0.12 | 0.65 | 0.12 |

|         |       |     |    |     |     |      |      |      |      |      |      |     |      |      |      |
|---------|-------|-----|----|-----|-----|------|------|------|------|------|------|-----|------|------|------|
| Shale58 | 233.7 | 69  | 21 | 40  | 138 | 35   | 68.4 | 8    | 28.8 | 5.2  | 1    | 4.6 | 0.64 | 3.9  | 0.74 |
| Shale59 | 236.1 | 153 | 15 | 30  | 96  | 21.1 | 42.9 | 5.15 | 19.1 | 3.8  | 0.75 | 3.6 | 0.48 | 2.75 | 0.5  |
| Shale60 | 237.3 | 36  | 18 | 16  | 131 | 3.7  | 8.5  | 1.2  | 5.25 | 1.75 | 0.4  | 2.6 | 0.46 | 3.1  | 0.64 |
| Shale61 | 238.8 | 48  | 18 | 46  | 101 | 33.4 | 62.7 | 7.3  | 25.9 | 4.7  | 0.9  | 4.2 | 0.56 | 3.5  | 0.66 |
| Shale62 | 240   | 165 | <1 | 8   | 2   | 2.1  | 4.2  | 0.7  | 1.8  | 0.35 | 0.1  | 0.4 | 0.04 | 0.25 | 0.04 |
| Shale63 | 242.2 | 66  | 15 | 44  | 105 | 27.8 | 55.5 | 6.6  | 23.8 | 4    | 0.75 | 3.4 | 0.46 | 3    | 0.54 |
| Shale64 | 243.1 | 39  | 14 | 36  | 78  | 19.4 | 39   | 4.65 | 17.3 | 3.4  | 0.65 | 3.4 | 0.44 | 2.6  | 0.5  |
| Shale65 | 244.5 | 39  | 17 | 52  | 112 | 39.7 | 82   | 9.85 | 36.6 | 6.5  | 1.05 | 5.2 | 0.7  | 4.1  | 0.74 |
| Shale66 | 245.8 | 45  | 13 | 48  | 87  | 19.5 | 39.5 | 4.75 | 17.5 | 3.15 | 0.55 | 2.8 | 0.4  | 2.35 | 0.48 |
| Shale67 | 246.9 | 39  | 14 | 48  | 92  | 27.4 | 53.9 | 6.25 | 22.2 | 3.75 | 0.65 | 3.2 | 0.42 | 2.5  | 0.48 |
| Shale68 | 247.5 | 51  | 13 | 52  | 83  | 23.1 | 45.7 | 5.25 | 18.6 | 2.85 | 0.5  | 2.4 | 0.34 | 2.1  | 0.42 |
| Shale69 | 248.6 | 87  | 13 | 38  | 97  | 22.3 | 45.7 | 5.2  | 19.1 | 3.15 | 0.6  | 2.8 | 0.36 | 2.35 | 0.44 |
| Shale70 | 249.7 | 54  | 16 | 48  | 150 | 28.9 | 56.8 | 6.6  | 23.9 | 3.85 | 0.7  | 3.2 | 0.44 | 2.75 | 0.52 |
| Shale71 | 251.5 | 63  | 15 | 52  | 102 | 19.7 | 35.6 | 4.15 | 15.4 | 3.15 | 0.6  | 3   | 0.42 | 2.6  | 0.5  |
| Shale72 | 252.5 | 78  | 16 | 38  | 118 | 25.2 | 49.8 | 5.9  | 22.2 | 4.05 | 0.7  | 3.6 | 0.5  | 3    | 0.58 |
| Shale73 | 254.5 | 57  | 16 | 38  | 66  | 24   | 48.2 | 5.65 | 20.7 | 3.85 | 0.75 | 3.4 | 0.48 | 3    | 0.56 |
| Shale74 | 255.5 | 48  | 15 | 40  | 67  | 27.6 | 56   | 6.4  | 23   | 3.85 | 0.7  | 3.2 | 0.42 | 2.65 | 0.48 |
| Shale75 | 256.8 | 42  | 10 | 10  | 23  | 12.3 | 29.4 | 3.3  | 12.3 | 2.35 | 0.5  | 2.4 | 0.3  | 1.8  | 0.36 |
| Shale76 | 258.3 | 93  | 16 | 48  | 121 | 22.3 | 43.9 | 5.15 | 19.3 | 3.65 | 0.7  | 3.4 | 0.44 | 2.75 | 0.54 |
| Shale77 | 259.8 | 39  | 13 | 56  | 77  | 25.3 | 52.6 | 6.05 | 22.5 | 3.6  | 0.6  | 3   | 0.38 | 2.3  | 0.44 |
| Shale78 | 261.6 | 84  | 13 | 40  | 71  | 15.3 | 31.8 | 3.75 | 14.1 | 2.75 | 0.55 | 2.6 | 0.34 | 2.05 | 0.4  |
| Shale79 | 262.6 | 48  | 17 | 44  | 111 | 25   | 50.4 | 5.65 | 20.6 | 3.65 | 0.6  | 3   | 0.42 | 2.75 | 0.54 |
| Shale80 | 264.2 | 63  | 16 | 32  | 96  | 22   | 43.7 | 5.2  | 19.5 | 3.65 | 0.7  | 3.4 | 0.48 | 2.85 | 0.54 |
| Shale81 | 266.8 | 93  | 26 | 38  | 123 | 27.2 | 55.4 | 6.35 | 23.8 | 4.5  | 0.85 | 4.6 | 0.72 | 4.45 | 0.84 |
| Shale82 | 268.5 | 36  | 16 | 48  | 96  | 29.4 | 53.2 | 6.2  | 22   | 4.15 | 0.8  | 3.8 | 0.54 | 3.1  | 0.6  |
| Shale83 | 269.7 | 48  | 20 | 48  | 104 | 32.4 | 61.8 | 7.25 | 26.3 | 4.8  | 0.95 | 4.4 | 0.62 | 3.6  | 0.7  |
| Shale84 | 271.7 | 54  | 21 | 44  | 100 | 33.2 | 64.2 | 7.55 | 27.9 | 5.05 | 1    | 4.6 | 0.64 | 3.9  | 0.76 |
| Shale85 | 273.4 | 72  | 20 | 30  | 110 | 24.1 | 45.9 | 5.45 | 20.6 | 4.1  | 0.85 | 4   | 0.58 | 3.7  | 0.7  |
| Shale86 | 274.6 | 54  | 19 | 34  | 88  | 27.6 | 59   | 6.9  | 25.9 | 4.8  | 0.85 | 4.2 | 0.56 | 3.4  | 0.64 |
| Shale87 | 276.2 | 63  | 21 | 48  | 106 | 36.1 | 73.8 | 8.4  | 30.7 | 5.45 | 1    | 4.6 | 0.62 | 3.8  | 0.74 |
| Shale88 | 277.3 | 78  | 25 | 104 | 116 | 29   | 61.9 | 7.2  | 27.6 | 5.05 | 1    | 4.8 | 0.68 | 4.15 | 0.82 |
| Shale89 | 279.1 | 54  | 21 | 52  | 138 | 33.8 | 58.2 | 6.85 | 24.5 | 4.5  | 0.85 | 4.2 | 0.6  | 3.5  | 0.7  |
| Shale90 | 280.6 | 69  | 23 | 44  | 149 | 37.9 | 63.4 | 7.35 | 25.8 | 4.7  | 0.9  | 4.6 | 0.66 | 4.1  | 0.78 |
| Shale91 | 281.3 | 66  | 20 | 38  | 146 | 29.2 | 58.8 | 6.9  | 25.5 | 4.8  | 0.9  | 4.4 | 0.62 | 3.65 | 0.7  |
| Shale92 | 282.8 | 111 | 20 | 30  | 127 | 26.5 | 49.9 | 5.95 | 22.1 | 4.3  | 0.8  | 4   | 0.58 | 3.35 | 0.66 |
| Shale93 | 284.9 | 90  | 17 | 20  | 75  | 22.8 | 56.1 | 6.95 | 26.5 | 4.8  | 0.85 | 3.8 | 0.5  | 2.95 | 0.54 |
| Shale94 | 286.6 | 93  | 23 | 32  | 129 | 25.5 | 53.4 | 6.15 | 23.3 | 4.5  | 0.85 | 4.2 | 0.64 | 3.8  | 0.74 |
| Shale95 | 288   | 78  | 21 | 24  | 106 | 26.6 | 58.3 | 6.9  | 26.7 | 5.35 | 1    | 4.6 | 0.64 | 3.9  | 0.74 |
| Shale96 | 289.6 | 75  | 21 | 36  | 126 | 36.1 | 73.3 | 8.45 | 30.7 | 5.25 | 0.95 | 4.6 | 0.64 | 3.8  | 0.72 |

|          |       |     |    |    |     |      |      |      |      |      |      |     |      |      |      |
|----------|-------|-----|----|----|-----|------|------|------|------|------|------|-----|------|------|------|
| Shale97  | 290.6 | 87  | 20 | 34 | 141 | 34.4 | 69.6 | 8.2  | 30.4 | 5.1  | 0.95 | 4.6 | 0.62 | 3.85 | 0.72 |
| Shale98  | 292.1 | 183 | 21 | 28 | 123 | 26.3 | 52.7 | 6.25 | 22.9 | 4.6  | 0.9  | 4.2 | 0.6  | 3.7  | 0.72 |
| Shale99  | 293.9 | 93  | 19 | 28 | 106 | 26.8 | 55   | 6.5  | 24.2 | 4.55 | 0.85 | 4   | 0.54 | 3.25 | 0.64 |
| Shale100 | 295   | 102 | 23 | 26 | 140 | 30.8 | 61.6 | 7.4  | 27.6 | 5    | 0.9  | 4.6 | 0.66 | 3.7  | 0.74 |
| Shale101 | 296.2 | 63  | 23 | 42 | 113 | 32.2 | 66.9 | 7.75 | 28.9 | 5.05 | 1    | 4.6 | 0.64 | 3.7  | 0.7  |
| Shale102 | 297.9 | 171 | 21 | 34 | 178 | 30.5 | 61.9 | 7.2  | 26.9 | 4.75 | 0.95 | 4.2 | 0.58 | 3.55 | 0.7  |
| Shale103 | 299.5 | 51  | 22 | 44 | 171 | 40.3 | 82.3 | 9.7  | 35.9 | 6.05 | 1.15 | 5.4 | 0.8  | 4.95 | 0.94 |
| Shale104 | 301.4 | 117 | 25 | 36 | 188 | 31.5 | 65   | 7.7  | 28.9 | 5.4  | 1.05 | 5   | 0.68 | 4.15 | 0.78 |
| Shale105 | 302.7 | 153 | 27 | 30 | 173 | 29   | 59.1 | 7.25 | 27.2 | 5.6  | 1.15 | 5.4 | 0.78 | 4.75 | 0.9  |
| Shale106 | 304.9 | 87  | 26 | 36 | 166 | 31.8 | 64.6 | 7.55 | 27.6 | 5.3  | 1.05 | 5   | 0.7  | 4.35 | 0.82 |
| Shale107 | 306.2 | 117 | 22 | 34 | 116 | 30.9 | 63.9 | 7.4  | 27.6 | 5.1  | 0.9  | 4.4 | 0.62 | 3.8  | 0.72 |
| Shale108 | 307.4 | 117 | 24 | 36 | 158 | 31.6 | 63.6 | 7.45 | 28   | 4.9  | 0.95 | 4.4 | 0.62 | 3.7  | 0.72 |
| Shale109 | 308.9 | 72  | 24 | 40 | 154 | 34.7 | 70.8 | 8.3  | 30.8 | 5.7  | 1.05 | 5.2 | 0.7  | 4.3  | 0.82 |
| Shale110 | 310.4 | 132 | 25 | 34 | 150 | 30.9 | 63.4 | 7.45 | 27.2 | 5.15 | 1    | 4.8 | 0.66 | 4    | 0.74 |
| Shale111 | 311.2 | 126 | 21 | 30 | 146 | 28.8 | 58.5 | 6.95 | 25.2 | 4.7  | 0.9  | 4.4 | 0.58 | 3.6  | 0.7  |
| Shale112 | 312.8 | 66  | 22 | 34 | 135 | 30.2 | 61   | 7.4  | 27.4 | 4.95 | 0.95 | 4.4 | 0.62 | 3.8  | 0.72 |
| Shale113 | 314.3 | 141 | 24 | 28 | 150 | 28.3 | 56.9 | 6.9  | 25.8 | 4.9  | 0.95 | 4.4 | 0.62 | 3.7  | 0.72 |
| Shale114 | 315.5 | 138 | 22 | 34 | 170 | 31.5 | 63.9 | 7.8  | 28.5 | 5.2  | 0.95 | 4.6 | 0.66 | 3.9  | 0.74 |
| Shale115 | 317.4 | 69  | 28 | 36 | 154 | 32.3 | 65.7 | 7.85 | 28.8 | 5.45 | 1    | 5   | 0.7  | 4.35 | 0.82 |
| Shale116 | 318.5 | 69  | 24 | 38 | 172 | 32.4 | 66.2 | 7.8  | 29   | 5.1  | 0.95 | 4.6 | 0.64 | 3.9  | 0.74 |
| Shale117 | 319.3 | 90  | 22 | 36 | 135 | 31.2 | 62.8 | 7.45 | 27.6 | 5.1  | 0.95 | 4.6 | 0.62 | 3.85 | 0.74 |
| Shale118 | 323.6 | 75  | 25 | 40 | 170 | 33.9 | 68.4 | 8.2  | 29.5 | 5.1  | 0.9  | 4.6 | 0.62 | 3.85 | 0.74 |
| Shale119 | 325   | 141 | 22 | 36 | 153 | 32   | 64.9 | 7.7  | 28.6 | 5.05 | 0.95 | 4.4 | 0.62 | 3.7  | 0.7  |
| Shale120 | 326.7 | 108 | 24 | 36 | 160 | 30.5 | 62.2 | 7.3  | 26.6 | 4.95 | 0.95 | 4.4 | 0.64 | 3.8  | 0.72 |
| Shale121 | 329.1 | 60  | 18 | 22 | 89  | 21.6 | 45   | 5.1  | 18.4 | 3.85 | 0.75 | 3.8 | 0.52 | 3.45 | 0.6  |
| Shale122 | 330.1 | 114 | 21 | 28 | 113 | 28.1 | 56.3 | 6.65 | 24.7 | 4.6  | 0.9  | 4.2 | 0.6  | 3.45 | 0.66 |
| Shale123 | 331.7 | 63  | 21 | 36 | 114 | 30.7 | 61.7 | 7.4  | 27.3 | 5.05 | 0.95 | 4.6 | 0.62 | 3.7  | 0.7  |
| Shale124 | 332.9 | 63  | 29 | 36 | 151 | 31   | 62.9 | 7.6  | 28.2 | 5.55 | 1.1  | 5.6 | 0.84 | 5.2  | 1.02 |
| Shale125 | 334.2 | 198 | 22 | 32 | 126 | 29   | 59.1 | 6.95 | 25.4 | 4.7  | 0.85 | 4.2 | 0.58 | 3.5  | 0.68 |
| Shale126 | 353.4 | 93  | 24 | 28 | 119 | 31.2 | 63.4 | 7.5  | 27.3 | 4.85 | 0.9  | 4.4 | 0.62 | 3.75 | 0.74 |
| Shale127 | 336.8 | 51  | 27 | 28 | 123 | 35.2 | 72.9 | 8.45 | 30.2 | 5.4  | 1    | 5.2 | 0.72 | 4.35 | 0.82 |
| Shale128 | 340.8 | 93  | 23 | 36 | 196 | 39.6 | 83   | 9.5  | 34.3 | 5.35 | 0.9  | 4.4 | 0.64 | 3.95 | 0.76 |
| Shale129 | 341.7 | 90  | 23 | 36 | 123 | 34.3 | 72.1 | 8.2  | 29.4 | 4.8  | 0.8  | 4   | 0.56 | 3.4  | 0.66 |
| Shale130 | 344.9 | 93  | 23 | 32 | 104 | 28.2 | 57.8 | 6.75 | 24.9 | 4.25 | 0.8  | 3.8 | 0.52 | 3.2  | 0.6  |

| IDENT   | Depth | Er    | Tm    | Yb    | Lu    |
|---------|-------|-------|-------|-------|-------|
| UNITS   |       | ppm   | ppm   | ppm   | ppm   |
| SCHEME  |       | MA102 | MA102 | MA102 | MA102 |
| LOD     |       | 0.05  | 0.05  | 0.05  | 0.02  |
| Shale1  | 165.2 | 1.9   | 0.3   | 1.85  | 0.3   |
| Shale2  | 166.3 | 1.6   | 0.25  | 1.65  | 0.26  |
| Shale3  | 167.3 | 2.3   | 0.35  | 2.15  | 0.34  |
| Shale4  | 167.9 | 1.9   | 0.3   | 1.75  | 0.26  |
| Shale5  | 169.9 | 1.9   | 0.3   | 1.9   | 0.3   |
| Shale6  | 170.7 | 1.65  | 0.25  | 1.55  | 0.24  |
| Shale7  | 171.8 | 1.9   | 0.3   | 1.8   | 0.28  |
| Shale8  | 172.8 | 2     | 0.3   | 1.85  | 0.3   |
| Shale9  | 173.9 | 1.8   | 0.3   | 1.8   | 0.28  |
| Shale10 | 175.3 | 1.9   | 0.3   | 1.7   | 0.28  |
| Shale11 | 176.3 | 1.95  | 0.3   | 1.85  | 0.3   |
| Shale12 | 177.5 | 1.9   | 0.3   | 1.9   | 0.3   |
| Shale13 | 179.1 | 2.05  | 0.3   | 2.05  | 0.3   |
| Shale14 | 180.6 | 1.65  | 0.25  | 1.65  | 0.26  |
| Shale15 | 181.6 | 1.65  | 0.25  | 1.6   | 0.28  |
| Shale16 | 182.8 | 1.55  | 0.25  | 1.5   | 0.24  |
| Shale17 | 184.2 | 2.85  | 0.45  | 2.7   | 0.44  |
| Shale18 | 185.1 | 1.9   | 0.3   | 1.85  | 0.3   |
| Shale19 | 185.9 | 1.8   | 0.25  | 1.75  | 0.26  |
| Shale20 | 187.2 | 1.9   | 0.3   | 1.95  | 0.32  |
| Shale21 | 188   | 2     | 0.3   | 2     | 0.32  |
| Shale22 | 189.6 | 1.7   | 0.25  | 1.6   | 0.24  |
| Shale23 | 190.8 | 2.05  | 0.3   | 1.9   | 0.32  |
| Shale24 | 192.3 | 2.15  | 0.35  | 2.1   | 0.34  |
| Shale25 | 194   | 1.45  | 0.2   | 1.4   | 0.22  |
| Shale26 | 195   | 2.1   | 0.3   | 1.9   | 0.3   |
| Shale27 | 196.3 | 2.1   | 0.35  | 2.15  | 0.34  |
| Shale28 | 197.6 | 2.7   | 0.4   | 2.6   | 0.42  |
| Shale29 | 198.4 | 2.6   | 0.4   | 2.55  | 0.4   |
| Shale30 | 199.5 | 2.2   | 0.35  | 2.05  | 0.34  |
| Shale31 | 200.9 | 2     | 0.3   | 1.95  | 0.32  |
| Shale32 | 201.6 | 2.3   | 0.35  | 2.15  | 0.34  |
| Shale33 | 202.8 | 1.9   | 0.3   | 1.85  | 0.28  |
| Shale34 | 203.9 | 2.2   | 0.35  | 2.2   | 0.34  |
| Shale35 | 204.9 | 2.65  | 0.35  | 2.15  | 0.36  |

|         |       |      |       |      |       |
|---------|-------|------|-------|------|-------|
| Shale36 | 206.6 | 1.85 | 0.3   | 1.75 | 0.28  |
| Shale37 | 207.9 | 2.2  | 0.35  | 2.2  | 0.34  |
| Shale38 | 209.3 | 2    | 0.3   | 1.95 | 0.3   |
| Shale39 | 210.5 | 1.95 | 0.3   | 2    | 0.3   |
| Shale40 | 211.4 | 1.9  | 0.3   | 1.85 | 0.28  |
| Shale41 | 212.6 | 1.9  | 0.3   | 1.85 | 0.28  |
| Shale42 | 213.9 | 1.85 | 0.25  | 1.75 | 0.28  |
| Shale43 | 214.9 | 1.9  | 0.3   | 1.85 | 0.3   |
| Shale44 | 216   | 1.9  | 0.3   | 1.7  | 0.28  |
| Shale45 | 217   | 1.9  | 0.3   | 1.8  | 0.3   |
| Shale46 | 218.8 | 1.7  | 0.25  | 1.55 | 0.26  |
| Shale47 | 220.7 | 1.5  | 0.25  | 1.6  | 0.26  |
| Shale48 | 221.9 | 0.2  | <0.05 | 0.2  | 0.04  |
| Shale49 | 222.9 | 0.4  | <0.05 | 0.3  | 0.04  |
| Shale50 | 224   | 0.8  | 0.1   | 0.8  | 0.12  |
| Shale51 | 224.9 | 0.25 | <0.05 | 0.3  | 0.06  |
| Shale52 | 225.5 | 0.25 | <0.05 | 0.2  | 0.04  |
| Shale53 | 227.8 | 0.25 | <0.05 | 0.2  | 0.02  |
| Shale54 | 229.1 | 0.6  | 0.1   | 0.6  | 0.1   |
| Shale55 | 229.9 | 0.25 | <0.05 | 0.2  | 0.02  |
| Shale56 | 232   | 2.3  | 0.35  | 2.4  | 0.38  |
| Shale57 | 232.6 | 0.3  | <0.05 | 0.2  | 0.04  |
| Shale58 | 233.7 | 2.3  | 0.35  | 2.25 | 0.36  |
| Shale59 | 236.1 | 1.5  | 0.2   | 1.45 | 0.22  |
| Shale60 | 237.3 | 1.95 | 0.3   | 2    | 0.34  |
| Shale61 | 238.8 | 1.9  | 0.3   | 1.85 | 0.28  |
| Shale62 | 240   | 0.1  | <0.05 | 0.1  | <0.02 |
| Shale63 | 242.2 | 1.7  | 0.25  | 1.65 | 0.26  |
| Shale64 | 243.1 | 1.55 | 0.25  | 1.5  | 0.24  |
| Shale65 | 244.5 | 2.25 | 0.35  | 2.1  | 0.34  |
| Shale66 | 245.8 | 1.45 | 0.2   | 1.4  | 0.22  |
| Shale67 | 246.9 | 1.5  | 0.25  | 1.5  | 0.24  |
| Shale68 | 247.5 | 1.3  | 0.2   | 1.3  | 0.2   |
| Shale69 | 248.6 | 1.35 | 0.2   | 1.35 | 0.22  |
| Shale70 | 249.7 | 1.65 | 0.25  | 1.65 | 0.26  |
| Shale71 | 251.5 | 1.55 | 0.25  | 1.5  | 0.24  |
| Shale72 | 252.5 | 1.85 | 0.25  | 1.75 | 0.28  |
| Shale73 | 254.5 | 1.7  | 0.25  | 1.65 | 0.26  |
| Shale74 | 255.5 | 1.6  | 0.2   | 1.45 | 0.24  |

|          |       |      |      |      |      |
|----------|-------|------|------|------|------|
| Shale75  | 256.8 | 0.95 | 0.15 | 0.75 | 0.12 |
| Shale76  | 258.3 | 1.7  | 0.25 | 1.65 | 0.28 |
| Shale77  | 259.8 | 1.4  | 0.2  | 1.35 | 0.22 |
| Shale78  | 261.6 | 1.2  | 0.2  | 1.15 | 0.18 |
| Shale79  | 262.6 | 1.75 | 0.3  | 1.8  | 0.28 |
| Shale80  | 264.2 | 1.65 | 0.25 | 1.5  | 0.26 |
| Shale81  | 266.8 | 2.65 | 0.4  | 2.5  | 0.4  |
| Shale82  | 268.5 | 1.9  | 0.25 | 1.65 | 0.28 |
| Shale83  | 269.7 | 2.05 | 0.3  | 1.9  | 0.3  |
| Shale84  | 271.7 | 2.4  | 0.35 | 2.15 | 0.34 |
| Shale85  | 273.4 | 2.15 | 0.3  | 1.95 | 0.3  |
| Shale86  | 274.6 | 1.9  | 0.3  | 1.75 | 0.28 |
| Shale87  | 276.2 | 2.2  | 0.35 | 2.15 | 0.34 |
| Shale88  | 277.3 | 2.5  | 0.35 | 2.15 | 0.36 |
| Shale89  | 279.1 | 2.1  | 0.3  | 2    | 0.32 |
| Shale90  | 280.6 | 2.4  | 0.35 | 2.25 | 0.36 |
| Shale91  | 281.3 | 2.1  | 0.3  | 2.05 | 0.32 |
| Shale92  | 282.8 | 1.95 | 0.3  | 1.9  | 0.3  |
| Shale93  | 284.9 | 1.65 | 0.25 | 1.5  | 0.24 |
| Shale94  | 286.6 | 2.25 | 0.35 | 2.1  | 0.34 |
| Shale95  | 288   | 2.25 | 0.35 | 2.1  | 0.34 |
| Shale96  | 289.6 | 2.15 | 0.35 | 2.05 | 0.34 |
| Shale97  | 290.6 | 2.3  | 0.35 | 2.15 | 0.34 |
| Shale98  | 292.1 | 2.2  | 0.3  | 2    | 0.34 |
| Shale99  | 293.9 | 1.85 | 0.3  | 1.75 | 0.28 |
| Shale100 | 295   | 2.1  | 0.3  | 2    | 0.32 |
| Shale101 | 296.2 | 2.1  | 0.3  | 2    | 0.34 |
| Shale102 | 297.9 | 2.05 | 0.3  | 2.05 | 0.32 |
| Shale103 | 299.5 | 2.95 | 0.45 | 2.7  | 0.44 |
| Shale104 | 301.4 | 2.45 | 0.4  | 2.3  | 0.38 |
| Shale105 | 302.7 | 2.8  | 0.45 | 2.65 | 0.42 |
| Shale106 | 304.9 | 2.5  | 0.4  | 2.35 | 0.38 |
| Shale107 | 306.2 | 2.15 | 0.3  | 2    | 0.32 |
| Shale108 | 307.4 | 2.2  | 0.3  | 2.1  | 0.32 |
| Shale109 | 308.9 | 2.5  | 0.35 | 2.35 | 0.36 |
| Shale110 | 310.4 | 2.3  | 0.35 | 2.1  | 0.36 |
| Shale111 | 311.2 | 2.05 | 0.3  | 1.95 | 0.32 |
| Shale112 | 312.8 | 2.2  | 0.3  | 2.05 | 0.32 |
| Shale113 | 314.3 | 2.3  | 0.35 | 2    | 0.32 |

|          |       |      |      |      |      |
|----------|-------|------|------|------|------|
| Shale114 | 315.5 | 2.25 | 0.35 | 2.15 | 0.34 |
| Shale115 | 317.4 | 2.55 | 0.4  | 2.4  | 0.38 |
| Shale116 | 318.5 | 2.3  | 0.35 | 2.2  | 0.34 |
| Shale117 | 319.3 | 2.15 | 0.3  | 2.05 | 0.34 |
| Shale118 | 323.6 | 2.3  | 0.35 | 2.2  | 0.36 |
| Shale119 | 325   | 2.25 | 0.35 | 2.1  | 0.34 |
| Shale120 | 326.7 | 2.2  | 0.35 | 2.1  | 0.34 |
| Shale121 | 329.1 | 1.8  | 0.25 | 1.65 | 0.26 |
| Shale122 | 330.1 | 1.95 | 0.3  | 1.9  | 0.3  |
| Shale123 | 331.7 | 2.15 | 0.3  | 2.05 | 0.32 |
| Shale124 | 332.9 | 3.2  | 0.45 | 3    | 0.48 |
| Shale125 | 334.2 | 2.15 | 0.3  | 2    | 0.32 |
| Shale126 | 353.4 | 2.25 | 0.35 | 2.1  | 0.34 |
| Shale127 | 336.8 | 2.5  | 0.4  | 2.3  | 0.38 |
| Shale128 | 340.8 | 2.45 | 0.35 | 2.3  | 0.36 |
| Shale129 | 341.7 | 2    | 0.3  | 1.9  | 0.3  |
| Shale130 | 344.9 | 1.9  | 0.3  | 1.85 | 0.3  |

### Drill core MCDD0005 – Wollgorang formation

| IDENT    | Depth          | Ag    | Al    | As    | Ba    | Be    | Bi    | Ca    | Cd    | Co    | Cr    | Cs    | Cu    | Fe    | Ga    |
|----------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| UNITS    |                | ppm   | %     | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   |
| SCHEME   |                | MA102 | LB101 | MA102 | LB101 | MA102 | MA102 | LB101 | MA102 | MA102 | LB101 | MA102 | MA101 | LB101 | MA102 |
| LOD      |                | 0.2   | 0.005 | 1     | 20    | 0.5   | 0.1   | 0.01  | 0.5   | 1     | 20    | 0.1   | 2     | 0.01  | 0.2   |
| Shale131 | 488.75         | <0.2  | 6.9   | 39    | 2620  | 4.5   | 1.6   | 1.29  | <0.5  | 37    | 60    | 13.6  | 26    | 11.7  | 21    |
| Shale132 | 490.25         | <0.2  | 7.19  | 32    | 400   | 3.5   | 1.3   | 1.34  | <0.5  | 35    | 60    | 14.9  | 32    | 10.2  | 23    |
| Shale133 | 390.83         | <0.2  | 6.99  | 37    | 7860  | 4     | 1.5   | 1.1   | <0.5  | 40    | 60    | 15.8  | 146   | 10.9  | 24    |
| Shale134 | 491.9          | <0.2  | 6.79  | 33    | 10100 | 3.5   | 1.4   | 0.95  | <0.5  | 38    | 60    | 15.2  | 28    | 11.5  | 22.2  |
| Shale135 | 492.83         | <0.2  | 2.19  | 2     | 100   | 1     | <0.1  | 13.6  | <0.5  | 56    | <20   | 3     | 40    | 2.07  | 7.2   |
| Shale136 | 493.3          | <0.2  | 1.88  | 5     | 660   | <0.5  | <0.1  | 8.58  | <0.5  | 43    | <20   | 2     | 58    | 2.68  | 4.8   |
| Shale137 | 495.3          | <0.2  | 7.29  | 19    | 420   | 4     | 0.4   | 2.46  | <0.5  | 20    | 60    | 12.9  | 12    | 8.67  | 21.4  |
| Shale138 | 495.62         | <0.2  | 7.45  | 28    | 420   | 5     | 0.9   | 1     | <0.5  | 24    | 60    | 13.8  | 18    | 12.1  | 22.2  |
| Shale139 | 496.66         | <0.2  | 5.89  | 12    | 1660  | 2.5   | <0.1  | 3.93  | <0.5  | 26    | 40    | 9.5   | 10    | 6.32  | 17.2  |
| Shale140 | 498.08         | <0.2  | 6.72  | 23    | 360   | 3     | 0.2   | 3.18  | <0.5  | 20    | 40    | 10.7  | 16    | 7.79  | 18.6  |
| Shale141 | 499            | <0.2  | 10.4  | 22    | 680   | 4     | <0.1  | 0.26  | <0.5  | 21    | <20   | 16.4  | 10    | 6.35  | 24.6  |
| Shale142 | 500.05         | <0.2  | 7.81  | 29    | 560   | 4.5   | 0.3   | 2.52  | <0.5  | 20    | 60    | 15.7  | 12    | 8.47  | 22    |
| Shale143 | 501.14         | <0.2  | 7.45  | 61    | 1040  | 2.5   | 0.5   | 2.37  | <0.5  | 21    | 60    | 14.1  | 18    | 9.36  | 21.6  |
| Shale144 | 502.68/502.58b | <0.2  | 6.91  | 13    | 400   | 3.5   | 0.2   | 4.9   | <0.5  | 16    | 40    | 13.8  | 4     | 5.68  | 21    |

|          |                |      |      |    |       |      |      |      |      |    |     |      |      |      |      |
|----------|----------------|------|------|----|-------|------|------|------|------|----|-----|------|------|------|------|
| Shale145 | 503.8          | <0.2 | 5.95 | 7  | 320   | 3    | <0.1 | 7.49 | <0.5 | 13 | 40  | 9.5  | 6    | 3.25 | 18.4 |
| Shale146 | 505.55         | <0.2 | 7.56 | 3  | 2620  | 3.5  | <0.1 | 3.63 | <0.5 | 20 | 60  | 8.9  | 8    | 1.94 | 23.6 |
| Shale147 | 506.6          | <0.2 | 6.54 | 9  | 360   | 2.5  | 0.4  | 4.4  | <0.5 | 20 | 60  | 7.3  | 8    | 3.5  | 20.6 |
| Shale148 | 507.5          | <0.2 | 7.01 | 24 | 500   | 2.5  | 0.2  | 4.06 | <0.5 | 16 | 60  | 9.3  | 8    | 5.35 | 21.4 |
| Shale149 | 508.6          | <0.2 | 6.27 | 10 | 360   | 2    | <0.1 | 5.91 | <0.5 | 20 | 40  | 8.5  | 8    | 4.99 | 19.6 |
| Shale150 | 509.2          | <0.2 | 7.32 | 9  | 440   | 3    | 0.2  | 4.05 | <0.5 | 18 | 60  | 10.1 | 26   | 4.36 | 21.4 |
| Shale151 | 510.7          | <0.2 | 7.3  | 8  | 400   | 3.5  | <0.1 | 4.88 | <0.5 | 17 | 60  | 9.8  | 4    | 3.46 | 21.6 |
| Shale152 | 510.6          | <0.2 | 2.79 | 2  | 2740  | 0.5  | <0.1 | 5.85 | <0.5 | 56 | 20  | 2.1  | 8    | 1.41 | 7.2  |
| Shale153 | 512            | <0.2 | 4.43 | 3  | 800   | 0.5  | 0.2  | 10.8 | <0.5 | 20 | 40  | 3.1  | 4    | 1.83 | 13   |
| Shale154 | 512.9          | <0.2 | 2.85 | 11 | 11700 | <0.5 | 0.6  | 12.6 | <0.5 | 31 | 20  | 1.8  | 10   | 1.72 | 7.8  |
| Shale155 | 514.28         | <0.2 | 4.68 | 10 | 340   | 1.5  | 0.4  | 9.88 | <0.5 | 18 | 40  | 6.2  | 26   | 5.48 | 14.4 |
| Shale156 | 515.8          | <0.2 | 5.92 | 2  | 480   | 2    | 0.2  | 7.17 | <0.5 | 25 | 40  | 8.2  | 4    | 2.03 | 17.4 |
| Shale157 | 516.9          | <0.2 | 7.06 | 39 | 1360  | 2.5  | 2.5  | 5.17 | <0.5 | 33 | 60  | 11.2 | 6    | 2.89 | 22.2 |
| Shale158 | 517.9/517.7(b) | <0.2 | 8.04 | 4  | 400   | 3.5  | <0.1 | 3.66 | <0.5 | 19 | 40  | 12.8 | 30   | 3    | 23.2 |
| Shale159 | 519.36         | <0.2 | 4.39 | 5  | 780   | 1.5  | 0.4  | 10.4 | <0.5 | 33 | 40  | 6.3  | 6    | 2.35 | 13.6 |
| Shale160 | 520.8          | <0.2 | 2.72 | 5  | 3720  | 0.5  | 0.2  | 12.6 | <0.5 | 24 | 20  | 2.8  | 12   | 4.76 | 7    |
| Shale161 | 523            | <0.2 | 3.16 | <1 | 980   | 1.5  | 0.3  | 14.4 | <0.5 | 22 | 20  | 2.8  | 4    | 2.5  | 8.8  |
| Shale162 | 524            | <0.2 | 6.38 | 2  | 300   | 2.5  | 0.3  | 7.05 | <0.5 | 20 | 60  | 7.7  | 54   | 3.14 | 21   |
| Shale163 | 525.2          | <0.2 | 4.84 | 3  | 1180  | 2    | 0.4  | 10.1 | <0.5 | 20 | 40  | 6    | 64   | 3.03 | 16.2 |
| Shale164 | 526.65         | <0.2 | 5.28 | 3  | 2900  | 2    | 0.2  | 10   | <0.5 | 17 | 20  | 5.2  | 8    | 2.65 | 14.2 |
| Shale165 | 527            | <0.2 | 7.05 | 9  | 600   | 4    | 0.3  | 4.61 | <0.5 | 16 | 40  | 11.9 | 348  | 4.96 | 24.6 |
| Shale166 | 527.65         | <0.2 | 5.71 | 3  | 240   | 3    | 0.3  | 9.52 | <0.5 | 17 | 40  | 6.7  | 16   | 3    | 16.4 |
| Shale167 | 528.6          | <0.2 | 6.66 | 4  | 620   | 6    | 0.5  | 4.3  | <0.5 | 14 | 40  | 12.9 | 636  | 6.01 | 32   |
| Shale168 | 529.5          | <0.2 | 3.68 | 2  | 900   | 1.5  | 0.2  | 11.7 | <0.5 | 18 | 20  | 4.8  | 8    | 4.03 | 10.8 |
| Shale169 | 531.17         | <0.2 | 6.57 | 4  | 260   | 4.5  | <0.1 | 6.24 | <0.5 | 17 | <20 | 14.8 | 1980 | 2.67 | 19.8 |
| Shale170 | 532.8          | <0.2 | 4.86 | 6  | 680   | 3    | 0.4  | 6.96 | <0.5 | 31 | 40  | 7.6  | 10   | 2.79 | 16   |
| Shale171 | 534.3          | 0.6  | 7.55 | 29 | 400   | 4    | 1.5  | 2.45 | <0.5 | 34 | 60  | 13.8 | 16   | 2.75 | 25.4 |
| Shale172 | 335            | 0.6  | 6.46 | 25 | 340   | 4    | 0.5  | 4.97 | <0.5 | 28 | 40  | 11.4 | 10   | 3.27 | 21.4 |
| Shale173 | 537.45         | 0.4  | 7.92 | 13 | 360   | 5    | 0.5  | 4.32 | <0.5 | 19 | 60  | 14.9 | 10   | 2.92 | 30   |
| Shale174 | 538.1          | <0.2 | 5.02 | 10 | 220   | 1.5  | 0.3  | 2.64 | <0.5 | 36 | 20  | 3.5  | 10   | 1.37 | 9.4  |
| Shale175 | 539.1          | 0.6  | 5.1  | 20 | 240   | 1.5  | 0.7  | 3.71 | <0.5 | 33 | 40  | 4.1  | 126  | 1.78 | 10.8 |
| Shale176 | 540.7          | 1.2  | 7.48 | 45 | 220   | 1.5  | 1.1  | 3.77 | <0.5 | 44 | 20  | 4.3  | 34   | 2.56 | 13.4 |
| Shale177 | 541.45         | 0.8  | 8.12 | 27 | 520   | 5.5  | 1.6  | 3.45 | <0.5 | 22 | 60  | 12.1 | 8    | 2.73 | 29.8 |
| Shale178 | 544.5          | 1.8  | 4.81 | 75 | 360   | 1    | 1.2  | 0.28 | 5.5  | 48 | 40  | 4.3  | 98   | 4    | 13.6 |
| Shale179 | 544.8          | 1.4  | 4.93 | 62 | 300   | 2    | 1.1  | 0.55 | 3.5  | 48 | 40  | 4.8  | 56   | 3.56 | 14.6 |
| Shale180 | 546.8          | 0.6  | 3.13 | 22 | 200   | 1    | 0.4  | 8.15 | 3.5  | 24 | 20  | 2.5  | 28   | 2.59 | 7.8  |
| Shale181 | 547.9          | 0.4  | 2.93 | 7  | 200   | 1    | 1.3  | 1    | 3    | 48 | <20 | 2.4  | 184  | 0.61 | 5.8  |
| Shale182 | 548.9          | 1.8  | 8.58 | 70 | 440   | 5    | 1.3  | 0.28 | 2.5  | 42 | 40  | 10.4 | 26   | 3.66 | 27.2 |
| Shale183 | 549.67         | 1.6  | 6.06 | 69 | 400   | 2    | 1.4  | 0.19 | 6.5  | 49 | 60  | 5.8  | 64   | 3.53 | 16.6 |

|               |                |            |             |             |           |              |              |            |             |            |           |              |           |            |            |
|---------------|----------------|------------|-------------|-------------|-----------|--------------|--------------|------------|-------------|------------|-----------|--------------|-----------|------------|------------|
| Shale184      | 550.5          | 1.8        | 7.34        | 111         | 420       | 3            | 3.3          | 0.26       | 4.5         | 50         | 40        | 7.9          | 32        | 4.7        | 15.4       |
| Shale185      | 550.9          | 1.8        | 5.84        | 76          | 380       | 2            | 1.5          | 0.15       | 10.5        | 46         | 60        | 6.3          | 62        | 2.96       | 16.6       |
| Shale186      | 551.1          | 1.4        | 4.64        | 59          | 300       | 1.5          | 1            | 0.18       | 5.5         | 47         | 40        | 4.4          | 90        | 2.55       | 11.6       |
| Shale187      | 551.72         | 1.6        | 5.3         | 78          | 340       | 2            | 1.3          | 0.21       | 9           | 48         | 40        | 5.1          | 76        | 3.51       | 13.4       |
| Shale188      | 553.38         | 1.6        | 5.77        | 61          | 400       | 1.5          | 1.1          | 0.59       | <0.5        | 47         | 60        | 5.3          | 90        | 3.88       | 13.8       |
| Shale189      | 554.25         | 1.6        | 6.44        | 76          | 380       | 2.5          | 1.5          | 0.56       | 3           | 48         | 60        | 7            | 76        | 4.87       | 17.2       |
| Shale190      | 554.63         | 2.4        | 8.22        | 86          | 420       | 4            | 2.9          | 0.83       | 3.5         | 38         | 40        | 11.1         | 60        | 5.35       | 25.8       |
| Shale191      | 555.39         | 1.2        | 5.27        | 55          | 320       | 2            | 1.3          | 0.45       | 2           | 49         | 40        | 5            | 134       | 3.55       | 13         |
| <b>IDENT</b>  | <b>Depth</b>   | <b>Hf</b>  | <b>In</b>   | <b>K</b>    | <b>Li</b> | <b>Mg</b>    | <b>Mn</b>    | <b>Mo</b>  | <b>Na</b>   | <b>Nb</b>  | <b>Ni</b> | <b>P</b>     | <b>Pb</b> | <b>Rb</b>  | <b>Re</b>  |
| <b>UNITS</b>  |                | ppm        | ppm         | %           | ppm       | %            | %            | ppm        | %           | ppm        | ppm       | %            | ppm       | ppm        | ppm        |
| <b>SCHEME</b> |                | MA102      | MA102       | LB101       | MA101     | LB101        | LB101        | MA102      | LB101       | MA102      | MA101     | LB101        | MA102     | LB102      | LB102      |
| <b>LOD</b>    |                | <b>0.2</b> | <b>0.05</b> | <b>0.01</b> | <b>10</b> | <b>0.005</b> | <b>0.005</b> | <b>0.5</b> | <b>0.01</b> | <b>0.5</b> | <b>2</b>  | <b>0.005</b> | <b>1</b>  | <b>0.5</b> | <b>0.1</b> |
| Shale131      | 488.75         | 4.4        | 0.1         | 5.86        | 50        | 1.47         | 0.185        | 3.5        | 0.1         | 11         | 26        | 0.045        | 23        | 232        | <0.1       |
| Shale132      | 490.25         | 3          | <0.05       | 5.9         | 50        | 1.59         | 0.17         | 3          | 0.11        | 11         | 30        | 0.045        | 22        | 225        | <0.1       |
| Shale133      | 390.83         | 2.8        | 0.1         | 5.56        | 50        | 1.49         | 0.165        | 4          | 0.1         | 11         | 30        | 0.05         | 24        | 232        | <0.1       |
| Shale134      | 491.9          | 2.6        | <0.05       | 5.44        | 50        | 1.36         | 0.15         | 3.5        | 0.09        | 9.5        | 30        | 0.05         | 23        | 222        | <0.1       |
| Shale135      | 492.83         | 0.8        | 0.1         | 2.08        | 20        | 7.57         | 1.05         | <0.5       | 0.07        | 4          | 18        | 0.02         | 5         | 57.5       | <0.1       |
| Shale136      | 493.3          | 0.6        | 0.1         | 1.8         | 10        | 4.64         | 0.65         | 1          | 0.06        | 3          | 12        | 0.02         | 11        | 46.5       | <0.1       |
| Shale137      | 495.3          | 2.2        | <0.05       | 5.91        | 70        | 2.29         | 0.09         | 4.5        | 0.09        | 10         | 30        | 0.075        | 16        | 238        | <0.1       |
| Shale138      | 495.62         | 2.4        | <0.05       | 5.95        | 70        | 1.63         | 0.07         | 8.5        | 0.11        | 10.5       | 32        | 0.08         | 25        | 231        | <0.1       |
| Shale139      | 496.66         | 1.6        | <0.05       | 5.48        | 50        | 2.86         | 0.16         | 2          | 0.1         | 8.5        | 20        | 0.055        | 11        | 186        | <0.1       |
| Shale140      | 498.08         | 2.4        | 0.1         | 6.09        | 50        | 2.45         | 0.125        | 2          | 0.09        | 10         | 28        | 0.06         | 14        | 219        | <0.1       |
| Shale141      | 499            | 7.6        | <0.05       | 6.18        | 140       | 2.35         | 0.01         | <0.5       | 0.15        | 19.5       | 38        | 0.025        | 6         | 244        | <0.1       |
| Shale142      | 500.05         | 2.2        | 0.1         | 5.95        | 70        | 2.56         | 0.08         | 2          | 0.12        | 10.5       | 38        | 0.075        | 17        | 227        | <0.1       |
| Shale143      | 501.14         | 2.4        | 0.1         | 5.95        | 60        | 2.3          | 0.15         | 3          | 0.11        | 11.5       | 32        | 0.075        | 31        | 230        | <0.1       |
| Shale144      | 502.68/502.58b | 2.2        | 0.1         | 5.42        | 70        | 3.81         | 0.17         | 1          | 0.11        | 10.5       | 34        | 0.055        | 10        | 228        | <0.1       |
| Shale145      | 503.8          | 2          | <0.05       | 5.24        | 50        | 4.75         | 0.29         | <0.5       | 0.1         | 8.5        | 24        | 0.055        | 6         | 178        | <0.1       |
| Shale146      | 505.55         | 2.4        | <0.05       | 7.36        | 40        | 2.4          | 0.18         | <0.5       | 0.11        | 11.5       | 26        | 0.07         | 7         | 202        | <0.1       |
| Shale147      | 506.6          | 2.4        | <0.05       | 6.39        | 50        | 2.89         | 0.305        | 1.5        | 0.1         | 10.5       | 20        | 0.07         | 9         | 182        | <0.1       |
| Shale148      | 507.5          | 2          | <0.05       | 6.36        | 40        | 2.91         | 0.3          | 1.5        | 0.1         | 10         | 28        | 0.07         | 7         | 202        | <0.1       |
| Shale149      | 508.6          | 2          | <0.05       | 6.26        | 40        | 3.85         | 0.395        | 1          | 0.1         | 10         | 26        | 0.06         | 6         | 183        | <0.1       |
| Shale150      | 509.2          | 2.4        | <0.05       | 6.95        | 40        | 2.87         | 0.265        | 1.5        | 0.11        | 11.5       | 28        | 0.06         | 9         | 213        | <0.1       |
| Shale151      | 510.7          | 2.4        | <0.05       | 6.95        | 40        | 3.38         | 0.225        | 1          | 0.12        | 11         | 28        | 0.075        | 6         | 201        | <0.1       |
| Shale152      | 510.6          | 4.8        | 0.1         | 3.06        | 10        | 3.16         | 0.265        | <0.5       | 0.07        | 6          | 12        | 0.03         | 5         | 67         | <0.1       |
| Shale153      | 512            | 2          | 0.1         | 4.68        | 20        | 6.02         | 0.53         | 1          | 0.09        | 7.5        | 12        | 0.055        | 4         | 99.5       | <0.1       |
| Shale154      | 512.9          | 3.6        | <0.05       | 3.08        | 10        | 6.33         | 0.66         | 1          | 0.08        | 6          | 16        | 0.04         | 4         | 65         | <0.1       |
| Shale155      | 514.28         | 2.4        | <0.05       | 4.34        | 40        | 5.35         | 0.635        | 1.5        | 0.1         | 8          | 20        | 0.055        | 7         | 130        | <0.1       |
| Shale156      | 515.8          | 4.2        | <0.05       | 5.24        | 40        | 4.03         | 0.365        | <0.5       | 0.09        | 11.5       | 20        | 0.055        | 12        | 153        | <0.1       |
| Shale157      | 516.9          | 4          | <0.05       | 5.81        | 60        | 3.33         | 0.255        | 1          | 0.1         | 13         | 28        | 0.07         | 9         | 188        | <0.1       |

|          |                |      |       |      |     |       |        |      |      |      |    |       |     |      |      |
|----------|----------------|------|-------|------|-----|-------|--------|------|------|------|----|-------|-----|------|------|
| Shale158 | 517.9/517.7(b) | 3.6  | <0.05 | 7.11 | 130 | 3.09  | 0.175  | 1.5  | 0.13 | 11.5 | 32 | 0.075 | 5   | 251  | <0.1 |
| Shale159 | 519.36         | 3.2  | <0.05 | 4.03 | 40  | 5.27  | 0.455  | <0.5 | 0.1  | 9    | 20 | 0.05  | 6   | 134  | <0.1 |
| Shale160 | 520.8          | 0.8  | <0.05 | 2.56 | 20  | 6.18  | 0.575  | 2.5  | 0.08 | 3.5  | 12 | 0.04  | 4   | 61.5 | <0.1 |
| Shale161 | 523            | 2    | <0.05 | 3.11 | 20  | 6.88  | 0.595  | 1.5  | 0.09 | 6    | 14 | 0.05  | 4   | 72   | <0.1 |
| Shale162 | 524            | 3    | <0.05 | 5.5  | 60  | 4.04  | 0.35   | 1    | 0.11 | 11   | 28 | 0.07  | 6   | 163  | <0.1 |
| Shale163 | 525.2          | 2.8  | <0.05 | 4.25 | 50  | 4.96  | 0.465  | 1    | 0.09 | 9    | 22 | 0.06  | 6   | 119  | <0.1 |
| Shale164 | 526.65         | 2.4  | <0.05 | 4.97 | 60  | 4.99  | 0.43   | 1.5  | 0.09 | 8    | 24 | 0.055 | 4   | 135  | <0.1 |
| Shale165 | 527            | 3.2  | <0.05 | 5.95 | 300 | 4     | 0.23   | 1    | 0.12 | 13.5 | 26 | 0.05  | 5   | 253  | <0.1 |
| Shale166 | 527.65         | 2.6  | <0.05 | 5.06 | 70  | 5.12  | 0.43   | 1.5  | 0.09 | 8.5  | 24 | 0.06  | 5   | 139  | <0.1 |
| Shale167 | 528.6          | 2.2  | <0.05 | 5.3  | 360 | 3.92  | 0.24   | 1    | 0.12 | 8.5  | 26 | 0.04  | 6   | 262  | <0.1 |
| Shale168 | 529.5          | 1.4  | <0.05 | 2.72 | 60  | 5.95  | 0.575  | 1    | 0.09 | 6    | 18 | 0.05  | 3   | 92.5 | <0.1 |
| Shale169 | 531.17         | 7.2  | <0.05 | 5.23 | 110 | 3.86  | 0.265  | 1.5  | 0.11 | 18.5 | 18 | 0.05  | 6   | 181  | <0.1 |
| Shale170 | 532.8          | 2    | <0.05 | 4    | 100 | 3.97  | 0.34   | 1.5  | 0.12 | 8.5  | 20 | 0.055 | 5   | 156  | <0.1 |
| Shale171 | 534.3          | 3.2  | <0.05 | 5.59 | 170 | 2.55  | 0.11   | 3.5  | 0.13 | 13   | 42 | 0.06  | 13  | 245  | <0.1 |
| Shale172 | 335            | 2    | <0.05 | 4.67 | 160 | 3.65  | 0.205  | 2    | 0.11 | 8.5  | 38 | 0.075 | 11  | 214  | <0.1 |
| Shale173 | 537.45         | 3.2  | <0.05 | 5.92 | 180 | 3.32  | 0.17   | 3    | 0.12 | 13   | 26 | 0.07  | 10  | 239  | <0.1 |
| Shale174 | 538.1          | 1.6  | <0.05 | 5.51 | 40  | 1.64  | 0.09   | 3    | 0.08 | 5.5  | 14 | 0.045 | 36  | 125  | <0.1 |
| Shale175 | 539.1          | 1.4  | <0.05 | 5.51 | 40  | 2.15  | 0.13   | 16.5 | 0.07 | 6    | 20 | 0.035 | 43  | 128  | <0.1 |
| Shale176 | 540.7          | 2.2  | <0.05 | 8.67 | 50  | 1.99  | 0.13   | 21   | 0.07 | 8.5  | 34 | 0.075 | 48  | 156  | <0.1 |
| Shale177 | 541.45         | 10.6 | <0.05 | 6.71 | 140 | 2.69  | 0.115  | 29.5 | 0.12 | 27.5 | 32 | 0.065 | 29  | 244  | <0.1 |
| Shale178 | 544.5          | 2.2  | <0.05 | 4.84 | 40  | 0.51  | 0.005  | 20   | 0.09 | 9    | 66 | 0.07  | 177 | 119  | <0.1 |
| Shale179 | 544.8          | 2    | <0.05 | 5.04 | 40  | 0.54  | 0.005  | 12   | 0.09 | 8.5  | 50 | 0.12  | 97  | 124  | <0.1 |
| Shale180 | 546.8          | 1.2  | <0.05 | 3.32 | 20  | 3.99  | 0.215  | 6.5  | 0.08 | 5    | 28 | 0.045 | 47  | 72   | <0.1 |
| Shale181 | 547.9          | 1.2  | <0.05 | 3.05 | 70  | 0.69  | 0.025  | 13.5 | 0.1  | 5.5  | 12 | 0.02  | 81  | 72   | <0.1 |
| Shale182 | 548.9          | 5.4  | <0.05 | 7.84 | 120 | 1.17  | 0.01   | 28.5 | 0.1  | 16.5 | 56 | 0.065 | 70  | 234  | <0.1 |
| Shale183 | 549.67         | 2.2  | <0.05 | 5.6  | 60  | 0.79  | 0.01   | 26   | 0.11 | 10.5 | 64 | 0.035 | 223 | 169  | <0.1 |
| Shale184 | 550.5          | 2.4  | 0.1   | 7.01 | 70  | 0.81  | 0.01   | 17   | 0.11 | 11.5 | 78 | 0.08  | 204 | 222  | <0.1 |
| Shale185 | 550.9          | 2.2  | <0.05 | 5.23 | 60  | 0.75  | 0.005  | 28   | 0.1  | 11   | 62 | 0.035 | 176 | 154  | <0.1 |
| Shale186 | 551.1          | 1.4  | <0.05 | 4.54 | 40  | 0.53  | <0.005 | 17   | 0.09 | 6.5  | 46 | 0.02  | 126 | 125  | <0.1 |
| Shale187 | 551.72         | 1.8  | 0.1   | 5.1  | 50  | 0.615 | 0.005  | 18   | 0.09 | 8    | 58 | 0.04  | 208 | 129  | <0.1 |
| Shale188 | 553.38         | 2    | <0.05 | 5.45 | 50  | 0.875 | 0.02   | 18.5 | 0.1  | 8.5  | 56 | 0.02  | 54  | 142  | <0.1 |
| Shale189 | 554.25         | 2.2  | <0.05 | 5.77 | 60  | 0.985 | 0.02   | 18.5 | 0.1  | 9.5  | 64 | 0.055 | 212 | 168  | <0.1 |
| Shale190 | 554.63         | 2.8  | <0.05 | 6.89 | 120 | 1.51  | 0.035  | 26.5 | 0.1  | 15.5 | 66 | 0.035 | 116 | 207  | <0.1 |
| Shale191 | 555.39         | 1.4  | 0.1   | 4.83 | 50  | 0.815 | 0.015  | 24   | 0.1  | 6    | 44 | 0.045 | 109 | 130  | <0.1 |

| IDENT    | Depth          | S     | Sb    | Sc    | Se    | Si    | Sn    | Sr    | Ta    | Te    | Th    | Ti    | Tl    | U     | V     |
|----------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| UNITS    |                | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppm   |
| SCHEME   |                | MA101 | MA102 | MA101 | MA102 | LB101 | MA102 | MA102 | MA102 | MA102 | MA102 | LB101 | MA102 | LB102 | LB101 |
| LOD      |                | 50    | 0.1   | 1     | 5     | 0.005 | 0.1   | 0.5   | 0.1   | 0.2   | 0.1   | 0.005 | 0.1   | 0.5   | 20    |
| Shale131 | 488.75         | 550   | 9.8   | 11    | <5    | 23.7  | 3.3   | 75.5  | 1.1   | 0.4   | 13.5  | 0.275 | 0.7   | 8     | 80    |
| Shale132 | 490.25         | <50   | 7.6   | 11    | <5    | 23.8  | 3.8   | 68    | 1.1   | 0.2   | 14.5  | 0.275 | 0.7   | 6.5   | 80    |
| Shale133 | 390.83         | 1850  | 9.3   | 12    | <5    | 22.9  | 3.8   | 96.5  | 1     | 0.4   | 13.7  | 0.28  | 0.7   | 7     | 80    |
| Shale134 | 491.9          | 2600  | 9.1   | 11    | <5    | 22.6  | 3.4   | 109   | 0.9   | <0.2  | 12.9  | 0.265 | 0.7   | 7     | 80    |
| Shale135 | 492.83         | <50   | 0.5   | 5     | <5    | 9.05  | 1.3   | 18.5  | 0.4   | <0.2  | 4.4   | 0.09  | 0.2   | 1.5   | 20    |
| Shale136 | 493.3          | <50   | 1     | 3     | <5    | 20.1  | 1.2   | 21.5  | 0.3   | <0.2  | 3.1   | 0.075 | 0.2   | 1     | <20   |
| Shale137 | 495.3          | <50   | 5.2   | 11    | <5    | 21.8  | 3     | 63.5  | 0.9   | <0.2  | 13.5  | 0.28  | 0.6   | 7     | 60    |
| Shale138 | 495.62         | 200   | 7.2   | 11    | <5    | 22.2  | 3.6   | 91.5  | 0.9   | <0.2  | 12.8  | 0.295 | 0.6   | 11.5  | 80    |
| Shale139 | 496.66         | 200   | 2.8   | 8     | <5    | 22.3  | 3.4   | 56.5  | 0.9   | <0.2  | 11    | 0.215 | 0.5   | 5.5   | 60    |
| Shale140 | 498.08         | <50   | 4.2   | 10    | <5    | 22    | 3.1   | 60    | 0.9   | <0.2  | 13.3  | 0.245 | 0.5   | 5.5   | 60    |
| Shale141 | 499            | <50   | 2.2   | 6     | <5    | 24.5  | 5.5   | 44    | 1.9   | <0.2  | 37.6  | 0.14  | 0.3   | 3.5   | <20   |
| Shale142 | 500.05         | <50   | 4.4   | 14    | <5    | 23.1  | 3.2   | 75    | 1     | <0.2  | 14    | 0.295 | 0.7   | 5     | 80    |
| Shale143 | 501.14         | <50   | 5.9   | 11    | <5    | 23.1  | 3.7   | 74    | 1     | <0.2  | 15.1  | 0.32  | 0.7   | 4.5   | 60    |
| Shale144 | 502.68/502.58b | <50   | 2.5   | 10    | <5    | 21.5  | 3.2   | 54    | 0.9   | <0.2  | 13.4  | 0.27  | 0.6   | 3.5   | 60    |
| Shale145 | 503.8          | <50   | 1.4   | 9     | <5    | 19.5  | 3     | 42.5  | 0.8   | <0.2  | 12.1  | 0.245 | 0.4   | 2.5   | 60    |
| Shale146 | 505.55         | 300   | 0.9   | 12    | <5    | 25.2  | 3.4   | 59.5  | 1.1   | <0.2  | 16    | 0.315 | 0.5   | 3.5   | 100   |
| Shale147 | 506.6          | <50   | 1.7   | 9     | <5    | 24.1  | 2.9   | 26    | 0.9   | <0.2  | 14    | 0.28  | 0.4   | 3.5   | 80    |
| Shale148 | 507.5          | <50   | 2.4   | 11    | <5    | 22.2  | 3     | 44.5  | 0.9   | <0.2  | 14    | 0.285 | 0.5   | 3.5   | 60    |
| Shale149 | 508.6          | <50   | 2     | 10    | <5    | 21    | 3     | 41    | 0.9   | <0.2  | 13.7  | 0.26  | 0.5   | 3     | 60    |
| Shale150 | 509.2          | <50   | 6.4   | 12    | <5    | 23.5  | 3.5   | 47    | 1.1   | <0.2  | 16    | 0.29  | 0.6   | 3.5   | 80    |
| Shale151 | 510.7          | <50   | 1.5   | 11    | <5    | 22.8  | 3.1   | 49    | 1     | <0.2  | 14.9  | 0.295 | 0.5   | 3.5   | 80    |
| Shale152 | 510.6          | 400   | 0.5   | 6     | <5    | 28.7  | 1.5   | 52    | 0.6   | <0.2  | 8.8   | 0.215 | 0.3   | 2.5   | 40    |
| Shale153 | 512            | <50   | 0.7   | 9     | <5    | 16.3  | 2.7   | 28    | 0.7   | <0.2  | 9.3   | 0.21  | 0.3   | 2     | 60    |
| Shale154 | 512.9          | 2100  | 0.8   | 5     | <5    | 16.1  | 1.8   | 87    | 0.6   | <0.2  | 8.8   | 0.205 | 0.3   | 2     | 40    |
| Shale155 | 514.28         | <50   | 2.7   | 9     | <5    | 18.8  | 2.7   | 27    | 0.8   | <0.2  | 10.8  | 0.25  | 0.3   | 3     | 60    |
| Shale156 | 515.8          | <50   | 0.8   | 10    | <5    | 22.8  | 3.6   | 32.5  | 1     | <0.2  | 13    | 0.34  | 0.5   | 14.5  | 80    |
| Shale157 | 516.9          | 3700  | 2.5   | 11    | <5    | 23.7  | 4.2   | 39    | 1.2   | <0.2  | 16.4  | 0.385 | 0.6   | 4     | 80    |
| Shale158 | 517.9/517.7(b) | <50   | 1.3   | 10    | <5    | 24    | 3.6   | 33.5  | 1     | <0.2  | 13.5  | 0.36  | 0.5   | 7     | 120   |
| Shale159 | 519.36         | <50   | 0.8   | 9     | <5    | 18.7  | 2.9   | 36.5  | 0.9   | <0.2  | 12.6  | 0.27  | 0.4   | 3     | 40    |
| Shale160 | 520.8          | 400   | 1.1   | 4     | <5    | 15.8  | 1.3   | 42.5  | 0.3   | <0.2  | 4     | 0.095 | 0.2   | 2     | 40    |
| Shale161 | 523            | <50   | 0.5   | 5     | <5    | 13.2  | 2.1   | 29    | 0.6   | <0.2  | 7.9   | 0.175 | 0.3   | 2     | 40    |
| Shale162 | 524            | <50   | 0.7   | 10    | <5    | 21.3  | 3.7   | 25    | 1     | <0.2  | 14.8  | 0.33  | 0.4   | 4     | 80    |
| Shale163 | 525.2          | <50   | 0.7   | 9     | <5    | 18.3  | 3.1   | 35    | 0.9   | <0.2  | 12.4  | 0.28  | 0.4   | 3     | 60    |
| Shale164 | 526.65         | 300   | 0.5   | 10    | <5    | 18.1  | 2.7   | 36    | 0.7   | <0.2  | 10.2  | 0.25  | 0.3   | 4     | 60    |
| Shale165 | 527            | 1050  | 0.8   | 9     | <5    | 22.4  | 3.9   | 30    | 1.1   | 0.4   | 15.2  | 0.24  | 0.5   | 5.5   | 120   |

|               |              |          |          |           |           |            |            |             |             |             |             |            |             |             |             |
|---------------|--------------|----------|----------|-----------|-----------|------------|------------|-------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|
| Shale166      | 527.65       | <50      | 0.6      | 9         | <5        | 18.4       | 3.2        | 24          | 0.8         | <0.2        | 11.7        | 0.25       | 0.3         | 5           | 60          |
| Shale167      | 528.6        | 700      | 0.8      | 7         | <5        | 22.8       | 4.1        | 28          | 0.9         | 0.2         | 12.5        | 0.245      | 0.6         | 5.5         | 140         |
| Shale168      | 529.5        | <50      | 0.5      | 6         | <5        | 16.7       | 2.2        | 31          | 0.6         | <0.2        | 7.4         | 0.17       | 0.3         | 2           | 60          |
| Shale169      | 531.17       | 2400     | 0.5      | 8         | <5        | 20         | 7.2        | 25.5        | 3.2         | <0.2        | 49.6        | 0.22       | 0.4         | 9.5         | 60          |
| Shale170      | 532.8        | 300      | 1.1      | 9         | <5        | 22.3       | 2.8        | 32          | 0.8         | <0.2        | 10.5        | 0.235      | 0.4         | 5           | 100         |
| Shale171      | 534.3        | 1900     | 1.9      | 14        | <5        | 26.1       | 4.4        | 30          | 1.2         | <0.2        | 15.7        | 0.355      | 1.4         | 7.5         | 240         |
| Shale172      | 335          | 3550     | 1.9      | 10        | <5        | 23.3       | 3.5        | 26          | 0.8         | <0.2        | 11.5        | 0.26       | 1.5         | 5           | 140         |
| Shale173      | 537.45       | 2450     | 1.5      | 14        | <5        | 23.1       | 5          | 30.5        | 1.1         | <0.2        | 14.8        | 0.315      | 1.4         | 9           | 220         |
| Shale174      | 538.1        | 1300     | 1.3      | 5         | <5        | 32.4       | 1.7        | 14          | 0.5         | 0.4         | 6.2         | 0.155      | 0.9         | 6           | 120         |
| Shale175      | 539.1        | 2850     | 2.4      | 7         | <5        | 28.9       | 2          | 16.5        | 0.6         | 0.2         | 7.2         | 0.17       | 1.5         | 6.5         | 140         |
| Shale176      | 540.7        | 14500    | 6.2      | 7         | <5        | 25.1       | 2.9        | 15          | 0.7         | 0.4         | 10.6        | 0.125      | 2           | 7.5         | 60          |
| Shale177      | 541.45       | 5100     | 3.4      | 13        | <5        | 24.6       | 6.1        | 33          | 2.7         | 0.6         | 41.5        | 0.51       | 3.1         | 36.5        | 500         |
| Shale178      | 544.5        | 40300    | 8.7      | 6         | <5        | 31.9       | 2.4        | 18          | 0.9         | 0.4         | 11.7        | 0.24       | 7.1         | 10.5        | 120         |
| Shale179      | 544.8        | 31400    | 6.3      | 7         | <5        | 31.5       | 2.5        | 20          | 0.8         | 0.4         | 11.4        | 0.225      | 5.9         | 9           | 80          |
| Shale180      | 546.8        | 9900     | 2.6      | 8         | <5        | 24.4       | 1.7        | 16.5        | 0.5         | <0.2        | 5.8         | 0.135      | 2           | 6           | 60          |
| Shale181      | 547.9        | 1950     | 2.4      | 4         | <5        | 39.9       | 1.5        | 14.5        | 0.5         | <0.2        | 7.3         | 0.095      | 1.2         | 5           | 80          |
| Shale182      | 548.9        | 29300    | 6.2      | 15        | <5        | 26.3       | 4.5        | 26.5        | 1.2         | 0.4         | 25.4        | 0.28       | 7.6         | 13          | 100         |
| Shale183      | 549.67       | 26300    | 6.7      | 10        | <5        | 32.9       | 3          | 20          | 1           | 0.4         | 12.5        | 0.315      | 8.8         | 15.5        | 220         |
| Shale184      | 550.5        | 45500    | 9.2      | 8         | <5        | 27.5       | 3.1        | 25          | 1           | 0.4         | 14.9        | 0.28       | 9.4         | 14.5        | 140         |
| Shale185      | 550.9        | 22000    | 7.5      | 10        | <5        | 33.3       | 3.6        | 21          | 1           | 0.4         | 12.3        | 0.3        | 7.8         | 13.5        | 240         |
| Shale186      | 551.1        | 20500    | 5.7      | 7         | <5        | 35.7       | 2.2        | 18          | 0.6         | 0.2         | 8           | 0.19       | 6.1         | 9           | 140         |
| Shale187      | 551.72       | 30400    | 7.2      | 8         | <5        | 33.1       | 2.7        | 18          | 0.7         | 0.2         | 10.9        | 0.215      | 8.2         | 12.5        | 140         |
| Shale188      | 553.38       | 32400    | 6        | 9         | <5        | 33.4       | 2.5        | 17.5        | 0.8         | 0.4         | 10.5        | 0.27       | 9.2         | 10          | 120         |
| Shale189      | 554.25       | 41100    | 8.3      | 11        | <5        | 30.3       | 3          | 21          | 0.9         | 0.6         | 11.5        | 0.285      | 8.7         | 10.5        | 120         |
| Shale190      | 554.63       | 41400    | 8.2      | 16        | <5        | 25.8       | 4.5        | 26          | 1.3         | 0.4         | 20.8        | 0.29       | 10.7        | 13.5        | 140         |
| Shale191      | 555.39       | 27800    | 5.4      | 8         | <5        | 34.1       | 2.3        | 18          | 0.6         | 0.2         | 7.5         | 0.21       | 6.1         | 8.5         | 100         |
| <b>IDENT</b>  | <b>Depth</b> | <b>W</b> | <b>Y</b> | <b>Zn</b> | <b>Zr</b> | <b>La</b>  | <b>Ce</b>  | <b>Pr</b>   | <b>Nd</b>   | <b>Sm</b>   | <b>Eu</b>   | <b>Gd</b>  | <b>Tb</b>   | <b>Dy</b>   | <b>Ho</b>   |
| <b>UNITS</b>  |              | ppm      | ppm      | ppm       | ppm       | ppm        | ppm        | ppm         | ppm         | ppm         | ppm         | ppm        | ppm         | ppm         | ppm         |
| <b>SCHEME</b> |              | LB102    | LB102    | MA101     | MA102     | MA102      | MA102      | MA102       | MA102       | MA102       | MA102       | MA102      | MA102       | MA102       | MA102       |
| <b>LOD</b>    |              | <b>3</b> | <b>1</b> | <b>2</b>  | <b>1</b>  | <b>0.1</b> | <b>0.1</b> | <b>0.05</b> | <b>0.05</b> | <b>0.05</b> | <b>0.05</b> | <b>0.2</b> | <b>0.02</b> | <b>0.05</b> | <b>0.02</b> |
| Shale131      | 488.75       | 111      | 19       | 44        | 113       | 58.3       | 116        | 11.1        | 35.9        | 4.65        | 0.95        | 3.6        | 0.5         | 3.1         | 0.58        |
| Shale132      | 490.25       | 51       | 16       | 48        | 104       | 61.8       | 123        | 11.8        | 36          | 4.55        | 0.9         | 3.6        | 0.48        | 3.05        | 0.58        |
| Shale133      | 390.83       | 63       | 16       | 50        | 101       | 63.9       | 121        | 11.8        | 37.3        | 4.7         | 0.95        | 3.6        | 0.48        | 3           | 0.56        |
| Shale134      | 491.9        | 69       | 15       | 48        | 96        | 68.7       | 126        | 11.7        | 36.1        | 4.55        | 0.9         | 4.2        | 0.46        | 2.7         | 0.5         |
| Shale135      | 492.83       | 60       | 15       | 78        | 34        | 9.9        | 21.6       | 2.95        | 13.1        | 3.4         | 0.8         | 3.6        | 0.5         | 2.9         | 0.52        |
| Shale136      | 493.3        | 90       | 10       | 60        | 23        | 7.5        | 18.6       | 2.7         | 11.2        | 2.45        | 0.55        | 2.4        | 0.32        | 1.75        | 0.32        |
| Shale137      | 495.3        | 36       | 17       | 46        | 78        | 71.2       | 122        | 11.4        | 35.2        | 5.15        | 1           | 4.2        | 0.52        | 2.95        | 0.54        |
| Shale138      | 495.62       | 39       | 17       | 58        | 89        | 118        | 188        | 17          | 49.4        | 5.45        | 1.05        | 4          | 0.52        | 3           | 0.56        |
| Shale139      | 496.66       | 108      | 16       | 24        | 61        | 57.3       | 88.4       | 9.85        | 32.3        | 4.75        | 0.95        | 4          | 0.5         | 2.7         | 0.48        |

|          |                  |     |    |      |     |      |      |      |      |      |      |     |      |      |      |
|----------|------------------|-----|----|------|-----|------|------|------|------|------|------|-----|------|------|------|
| Shale140 | 498.08           | 39  | 25 | 36   | 90  | 68.4 | 127  | 12.6 | 40.1 | 5.9  | 1.2  | 5   | 0.66 | 3.9  | 0.7  |
| Shale141 | 499              | 15  | 44 | 36   | 210 | 8.3  | 29.4 | 4.45 | 19.7 | 5.15 | 1    | 5.8 | 1    | 6.85 | 1.42 |
| Shale142 | 500.05           | 30  | 19 | 56   | 83  | 61.6 | 128  | 13   | 43.7 | 6.4  | 1.25 | 5.2 | 0.66 | 3.65 | 0.68 |
| Shale143 | 501.14           | 39  | 22 | 50   | 96  | 57.7 | 108  | 12.1 | 42.3 | 6.55 | 1.4  | 5.2 | 0.66 | 3.75 | 0.7  |
| Shale144 | 502.68/502.58(b) | 21  | 22 | 44   | 88  | 48.8 | 93.6 | 10.5 | 35.4 | 5.7  | 1.1  | 4.8 | 0.64 | 3.7  | 0.7  |
| Shale145 | 503.8            | 33  | 20 | 34   | 78  | 40.4 | 78.7 | 8.5  | 28   | 4.55 | 0.85 | 4   | 0.56 | 3.3  | 0.62 |
| Shale146 | 505.55           | 60  | 20 | 30   | 90  | 46.8 | 88.4 | 9.8  | 32.9 | 5.4  | 0.95 | 4.8 | 0.62 | 3.7  | 0.68 |
| Shale147 | 506.6            | 60  | 20 | 28   | 92  | 18.3 | 32.4 | 4.45 | 19.1 | 4.2  | 0.8  | 4   | 0.54 | 3.15 | 0.6  |
| Shale148 | 507.5            | 39  | 17 | 30   | 76  | 40.7 | 78.1 | 9.35 | 32.1 | 4.55 | 0.85 | 3.8 | 0.5  | 3    | 0.54 |
| Shale149 | 508.6            | 54  | 19 | 24   | 78  | 39.4 | 75.3 | 8.55 | 29.5 | 4.65 | 0.85 | 4.2 | 0.56 | 3.25 | 0.64 |
| Shale150 | 509.2            | 42  | 20 | 30   | 92  | 47.2 | 96.3 | 10.2 | 33.5 | 5.2  | 1    | 4.4 | 0.58 | 3.5  | 0.68 |
| Shale151 | 510.7            | 39  | 18 | 30   | 92  | 54.3 | 89.3 | 9.35 | 30.2 | 4.85 | 0.9  | 4.2 | 0.56 | 3.4  | 0.64 |
| Shale152 | 510.6            | 309 | 16 | 10   | 151 | 14.1 | 31.3 | 4.2  | 16.7 | 3.7  | 0.7  | 3.6 | 0.5  | 3.1  | 0.58 |
| Shale153 | 512              | 72  | 16 | 12   | 71  | 23.7 | 52.6 | 6.35 | 23.5 | 4.15 | 0.8  | 3.8 | 0.5  | 3.05 | 0.56 |
| Shale154 | 512.9            | 114 | 17 | 10   | 135 | 17.6 | 40.5 | 5.3  | 20.6 | 4.15 | 0.8  | 4   | 0.54 | 3.25 | 0.62 |
| Shale155 | 514.28           | 45  | 16 | 26   | 93  | 26.5 | 51.7 | 6.35 | 23.7 | 4.25 | 0.8  | 4   | 0.54 | 3.25 | 0.6  |
| Shale156 | 515.8            | 93  | 18 | 26   | 125 | 39.1 | 66.4 | 7.5  | 25.6 | 4.55 | 0.85 | 4.2 | 0.62 | 3.85 | 0.74 |
| Shale157 | 516.9            | 66  | 18 | 28   | 132 | 46.5 | 78.9 | 8.55 | 28   | 4.65 | 0.85 | 4.2 | 0.62 | 3.7  | 0.72 |
| Shale158 | 517.9/517.7(b)   | 45  | 24 | 34   | 145 | 30.9 | 55.4 | 6.2  | 22   | 4    | 0.75 | 4   | 0.58 | 3.65 | 0.74 |
| Shale159 | 519.36           | 123 | 20 | 20   | 125 | 29.8 | 58.2 | 6.9  | 24.4 | 4.65 | 0.9  | 4.4 | 0.62 | 3.75 | 0.74 |
| Shale160 | 520.8            | 66  | 11 | 12   | 28  | 13.2 | 30.8 | 4.05 | 15.9 | 2.9  | 0.55 | 2.8 | 0.36 | 1.9  | 0.36 |
| Shale161 | 523              | 63  | 13 | 16   | 73  | 19.6 | 38.9 | 4.65 | 17.3 | 3.3  | 0.65 | 3.2 | 0.46 | 2.7  | 0.5  |
| Shale162 | 524              | 63  | 16 | 42   | 121 | 27.6 | 47.1 | 5.35 | 19.4 | 3.85 | 0.75 | 3.6 | 0.52 | 3    | 0.6  |
| Shale163 | 525.2            | 60  | 16 | 36   | 113 | 26.4 | 47   | 5.5  | 20.1 | 3.95 | 0.75 | 3.8 | 0.52 | 3.2  | 0.62 |
| Shale164 | 526.65           | 51  | 16 | 42   | 90  | 24.4 | 43.4 | 5.2  | 18.6 | 3.65 | 0.7  | 3.4 | 0.48 | 2.95 | 0.58 |
| Shale165 | 527              | 42  | 16 | 36   | 121 | 19.6 | 29.8 | 3.35 | 12.3 | 2.75 | 0.55 | 3   | 0.44 | 2.85 | 0.58 |
| Shale166 | 527.65           | 48  | 16 | 38   | 99  | 26.6 | 47.1 | 5.45 | 20.4 | 4.05 | 0.75 | 3.6 | 0.54 | 3.25 | 0.64 |
| Shale167 | 528.6            | 30  | 11 | 38   | 83  | 14.9 | 27   | 3.2  | 11.6 | 2.35 | 0.5  | 2.4 | 0.34 | 2.1  | 0.44 |
| Shale168 | 529.5            | 63  | 14 | 26   | 55  | 19.4 | 36.4 | 4.35 | 16.7 | 3.1  | 0.6  | 3   | 0.42 | 2.4  | 0.46 |
| Shale169 | 531.17           | 60  | 21 | 30   | 227 | 19.2 | 37.6 | 4.7  | 18.4 | 4.55 | 0.95 | 4.6 | 0.7  | 4.5  | 0.94 |
| Shale170 | 532.8            | 87  | 13 | 36   | 78  | 24.9 | 45.6 | 5.45 | 19.7 | 3.75 | 0.75 | 3.6 | 0.48 | 2.7  | 0.5  |
| Shale171 | 534.3            | 60  | 15 | 48   | 125 | 36.8 | 55.9 | 6    | 21.7 | 3.85 | 0.75 | 3.6 | 0.48 | 3    | 0.58 |
| Shale172 | 335              | 42  | 16 | 38   | 76  | 31.1 | 54.5 | 6.4  | 24   | 4.6  | 0.85 | 4.2 | 0.58 | 3.3  | 0.64 |
| Shale173 | 537.45           | 33  | 19 | 42   | 125 | 44.1 | 77.8 | 9.3  | 33.4 | 8.15 | 1.15 | 5.4 | 0.76 | 4.55 | 0.88 |
| Shale174 | 538.1            | 198 | 8  | 20   | 42  | 14.6 | 29.8 | 3.8  | 14.3 | 2.75 | 0.5  | 2.4 | 0.32 | 1.8  | 0.32 |
| Shale175 | 539.1            | 162 | 8  | 20   | 48  | 17   | 32.2 | 4    | 15.3 | 2.8  | 0.5  | 2.6 | 0.34 | 1.9  | 0.38 |
| Shale176 | 540.7            | 156 | 11 | 30   | 55  | 16.9 | 33.3 | 4.45 | 18.4 | 3.85 | 0.7  | 3.6 | 0.44 | 2.4  | 0.44 |
| Shale177 | 541.45           | 75  | 37 | 34   | 346 | 17.1 | 33.9 | 4.6  | 19.4 | 5.9  | 1.3  | 6.6 | 0.98 | 6.4  | 1.36 |
| Shale178 | 544.5            | 117 | 8  | 1540 | 80  | 16.6 | 33   | 4.15 | 15.4 | 3.05 | 0.55 | 2.8 | 0.34 | 2.05 | 0.4  |

|               |                |             |            |             |             |      |      |      |      |      |      |     |      |      |      |
|---------------|----------------|-------------|------------|-------------|-------------|------|------|------|------|------|------|-----|------|------|------|
| Shale179      | 544.8          | 132         | 10         | 1030        | 77          | 22.1 | 44.4 | 5.7  | 22   | 4.35 | 0.7  | 3.8 | 0.46 | 2.45 | 0.44 |
| Shale180      | 546.8          | 87          | 12         | 716         | 42          | 16.2 | 35   | 4.55 | 18.1 | 3.85 | 0.65 | 3.6 | 0.48 | 2.8  | 0.48 |
| Shale181      | 547.9          | 219         | 8          | 878         | 45          | 38.4 | 75.9 | 8.4  | 27   | 3.8  | 0.5  | 2.6 | 0.32 | 1.85 | 0.34 |
| Shale182      | 548.9          | 99          | 25         | 602         | 188         | 41.9 | 79.9 | 9.2  | 32.5 | 5.9  | 1    | 5.2 | 0.76 | 4.95 | 1.06 |
| Shale183      | 549.67         | 174         | 11         | 1680        | 85          | 19.2 | 30.5 | 3.4  | 12.1 | 2.45 | 0.5  | 2.4 | 0.34 | 2    | 0.4  |
| Shale184      | 550.5          | 135         | 18         | 1040        | 90          | 101  | 219  | 22.2 | 73.6 | 9.7  | 1.2  | 6   | 0.66 | 3.65 | 0.64 |
| Shale185      | 550.9          | 150         | 9          | 2500        | 83          | 22.1 | 36.3 | 4.05 | 15.7 | 2.75 | 0.5  | 2.6 | 0.34 | 2    | 0.4  |
| Shale186      | 551.1          | 165         | 6          | 1300        | 54          | 21.7 | 37.7 | 4.3  | 15.2 | 2.55 | 0.5  | 2.4 | 0.26 | 1.45 | 0.28 |
| Shale187      | 551.72         | 123         | 7          | 1690        | 65          | 27.8 | 47.9 | 5.6  | 20.5 | 3.3  | 0.65 | 3   | 0.32 | 1.8  | 0.32 |
| Shale188      | 553.38         | 129         | 8          | 48          | 74          | 25.1 | 46.1 | 5.25 | 18.3 | 3.05 | 0.6  | 2.6 | 0.32 | 1.75 | 0.34 |
| Shale189      | 554.25         | 129         | 11         | 686         | 81          | 28.3 | 51   | 5.85 | 21   | 3.7  | 0.65 | 3.2 | 0.4  | 2.45 | 0.46 |
| Shale190      | 554.63         | 72          | 10         | 730         | 104         | 34.3 | 47   | 4.7  | 15.7 | 2.8  | 0.55 | 2.6 | 0.36 | 2.3  | 0.48 |
| Shale191      | 555.39         | 171         | 6          | 348         | 54          | 26.4 | 46.3 | 5.1  | 17.6 | 2.65 | 0.5  | 2   | 0.26 | 1.4  | 0.28 |
| <b>IDENT</b>  | <b>Depth</b>   | <b>Eu</b>   | <b>Gd</b>  | <b>Tb</b>   | <b>Dy</b>   |      |      |      |      |      |      |     |      |      |      |
| <b>UNITS</b>  |                | ppm         | ppm        | ppm         | ppm         |      |      |      |      |      |      |     |      |      |      |
| <b>SCHEME</b> |                | MA102       | MA102      | MA102       | MA102       |      |      |      |      |      |      |     |      |      |      |
| <b>LOD</b>    |                | <b>0.05</b> | <b>0.2</b> | <b>0.02</b> | <b>0.05</b> |      |      |      |      |      |      |     |      |      |      |
| Shale131      | 488.75         | 0.95        | 3.6        | 0.5         | 3.1         |      |      |      |      |      |      |     |      |      |      |
| Shale132      | 490.25         | 0.9         | 3.6        | 0.48        | 3.05        |      |      |      |      |      |      |     |      |      |      |
| Shale133      | 390.83         | 0.95        | 3.6        | 0.48        | 3           |      |      |      |      |      |      |     |      |      |      |
| Shale134      | 491.9          | 0.9         | 4.2        | 0.46        | 2.7         |      |      |      |      |      |      |     |      |      |      |
| Shale135      | 492.83         | 0.8         | 3.6        | 0.5         | 2.9         |      |      |      |      |      |      |     |      |      |      |
| Shale136      | 493.3          | 0.55        | 2.4        | 0.32        | 1.75        |      |      |      |      |      |      |     |      |      |      |
| Shale137      | 495.3          | 1           | 4.2        | 0.52        | 2.95        |      |      |      |      |      |      |     |      |      |      |
| Shale138      | 495.62         | 1.05        | 4          | 0.52        | 3           |      |      |      |      |      |      |     |      |      |      |
| Shale139      | 496.66         | 0.95        | 4          | 0.5         | 2.7         |      |      |      |      |      |      |     |      |      |      |
| Shale140      | 498.08         | 1.2         | 5          | 0.66        | 3.9         |      |      |      |      |      |      |     |      |      |      |
| Shale141      | 499            | 1           | 5.8        | 1           | 6.85        |      |      |      |      |      |      |     |      |      |      |
| Shale142      | 500.05         | 1.25        | 5.2        | 0.66        | 3.65        |      |      |      |      |      |      |     |      |      |      |
| Shale143      | 501.14         | 1.4         | 5.2        | 0.66        | 3.75        |      |      |      |      |      |      |     |      |      |      |
| Shale144      | 502.68/502.58b | 1.1         | 4.8        | 0.64        | 3.7         |      |      |      |      |      |      |     |      |      |      |
| Shale145      | 503.8          | 0.85        | 4          | 0.56        | 3.3         |      |      |      |      |      |      |     |      |      |      |
| Shale146      | 505.55         | 0.95        | 4.8        | 0.62        | 3.7         |      |      |      |      |      |      |     |      |      |      |
| Shale147      | 506.6          | 0.8         | 4          | 0.54        | 3.15        |      |      |      |      |      |      |     |      |      |      |
| Shale148      | 507.5          | 0.85        | 3.8        | 0.5         | 3           |      |      |      |      |      |      |     |      |      |      |
| Shale149      | 508.6          | 0.85        | 4.2        | 0.56        | 3.25        |      |      |      |      |      |      |     |      |      |      |
| Shale150      | 509.2          | 1           | 4.4        | 0.58        | 3.5         |      |      |      |      |      |      |     |      |      |      |
| Shale151      | 510.7          | 0.9         | 4.2        | 0.56        | 3.4         |      |      |      |      |      |      |     |      |      |      |
| Shale152      | 510.6          | 0.7         | 3.6        | 0.5         | 3.1         |      |      |      |      |      |      |     |      |      |      |

|          |                |      |     |      |      |
|----------|----------------|------|-----|------|------|
| Shale153 | 512            | 0.8  | 3.8 | 0.5  | 3.05 |
| Shale154 | 512.9          | 0.8  | 4   | 0.54 | 3.25 |
| Shale155 | 514.28         | 0.8  | 4   | 0.54 | 3.25 |
| Shale156 | 515.8          | 0.85 | 4.2 | 0.62 | 3.85 |
| Shale157 | 516.9          | 0.85 | 4.2 | 0.62 | 3.7  |
| Shale158 | 517.9/517.7(b) | 0.75 | 4   | 0.58 | 3.65 |
| Shale159 | 519.36         | 0.9  | 4.4 | 0.62 | 3.75 |
| Shale160 | 520.8          | 0.55 | 2.8 | 0.36 | 1.9  |
| Shale161 | 523            | 0.65 | 3.2 | 0.46 | 2.7  |
| Shale162 | 524            | 0.75 | 3.6 | 0.52 | 3    |
| Shale163 | 525.2          | 0.75 | 3.8 | 0.52 | 3.2  |
| Shale164 | 526.65         | 0.7  | 3.4 | 0.48 | 2.95 |
| Shale165 | 527            | 0.55 | 3   | 0.44 | 2.85 |
| Shale166 | 527.65         | 0.75 | 3.6 | 0.54 | 3.25 |
| Shale167 | 528.6          | 0.5  | 2.4 | 0.34 | 2.1  |
| Shale168 | 529.5          | 0.6  | 3   | 0.42 | 2.4  |
| Shale169 | 531.17         | 0.95 | 4.6 | 0.7  | 4.5  |
| Shale170 | 532.8          | 0.75 | 3.6 | 0.48 | 2.7  |
| Shale171 | 534.3          | 0.75 | 3.6 | 0.48 | 3    |
| Shale172 | 335            | 0.85 | 4.2 | 0.58 | 3.3  |
| Shale173 | 537.45         | 1.15 | 5.4 | 0.76 | 4.55 |
| Shale174 | 538.1          | 0.5  | 2.4 | 0.32 | 1.8  |
| Shale175 | 539.1          | 0.5  | 2.6 | 0.34 | 1.9  |
| Shale176 | 540.7          | 0.7  | 3.6 | 0.44 | 2.4  |
| Shale177 | 541.45         | 1.3  | 6.6 | 0.98 | 6.4  |
| Shale178 | 544.5          | 0.55 | 2.8 | 0.34 | 2.05 |
| Shale179 | 544.8          | 0.7  | 3.8 | 0.46 | 2.45 |
| Shale180 | 546.8          | 0.65 | 3.6 | 0.48 | 2.8  |
| Shale181 | 547.9          | 0.5  | 2.6 | 0.32 | 1.85 |
| Shale182 | 548.9          | 1    | 5.2 | 0.76 | 4.95 |
| Shale183 | 549.67         | 0.5  | 2.4 | 0.34 | 2    |
| Shale184 | 550.5          | 1.2  | 6   | 0.66 | 3.65 |
| Shale185 | 550.9          | 0.5  | 2.6 | 0.34 | 2    |
| Shale186 | 551.1          | 0.5  | 2.4 | 0.26 | 1.45 |
| Shale187 | 551.72         | 0.65 | 3   | 0.32 | 1.8  |
| Shale188 | 553.38         | 0.6  | 2.6 | 0.32 | 1.75 |
| Shale189 | 554.25         | 0.65 | 3.2 | 0.4  | 2.45 |
| Shale190 | 554.63         | 0.55 | 2.6 | 0.36 | 2.3  |
| Shale191 | 555.39         | 0.5  | 2   | 0.26 | 1.4  |

### Drill core MCDD0003 – Wollogorang formation

| IDENT   | Depth | Ag    | Al    | As    | Ba    | Be    | Bi    | Ca    | Cd    | Co    | Cr    | Cs    | Cu    | Fe    | Ga    |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| UNITS   |       | ppm   | %     | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   |
| SCHEME  |       | MA102 | LB101 | MA102 | LB101 | MA102 | MA102 | LB101 | MA102 | MA102 | LB101 | MA102 | MA101 | LB101 | MA102 |
| LOD     |       | 0.2   | 0.005 | 1     | 20    | 0.5   | 0.1   | 0.01  | 0.5   | 1     | 20    | 0.1   | 2     | 0.01  | 0.2   |
| Shale1  | 8.67  | <0.2  | 2.65  | 4     | 180   | 1     | 0.4   | 11.5  | <0.5  | 25    | <20   | 3.1   | 342   | 1.88  | 7     |
| Shale2  | 9.35  | <0.2  | 2.82  | 12    | 140   | 1.5   | 4.2   | 11.4  | <0.5  | 25    | <20   | 4.1   | 886   | 3.63  | 7.8   |
| Shale3  | 10.68 | <0.2  | 2.88  | 4     | 500   | 1     | 0.5   | 13.2  | <0.5  | 17    | 20    | 3.1   | 24    | 2.11  | 8.4   |
| Shale4  | 11.55 | <0.2  | 2.48  | 4     | 120   | 1.5   | 2.2   | 14.5  | <0.5  | 23    | <20   | 3.2   | 152   | 2.34  | 9     |
| Shale5  | 12.7  | <0.2  | 3.47  | 4     | 300   | 2     | <0.1  | 10.3  | <0.5  | 18    | 20    | 4.1   | 26    | 2.16  | 10    |
| Shale6  | 13.7  | <0.2  | 3.68  | 6     | 3100  | 1.5   | 0.2   | 10.5  | <0.5  | 20    | 20    | 4.1   | 10    | 2.47  | 11.2  |
| Shale7  | 15.05 | <0.2  | 5.04  | 3     | 420   | 2.5   | 0.6   | 9.49  | <0.5  | 17    | 40    | 5.8   | 38    | 2.45  | 15.8  |
| Shale8  | 16.35 | <0.2  | 3.57  | 2     | 620   | 2     | 0.2   | 11.4  | <0.5  | 17    | 20    | 4.2   | 40    | 2.47  | 11.4  |
| Shale9  | 17.72 | <0.2  | 3.25  | 3     | 140   | 2     | 0.3   | 12.3  | <0.5  | 15    | 20    | 4.1   | 232   | 3.64  | 10.8  |
| Shale10 | 8.67  | <0.2  | 3.26  | 4     | 140   | 1.5   | 0.3   | 11.5  | <0.5  | 15    | 20    | 3.7   | 4     | 2.64  | 9.4   |
| Shale11 | 20.44 | <0.2  | 4.83  | 8     | 240   | 2     | 1.5   | 8.58  | <0.5  | 17    | 40    | 5.4   | 20    | 2.56  | 14.6  |
| Shale12 | 21.34 | <0.2  | 4.61  | 4     | 200   | 2.5   | 0.3   | 9.23  | <0.5  | 17    | 40    | 4.9   | 20    | 2.56  | 13    |
| Shale13 | 22.55 | <0.2  | 3.79  | 9     | 200   | 1.5   | 0.6   | 9.56  | <0.5  | 16    | 20    | 4.6   | 16    | 2.63  | 11.2  |
| Shale14 | 23.9  | 0.4   | 7.15  | 17    | 280   | 5     | 1.8   | 3.35  | <0.5  | 18    | 60    | 13.1  | 12    | 2.52  | 23.2  |
| Shale15 | 24.95 | 0.4   | 5.53  | 39    | 240   | 4     | 0.9   | 4.52  | <0.5  | 30    | 40    | 9.2   | 18    | 2.58  | 18.6  |
| Shale16 | 25.78 | 0.4   | 6.39  | 21    | 280   | 4     | 0.6   | 6.01  | <0.5  | 25    | 40    | 10.8  | 8     | 3.1   | 20.4  |
| Shale17 | 26.12 | 0.4   | 6.9   | 26    | 320   | 5.5   | 0.8   | 1.97  | <0.5  | 24    | 60    | 11.7  | 14    | 2.43  | 25    |
| Shale18 | 28.1  | 1.2   | 4.36  | 54    | 200   | 2.5   | 1.6   | 9.28  | <0.5  | 35    | 40    | 5.8   | 10    | 4.44  | 12.6  |
| Shale19 | 29    | 0.4   | 7.09  | 27    | 280   | 4     | 0.6   | 5.42  | <0.5  | 18    | 40    | 10.5  | 8     | 2.86  | 21    |
| Shale20 | 30.18 | 0.8   | 4.37  | 25    | 200   | 2     | 1     | 7.56  | <0.5  | 18    | 40    | 6.4   | 10    | 3.04  | 13.6  |
| Shale21 | 31.1  | 1     | 7     | 56    | 340   | 5     | 1.5   | 2.19  | <0.5  | 27    | 60    | 11.3  | 216   | 2.78  | 27    |
| Shale22 | 32.15 | 1.6   | 5.34  | 64    | 260   | 4     | 1.8   | 6.62  | <0.5  | 39    | 40    | 7.7   | 62    | 4.95  | 18.8  |
| Shale23 | 33.21 | 2.2   | 6     | 75    | 340   | 3.5   | 1.9   | 4.55  | <0.5  | 44    | 40    | 7.9   | 38    | 4.35  | 19.4  |
| Shale24 | 34.12 | <0.2  | 3.46  | 28    | 160   | 2     | 0.2   | 5.34  | 1     | 19    | 20    | 4     | 108   | 2.36  | 10.6  |
| Shale25 | 35.6  | 0.4   | 4.46  | 10    | 240   | 2.5   | 0.4   | 4.95  | <0.5  | 12    | 80    | 6.2   | 248   | 2.4   | 16    |
| Shale26 | 36.4  | 1.4   | 5.02  | 71    | 280   | 2.5   | 1.6   | 0.81  | 3     | 42    | 40    | 5.4   | 24    | 3.44  | 15    |
| Shale27 | 38.4  | 1.6   | 5.93  | 74    | 340   | 1.5   | 1.3   | 0.81  | 2.5   | 44    | 40    | 4.8   | 34    | 5.21  | 13    |
| Shale28 | 39.35 | 1.4   | 5.72  | 57    | 340   | 1.5   | 1.4   | 1.3   | 6     | 39    | 40    | 4.8   | 34    | 3.88  | 13    |
| Shale29 | 40.65 | 1.2   | 3.98  | 101   | 460   | 1     | 0.8   | 6.01  | <0.5  | 39    | 20    | 2.9   | 102   | 5.25  | 8.4   |
| Shale30 | 41.75 | 1.2   | 4.45  | 51    | 260   | 1     | 0.8   | 2.18  | 3.5   | 47    | 20    | 3.6   | 16    | 3.78  | 8.8   |
| Shale31 | 42.69 | 1.4   | 6.47  | 52    | 360   | 2.5   | 1     | 0.4   | 3     | 42    | 40    | 5.3   | 24    | 3.72  | 15    |
| Shale32 | 43.7  | 1     | 4.75  | 43    | 280   | 1.5   | 0.9   | 1.17  | 5     | 42    | 40    | 3.8   | 18    | 2.67  | 9.8   |

|         |       |      |      |     |      |      |      |      |      |    |     |      |      |      |      |
|---------|-------|------|------|-----|------|------|------|------|------|----|-----|------|------|------|------|
| Shale33 | 44.76 | 1.8  | 7.48 | 98  | 400  | 4    | 1.8  | 0.84 | 5    | 50 | 60  | 8.2  | 46   | 4.59 | 20.8 |
| Shale34 | 45.85 | 1    | 6.07 | 55  | 260  | 4    | 1.6  | 6.49 | <0.5 | 34 | 40  | 7.4  | 108  | 4.15 | 21.6 |
| Shale35 | 46.65 | 1.2  | 6.48 | 50  | 300  | 4.5  | 2.8  | 4.58 | <0.5 | 31 | 60  | 8.7  | 10   | 4.36 | 25.2 |
| Shale36 | 47.75 | 2    | 6.33 | 77  | 400  | 3    | 1.5  | 0.86 | 6.5  | 39 | 80  | 8.1  | 40   | 3.88 | 19   |
| Shale37 | 48.52 | 1.6  | 6.36 | 76  | 380  | 2.5  | 1.6  | 0.6  | 1.5  | 35 | 40  | 7.6  | 48   | 4.19 | 17.4 |
| Shale38 | 49.73 | 1    | 5.28 | 51  | 300  | 4    | 1.7  | 4.41 | <0.5 | 29 | 40  | 8.7  | 248  | 3.55 | 20.6 |
| Shale39 | 51.62 | 2    | 7.65 | 117 | 420  | 4.5  | 2.2  | 0.44 | <0.5 | 48 | 60  | 11.5 | 38   | 6.48 | 28.6 |
| Shale40 | 52.45 | 2    | 6.91 | 110 | 400  | 4    | 2.2  | 1.36 | <0.5 | 46 | 80  | 9.5  | 40   | 7.66 | 28.4 |
| Shale41 | 53.42 | 0.4  | 3.44 | 21  | 200  | 1    | 0.5  | 2    | <0.5 | 32 | 20  | 3    | 14   | 1.62 | 8.8  |
| Shale42 | 54.55 | 0.8  | 6.2  | 120 | 360  | 2    | 0.9  | 0.89 | <0.5 | 52 | 40  | 5.2  | 28   | 2.64 | 15.2 |
| Shale43 | 55.7  | 1.2  | 8.46 | 99  | 460  | 3.5  | 1.7  | 0.46 | <0.5 | 34 | 40  | 7    | 50   | 2.01 | 19.6 |
| Shale44 | 56.3  | 1.2  | 7.25 | 47  | 460  | 3    | 1.3  | 1.06 | <0.5 | 37 | 60  | 6.5  | 76   | 2.85 | 19   |
| Shale45 | 57.44 | 1.2  | 6.88 | 35  | 460  | 2.5  | 1.2  | 0.76 | 8    | 29 | 60  | 5.6  | 56   | 2.46 | 18.4 |
| Shale46 | 58.55 | 1.6  | 8.38 | 263 | 500  | 5    | 2    | 0.62 | <0.5 | 50 | 60  | 9.3  | 26   | 3.17 | 24   |
| Shale47 | 59.63 | 1    | 9.38 | 67  | 460  | 6    | 2    | 0.31 | <0.5 | 39 | 60  | 10.3 | 22   | 2.55 | 37   |
| Shale48 | 60.2  | 1    | 5.22 | 45  | 280  | 1    | 1    | 5.24 | <0.5 | 45 | 40  | 3.9  | 360  | 2.56 | 12.8 |
| Shale49 | 61.03 | 0.8  | 7.08 | 35  | 360  | 2.5  | 1.1  | 0.45 | <0.5 | 66 | 60  | 5.2  | 12   | 3.06 | 17   |
| Shale50 | 62.33 | 1.2  | 5.61 | 59  | 380  | 2    | 1.1  | 0.28 | <0.5 | 58 | 40  | 5.7  | 1540 | 1.36 | 17   |
| Shale51 | 63.65 | <0.2 | 2.37 | 4   | 60   | 0.5  | <0.1 | 16.1 | <0.5 | 12 | <20 | 0.8  | 16   | 1.92 | 3.2  |
| Shale52 | 64.72 | <0.2 | 9.2  | 13  | 400  | 3.5  | 0.5  | 2.5  | <0.5 | 29 | 60  | 8.7  | 64   | 1.32 | 33.6 |
| Shale53 | 65.05 | <0.2 | 2.31 | 8   | 100  | 0.5  | <0.1 | 13.5 | <0.5 | 13 | <20 | 1.7  | 134  | 1.82 | 6    |
| Shale54 | 65.99 | <0.2 | 1.72 | 10  | 80   | 0.5  | <0.1 | 14.7 | <0.5 | 14 | <20 | 1.1  | 312  | 2.55 | 3.8  |
| Shale55 | 66.93 | <0.2 | 2.13 | 8   | 100  | <0.5 | 0.2  | 13.5 | <0.5 | 17 | <20 | 1.6  | 186  | 2.31 | 5.6  |
| Shale56 | 68.68 | <0.2 | 1.76 | 14  | 80   | 0.5  | 0.6  | 13.3 | <0.5 | 17 | <20 | 1.6  | 40   | 2.53 | 5.2  |
| Shale57 | 69.75 | <0.2 | 8.66 | 9   | 280  | 3.5  | 1.5  | 3.43 | <0.5 | 18 | 60  | 11.2 | 318  | 2.88 | 29.4 |
| Shale58 | 70.6  | <0.2 | 3.94 | 7   | 180  | 2    | 0.6  | 4.35 | <0.5 | 15 | 20  | 4.1  | 50   | 2.65 | 12   |
| Shale59 | 71.65 | <0.2 | 5.45 | 4   | 700  | 3    | 0.2  | 8.56 | <0.5 | 18 | 20  | 7.9  | 22   | 2.43 | 15.8 |
| Shale60 | 73.01 | <0.2 | 3.11 | 5   | 100  | 1.5  | 0.9  | 8.14 | <0.5 | 19 | 20  | 4    | 8    | 2.62 | 9.2  |
| Shale61 | 74.79 | <0.2 | 3.63 | 4   | 5220 | 1    | 0.8  | 10.7 | <0.5 | 18 | 20  | 3.9  | 12   | 2.55 | 8    |
| Shale62 | 76.21 | <0.2 | 8.45 | 2   | 220  | 5    | 0.4  | 4.3  | <0.5 | 13 | 60  | 16.4 | 30   | 3.54 | 23.6 |
| Shale63 | 77.2  | <0.2 | 5.42 | <1  | 180  | 3.5  | 0.2  | 8.44 | <0.5 | 15 | 40  | 9.2  | 4    | 2.91 | 17.4 |
| Shale64 | 78.11 | <0.2 | 5.21 | 6   | 680  | 3.5  | 0.2  | 8.66 | <0.5 | 13 | 40  | 9.5  | 132  | 5.8  | 16.4 |
| Shale65 | 78.95 | <0.2 | 4.68 | 2   | 1820 | 1.5  | 0.3  | 9.26 | <0.5 | 9  | 40  | 5.1  | 12   | 2.24 | 11   |
| Shale66 | 81.12 | <0.2 | 4.92 | 6   | 1320 | 2.5  | 0.2  | 8.86 | <0.5 | 18 | 40  | 10.4 | 14   | 4.66 | 14.8 |
| Shale67 | 82.01 | <0.2 | 5.66 | 14  | 140  | 3    | 0.6  | 7.32 | <0.5 | 18 | 40  | 12.1 | 12   | 4.59 | 16   |
| Shale68 | 82.61 | <0.2 | 5.67 | 6   | 160  | 3.5  | 0.3  | 6.87 | <0.5 | 18 | 40  | 12.7 | 20   | 5.02 | 16.8 |
| Shale69 | 83.59 | <0.2 | 5.64 | 10  | 140  | 3.5  | 0.3  | 6    | <0.5 | 18 | 40  | 13.4 | 18   | 5.79 | 17.6 |
| Shale70 | 84.16 | <0.2 | 5.93 | 10  | 360  | 4    | 0.3  | 5.57 | <0.5 | 18 | 40  | 13.7 | 24   | 5.78 | 18.6 |
| Shale71 | 85.21 | <0.2 | 4.61 | 5   | 100  | 2    | 0.2  | 8.5  | <0.5 | 18 | 40  | 8.3  | 6    | 2.48 | 11.8 |

|               |              |            |             |             |           |              |              |            |             |            |           |              |           |            |            |
|---------------|--------------|------------|-------------|-------------|-----------|--------------|--------------|------------|-------------|------------|-----------|--------------|-----------|------------|------------|
| Shale72       | 86.31        | <0.2       | 7.81        | 7           | 220       | 3.5          | 0.5          | 3.83       | <0.5        | 18         | 60        | 14.5         | 10        | 3.42       | 21.6       |
| Shale73       | 86.79        | <0.2       | 7.28        | 6           | 160       | 3            | 0.3          | 3.86       | <0.5        | 18         | 60        | 13.7         | 10        | 6.9        | 19.8       |
| Shale74       | 89.22        | <0.2       | 6.68        | 3           | 180       | 2            | <0.1         | 1.87       | <0.5        | 26         | 40        | 5.8          | 26        | 4.26       | 18.4       |
| Shale75       | 91.01        | <0.2       | 7.77        | 7           | 180       | 2.5          | 0.3          | 1.37       | <0.5        | 18         | 60        | 10.5         | 24        | 8.82       | 19         |
| Shale76       | 91.6         | <0.2       | 7.61        | 6           | 240       | 4            | 0.5          | 1.92       | <0.5        | 18         | 60        | 12.7         | 18        | 7.77       | 21.2       |
| Shale77       | 92.29        | <0.2       | 7.5         | 4           | 200       | 3            | 0.2          | 1.45       | <0.5        | 23         | 60        | 10.5         | 16        | 3.6        | 20.6       |
| Shale78       | 93.46        | <0.2       | 8.66        | 13          | 260       | 4.5          | 0.7          | 0.48       | <0.5        | 24         | 60        | 11.5         | 14        | 3.86       | 24.6       |
| Shale79       | 94.71        | <0.2       | 8.78        | 6           | 160       | 3            | 0.3          | 0.24       | <0.5        | 19         | 60        | 10.7         | 8         | 7.3        | 23.6       |
| Shale80       | 95.16        | <0.2       | 8.65        | 8           | 160       | 3            | 0.4          | 0.24       | <0.5        | 20         | 60        | 9.9          | 6         | 7.63       | 23         |
| Shale81       | 96.12        | <0.2       | 8.6         | 9           | 160       | 2.5          | 0.3          | 0.22       | <0.5        | 18         | 80        | 8.2          | 8         | 7.62       | 22         |
| Shale82       | 97.09        | <0.2       | 8.1         | 7           | 180       | 3            | 0.2          | 0.24       | <0.5        | 21         | 80        | 8.7          | 14        | 7.61       | 22.6       |
| <b>IDENT</b>  | <b>Depth</b> | <b>Hf</b>  | <b>In</b>   | <b>K</b>    | <b>Li</b> | <b>Mg</b>    | <b>Mn</b>    | <b>Mo</b>  | <b>Na</b>   | <b>Nb</b>  | <b>Ni</b> | <b>P</b>     | <b>Pb</b> | <b>Rb</b>  | <b>Re</b>  |
| <b>UNITS</b>  |              | ppm        | ppm         | %           | ppm       | %            | %            | ppm        | %           | ppm        | ppm       | %            | ppm       | ppm        | ppm        |
| <b>SCHEME</b> |              | MA102      | MA102       | LB101       | MA101     | LB101        | LB101        | MA102      | LB101       | MA102      | MA101     | LB101        | MA102     | LB102      | LB102      |
| <b>LOD</b>    |              | <b>0.2</b> | <b>0.05</b> | <b>0.01</b> | <b>10</b> | <b>0.005</b> | <b>0.005</b> | <b>0.5</b> | <b>0.01</b> | <b>0.5</b> | <b>2</b>  | <b>0.005</b> | <b>1</b>  | <b>0.5</b> | <b>0.1</b> |
| Shale1        | 8.67         | 2          | 0.1         | 2.45        | 20        | 5.85         | 0.51         | 1          | 0.05        | 6.5        | 10        | 0.03         | 4         | 79         | <0.1       |
| Shale2        | 9.35         | 1.2        | <0.05       | 2.4         | 20        | 5.97         | 0.535        | 3          | 0.05        | 5          | 16        | 0.04         | 6         | 80.5       | <0.1       |
| Shale3        | 10.68        | 1.4        | <0.05       | 2.73        | 20        | 6.69         | 0.545        | 1          | 0.06        | 5          | 10        | 0.045        | 3         | 80.5       | <0.1       |
| Shale4        | 11.55        | 1.4        | <0.05       | 2.24        | 20        | 7.41         | 0.545        | 1          | 0.06        | 5          | 16        | 0.035        | 5         | 72         | <0.1       |
| Shale5        | 12.7         | 2.8        | <0.05       | 3.08        | 20        | 5.22         | 0.415        | 1          | 0.06        | 8          | 12        | 0.045        | 4         | 101        | <0.1       |
| Shale6        | 13.7         | 3.4        | <0.05       | 3.31        | 30        | 5.27         | 0.415        | 2          | 0.06        | 8.5        | 12        | 0.04         | 4         | 104        | <0.1       |
| Shale7        | 15.05        | 2.6        | 0.1         | 4.29        | 50        | 4.97         | 0.385        | 1          | 0.06        | 10         | 14        | 0.055        | 5         | 141        | <0.1       |
| Shale8        | 16.35        | 2.2        | <0.05       | 3.18        | 50        | 5.74         | 0.425        | 5          | 0.06        | 7.5        | 14        | 0.045        | 4         | 99         | <0.1       |
| Shale9        | 17.72        | 1.2        | <0.05       | 2.71        | 40        | 6.31         | 0.42         | 1          | 0.06        | 5          | 18        | 0.04         | 4         | 90.5       | <0.1       |
| Shale10       | 8.67         | 1.6        | <0.05       | 2.81        | 30        | 5.65         | 0.51         | 1          | 0.05        | 6          | 12        | 0.04         | 3         | 88.5       | <0.1       |
| Shale11       | 20.44        | 2.8        | 0.1         | 3.72        | 50        | 4.48         | 0.34         | 1.5        | 0.05        | 10         | 16        | 0.06         | 16        | 134        | <0.1       |
| Shale12       | 21.34        | 2.4        | 0.1         | 3.61        | 40        | 4.86         | 0.34         | 1          | 0.06        | 8          | 16        | 0.055        | 4         | 121        | <0.1       |
| Shale13       | 22.55        | 2.2        | 0.1         | 2.99        | 50        | 4.87         | 0.385        | 2          | 0.05        | 7.5        | 12        | 0.045        | 6         | 108        | <0.1       |
| Shale14       | 23.9         | 2.8        | <0.05       | 4.47        | 150       | 2.86         | 0.14         | 2.5        | 0.05        | 11         | 32        | 0.055        | 18        | 218        | <0.1       |
| Shale15       | 24.95        | 1.6        | <0.05       | 3.49        | 110       | 3.2          | 0.18         | 2.5        | 0.05        | 8          | 44        | 0.075        | 18        | 160        | <0.1       |
| Shale16       | 25.78        | 2.2        | <0.05       | 4.41        | 110       | 3.79         | 0.205        | 5          | 0.06        | 11         | 32        | 0.08         | 22        | 178        | <0.1       |
| Shale17       | 26.12        | 2.2        | <0.05       | 4.41        | 150       | 2.26         | 0.065        | 3.5        | 0.06        | 11         | 46        | 0.045        | 23        | 211        | <0.1       |
| Shale18       | 28.1         | 1.2        | <0.05       | 3.12        | 60        | 4.71         | 0.245        | 38.5       | 0.06        | 6.5        | 44        | 0.07         | 32        | 123        | <0.1       |
| Shale19       | 29           | 3          | <0.05       | 4.99        | 110       | 3.64         | 0.145        | 5          | 0.06        | 11         | 28        | 0.075        | 11        | 190        | <0.1       |
| Shale20       | 30.18        | 1.4        | <0.05       | 2.92        | 70        | 4.24         | 0.185        | 30.5       | 0.06        | 7          | 34        | 0.085        | 30        | 120        | <0.1       |
| Shale21       | 31.1         | 2.2        | <0.05       | 4.54        | 140       | 2.22         | 0.055        | 22         | 0.06        | 11.5       | 60        | 0.055        | 31        | 197        | <0.1       |
| Shale22       | 32.15        | 1.6        | <0.05       | 3.96        | 80        | 3.75         | 0.16         | 35.5       | 0.06        | 9.5        | 54        | 0.105        | 51        | 146        | <0.1       |
| Shale23       | 33.21        | 2.4        | <0.05       | 4.53        | 70        | 2.87         | 0.11         | 34.5       | 0.07        | 11         | 68        | 0.05         | 54        | 160        | <0.1       |
| Shale24       | 34.12        | 1          | <0.05       | 2.69        | 50        | 2.89         | 0.13         | 2.5        | 0.05        | 5          | 16        | 0.025        | 6         | 90         | <0.1       |

|         |       |     |       |      |     |       |        |      |      |      |    |       |      |      |      |
|---------|-------|-----|-------|------|-----|-------|--------|------|------|------|----|-------|------|------|------|
| Shale25 | 35.6  | 1.6 | <0.05 | 3.13 | 70  | 3.13  | 0.115  | 1    | 0.06 | 7    | 16 | 0.035 | 12   | 130  | <0.1 |
| Shale26 | 36.4  | 2   | 0.15  | 4.26 | 50  | 0.835 | 0.015  | 25.5 | 0.05 | 8    | 60 | 0.05  | 103  | 120  | <0.1 |
| Shale27 | 38.4  | 2   | <0.05 | 4.93 | 40  | 0.64  | 0.01   | 20.5 | 0.06 | 9    | 76 | 0.175 | 138  | 132  | <0.1 |
| Shale28 | 39.35 | 2   | <0.05 | 4.87 | 40  | 1     | 0.025  | 18   | 0.06 | 9    | 54 | 0.055 | 156  | 123  | <0.1 |
| Shale29 | 40.65 | 1.2 | <0.05 | 3.62 | 20  | 2.96  | 0.115  | 12   | 0.05 | 6    | 52 | 0.085 | 59   | 82.5 | <0.1 |
| Shale30 | 41.75 | 1.2 | <0.05 | 3.96 | 20  | 1.29  | 0.035  | 15   | 0.05 | 6.5  | 38 | 0.08  | 88   | 91   | <0.1 |
| Shale31 | 42.69 | 2   | <0.05 | 5.55 | 40  | 0.66  | 0.005  | 26.5 | 0.06 | 8.5  | 54 | 0.045 | 106  | 136  | <0.1 |
| Shale32 | 43.7  | 1.4 | <0.05 | 4.05 | 30  | 0.895 | 0.02   | 15.5 | 0.05 | 7    | 48 | 0.03  | 86   | 101  | <0.1 |
| Shale33 | 44.76 | 2.2 | 0.1   | 5.56 | 60  | 1.03  | 0.015  | 30.5 | 0.06 | 11   | 84 | 0.09  | 195  | 178  | <0.1 |
| Shale34 | 45.85 | 2   | <0.05 | 5.69 | 60  | 3.48  | 0.13   | 18   | 0.06 | 9    | 38 | 0.055 | 34   | 141  | <0.1 |
| Shale35 | 46.65 | 2.6 | <0.05 | 5.41 | 80  | 2.87  | 0.1    | 33.5 | 0.06 | 12   | 44 | 0.045 | 28   | 176  | <0.1 |
| Shale36 | 47.75 | 2.2 | 0.1   | 5.75 | 70  | 1.13  | 0.015  | 23   | 0.06 | 10.5 | 64 | 0.04  | 106  | 158  | <0.1 |
| Shale37 | 48.52 | 2   | <0.05 | 5.8  | 60  | 0.95  | 0.015  | 28.5 | 0.06 | 10   | 64 | 0.05  | 152  | 161  | <0.1 |
| Shale38 | 49.73 | 1.8 | <0.05 | 4.38 | 80  | 2.63  | 0.095  | 24   | 0.06 | 8.5  | 36 | 0.04  | 36   | 142  | <0.1 |
| Shale39 | 51.62 | 3.4 | <0.05 | 6.3  | 90  | 1.11  | 0.01   | 31   | 0.07 | 14   | 62 | 0.05  | 75   | 218  | <0.1 |
| Shale40 | 52.45 | 2.8 | <0.05 | 5.96 | 70  | 1.27  | 0.03   | 29.5 | 0.07 | 13.5 | 66 | 0.13  | 85   | 191  | <0.1 |
| Shale41 | 53.42 | 1.4 | <0.05 | 3.76 | 20  | 1.07  | 0.035  | 8    | 0.06 | 6    | 20 | 0.06  | 17   | 80   | <0.1 |
| Shale42 | 54.55 | 2.8 | <0.05 | 6.69 | 30  | 0.65  | 0.01   | 14.5 | 0.08 | 11   | 34 | 0.145 | 35   | 135  | <0.1 |
| Shale43 | 55.7  | 3.2 | <0.05 | 8.88 | 40  | 0.555 | <0.005 | 41.5 | 0.1  | 14   | 38 | 0.135 | 259  | 184  | <0.1 |
| Shale44 | 56.3  | 3.6 | <0.05 | 7.32 | 40  | 0.83  | 0.01   | 42   | 0.1  | 14.5 | 44 | 0.195 | 1450 | 183  | <0.1 |
| Shale45 | 57.44 | 3.6 | <0.05 | 6.96 | 30  | 0.53  | 0.005  | 43.5 | 0.1  | 13   | 60 | 0.3   | 185  | 179  | <0.1 |
| Shale46 | 58.55 | 4.8 | <0.05 | 8.37 | 60  | 0.775 | 0.01   | 25.5 | 0.1  | 16.5 | 62 | 0.135 | 53   | 208  | <0.1 |
| Shale47 | 59.63 | 4.6 | <0.05 | 8.99 | 60  | 0.745 | <0.005 | 23.5 | 0.1  | 18.5 | 60 | 0.11  | 33   | 216  | <0.1 |
| Shale48 | 60.2  | 2.6 | <0.05 | 5.51 | 20  | 2.78  | 0.095  | 13.5 | 0.07 | 9.5  | 26 | 0.1   | 30   | 127  | <0.1 |
| Shale49 | 61.03 | 3.2 | <0.05 | 7.4  | 30  | 0.44  | <0.005 | 29   | 0.07 | 10   | 32 | 0.085 | 31   | 172  | <0.1 |
| Shale50 | 62.33 | 2.8 | <0.05 | 5.31 | 30  | 0.45  | <0.005 | 31   | 0.08 | 10   | 36 | 0.05  | 56   | 151  | <0.1 |
| Shale51 | 63.65 | 0.4 | <0.05 | 2.96 | <10 | 8.36  | 0.4    | <0.5 | 0.07 | 2    | <2 | 0.06  | <1   | 44.5 | <0.1 |
| Shale52 | 64.72 | 4.2 | <0.05 | 8.9  | 50  | 1.83  | 0.065  | 1    | 0.1  | 17   | 16 | 0.14  | 16   | 219  | <0.1 |
| Shale53 | 65.05 | 0.8 | <0.05 | 2.58 | <10 | 7.06  | 0.325  | 1    | 0.06 | 4    | 6  | 0.05  | 2    | 55   | <0.1 |
| Shale54 | 65.99 | 0.4 | <0.05 | 1.97 | <10 | 7.35  | 0.405  | 1    | 0.06 | 2.5  | 6  | 0.045 | 2    | 39   | <0.1 |
| Shale55 | 66.93 | 0.4 | <0.05 | 2.15 | 10  | 6.51  | 0.445  | 1.5  | 0.06 | 3    | 6  | 0.025 | 3    | 52   | <0.1 |
| Shale56 | 68.68 | 0.4 | <0.05 | 1.56 | 20  | 6.76  | 0.5    | 2.5  | 0.07 | 2.5  | 10 | 0.02  | 14   | 41   | <0.1 |
| Shale57 | 69.75 | 2.2 | <0.05 | 6.64 | 120 | 3.07  | 0.145  | 26.5 | 0.08 | 11.5 | 28 | 0.07  | 12   | 263  | <0.1 |
| Shale58 | 70.6  | 1   | <0.05 | 2.97 | 40  | 2.99  | 0.195  | 3    | 0.06 | 6    | 18 | 0.05  | 9    | 98   | <0.1 |
| Shale59 | 71.65 | 2.4 | <0.05 | 3.94 | 60  | 5.41  | 0.39   | 1    | 0.07 | 10   | 20 | 0.05  | 17   | 150  | <0.1 |
| Shale60 | 73.01 | 0.8 | <0.05 | 2.12 | 30  | 4.93  | 0.4    | 1    | 0.06 | 5    | 14 | 0.045 | 5    | 82.5 | <0.1 |
| Shale61 | 74.79 | 1.2 | <0.05 | 3.08 | 30  | 6.31  | 0.22   | 3    | 0.07 | 5    | 4  | 0.05  | 4    | 94.5 | <0.1 |
| Shale62 | 76.21 | 2   | <0.05 | 5.12 | 70  | 3.79  | 0.065  | <0.5 | 0.08 | 10.5 | 32 | 0.08  | 4    | 279  | <0.1 |
| Shale63 | 77.2  | 1.2 | <0.05 | 3.36 | 40  | 5.71  | 0.1    | <0.5 | 0.06 | 7.5  | 22 | 0.05  | 3    | 159  | <0.1 |

|               |              |           |            |           |           |              |            |            |            |            |            |              |            |            |           |
|---------------|--------------|-----------|------------|-----------|-----------|--------------|------------|------------|------------|------------|------------|--------------|------------|------------|-----------|
| Shale64       | 78.11        | 1.6       | <0.05      | 3.75      | 40        | 5.59         | 0.095      | 1.5        | 0.06       | 7.5        | 20         | 0.065        | 5          | 160        | <0.1      |
| Shale65       | 78.95        | 1         | <0.05      | 3.69      | 20        | 5.7          | 0.11       | <0.5       | 0.07       | 5.5        | 12         | 0.055        | 5          | 128        | <0.1      |
| Shale66       | 81.12        | 1.4       | 0.1        | 2.88      | 50        | 5.79         | 0.26       | 1.5        | 0.06       | 7.5        | 22         | 0.06         | 4          | 164        | <0.1      |
| Shale67       | 82.01        | 1.4       | 0.1        | 3.21      | 70        | 5.34         | 0.23       | 1.5        | 0.06       | 8          | 26         | 0.06         | 4          | 196        | <0.1      |
| Shale68       | 82.61        | 1.6       | 0.1        | 2.97      | 60        | 5.21         | 0.195      | 1.5        | 0.07       | 8.5        | 26         | 0.065        | 4          | 177        | <0.1      |
| Shale69       | 83.59        | 1.6       | 0.1        | 2.99      | 60        | 4.63         | 0.165      | 1.5        | 0.06       | 8          | 26         | 0.06         | 4          | 186        | <0.1      |
| Shale70       | 84.16        | 1.6       | 0.1        | 3.03      | 70        | 4.67         | 0.15       | 1.5        | 0.06       | 8.5        | 28         | 0.06         | 5          | 192        | <0.1      |
| Shale71       | 85.21        | 1.2       | 0.1        | 2.34      | 50        | 6.44         | 0.23       | 1          | 0.06       | 6.5        | 22         | 0.05         | 3          | 118        | <0.1      |
| Shale72       | 86.31        | 1.8       | 0.1        | 3.93      | 150       | 4.41         | 0.11       | <0.5       | 0.07       | 10         | 34         | 0.075        | 4          | 208        | <0.1      |
| Shale73       | 86.79        | 1.8       | 0.1        | 3.57      | 70        | 4.48         | 0.12       | 1          | 0.06       | 10         | 32         | 0.065        | 4          | 198        | <0.1      |
| Shale74       | 89.22        | 1.6       | <0.05      | 2.44      | 140       | 6.61         | 0.055      | <0.5       | 0.07       | 9          | 36         | 0.05         | 3          | 115        | <0.1      |
| Shale75       | 91.01        | 1.8       | 0.1        | 3.08      | 100       | 5.48         | 0.04       | 1          | 0.06       | 10         | 30         | 0.075        | 4          | 173        | <0.1      |
| Shale76       | 91.6         | 1.8       | 0.1        | 3.53      | 80        | 4.53         | 0.06       | 1.5        | 0.06       | 10         | 32         | 0.07         | 5          | 200        | <0.1      |
| Shale77       | 92.29        | 2         | 0.1        | 3.14      | 110       | 5.35         | 0.045      | <0.5       | 0.07       | 10.5       | 36         | 0.07         | 7          | 170        | <0.1      |
| Shale78       | 93.46        | 2.2       | 0.15       | 3.72      | 130       | 5.31         | 0.02       | <0.5       | 0.06       | 11.5       | 42         | 0.08         | 4          | 220        | <0.1      |
| Shale79       | 94.71        | 2         | 0.1        | 3.39      | 100       | 5.7          | 0.01       | 1          | 0.06       | 11         | 40         | 0.08         | 4          | 187        | <0.1      |
| Shale80       | 95.16        | 2.2       | 0.1        | 3.08      | 110       | 6.42         | 0.01       | 1          | 0.06       | 11         | 42         | 0.075        | 4          | 167        | <0.1      |
| Shale81       | 96.12        | 2         | 0.1        | 3.14      | 100       | 6.02         | <0.005     | 1          | 0.08       | 10.5       | 40         | 0.08         | 4          | 166        | <0.1      |
| Shale82       | 97.09        | 1.8       | 0.1        | 2.93      | 100       | 6.26         | 0.01       | 1          | 0.08       | 10.5       | 42         | 0.085        | 4          | 155        | <0.1      |
| <b>IDENT</b>  | <b>Depth</b> | <b>S</b>  | <b>Sb</b>  | <b>Sc</b> | <b>Se</b> | <b>Si</b>    | <b>Sn</b>  | <b>Sr</b>  | <b>Ta</b>  | <b>Te</b>  | <b>Th</b>  | <b>Ti</b>    | <b>Tl</b>  | <b>U</b>   | <b>V</b>  |
| <b>UNITS</b>  |              | ppm       | ppm        | ppm       | ppm       | %            | ppm        | ppm        | ppm        | ppm        | ppm        | %            | ppm        | ppm        | ppm       |
| <b>SCHEME</b> |              | MA101     | MA102      | MA101     | MA102     | LB101        | MA102      | MA102      | MA102      | MA102      | MA102      | LB101        | MA102      | MA102      | LB101     |
| <b>LOD</b>    |              | <b>50</b> | <b>0.1</b> | <b>1</b>  | <b>5</b>  | <b>0.005</b> | <b>0.1</b> | <b>0.5</b> | <b>0.1</b> | <b>0.2</b> | <b>0.1</b> | <b>0.005</b> | <b>0.1</b> | <b>0.1</b> | <b>20</b> |
| Shale1        | 8.67         | <50       | 0.5        | 6         | <5        | 14.8         | 1.8        | 23.5       | 0.5        | <0.2       | 7          | 0.19         | 0.2        | 2          | 40        |
| Shale2        | 9.35         | 15100     | 1.1        | 4         | <5        | 15.1         | 1.5        | 20         | 0.4        | <0.2       | 5          | 0.125        | 0.2        | 1.9        | 40        |
| Shale3        | 10.68        | <50       | 0.4        | 5         | <5        | 12.8         | 1.8        | 21.5       | 0.4        | <0.2       | 5.6        | 0.15         | 0.2        | 1.9        | 40        |
| Shale4        | 11.55        | <50       | 0.5        | 5         | <5        | 11           | 1.7        | 20         | 0.4        | <0.2       | 6.1        | 0.13         | 0.2        | 2          | 40        |
| Shale5        | 12.7         | 650       | 0.6        | 8         | <5        | 17.3         | 2.3        | 28         | 0.7        | <0.2       | 10.2       | 0.225        | 0.4        | 3.4        | 40        |
| Shale6        | 13.7         | 3650      | 1.1        | 8         | <5        | 17           | 2.5        | 39         | 0.7        | <0.2       | 10.7       | 0.23         | 0.4        | 3.4        | 40        |
| Shale7        | 15.05        | 850       | 0.6        | 9         | <5        | 18.1         | 3.3        | 28         | 0.8        | <0.2       | 11.4       | 0.26         | 0.4        | 3.8        | 60        |
| Shale8        | 16.35        | 100       | 0.5        | 8         | <5        | 16           | 2.2        | 28.5       | 0.7        | <0.2       | 9          | 0.19         | 0.3        | 3          | 40        |
| Shale9        | 17.72        | 1350      | 0.6        | 6         | <5        | 13.3         | 1.8        | 22         | 0.4        | 0.2        | 5.3        | 0.13         | 0.2        | 2.2        | 60        |
| Shale10       | 8.67         | 350       | 0.5        | 6         | <5        | 16.4         | 2.1        | 22         | 0.5        | <0.2       | 6.9        | 0.16         | 0.2        | 2.3        | 40        |
| Shale11       | 20.44        | 750       | 1.2        | 9         | <5        | 19           | 3.1        | 29.5       | 0.9        | <0.2       | 12.1       | 0.26         | 0.6        | 4.1        | 60        |
| Shale12       | 21.34        | <50       | 0.7        | 8         | <5        | 19.4         | 3          | 25         | 0.7        | <0.2       | 10.7       | 0.25         | 0.4        | 4.4        | 60        |
| Shale13       | 22.55        | <50       | 1.3        | 7         | <5        | 20.4         | 2.4        | 30.5       | 0.6        | <0.2       | 9.3        | 0.22         | 0.3        | 3.2        | 60        |
| Shale14       | 23.9         | 1800      | 1.5        | 10        | <5        | 26.7         | 3.7        | 32.5       | 0.9        | <0.2       | 11.5       | 0.28         | 1.6        | 6.5        | 140       |
| Shale15       | 24.95        | 1950      | 1.9        | 9         | <5        | 28.1         | 3.2        | 27         | 0.7        | <0.2       | 9.4        | 0.23         | 1.3        | 7.6        | 160       |
| Shale16       | 25.78        | 5050      | 1.4        | 11        | <5        | 22.1         | 3.9        | 31.5       | 0.9        | <0.2       | 12.8       | 0.265        | 2.2        | 7.8        | 180       |

|         |       |       |      |    |    |      |     |      |     |      |      |       |      |      |     |
|---------|-------|-------|------|----|----|------|-----|------|-----|------|------|-------|------|------|-----|
| Shale17 | 26.12 | 1950  | 1.9  | 12 | <5 | 29.2 | 4.1 | 28   | 1   | <0.2 | 12.4 | 0.3   | 1.4  | 7.8  | 280 |
| Shale18 | 28.1  | 23100 | 3.9  | 8  | <5 | 17.9 | 2.6 | 34   | 0.5 | 0.2  | 7.5  | 0.18  | 3    | 11.3 | 140 |
| Shale19 | 29    | 3250  | 1.7  | 12 | <5 | 22.5 | 3.9 | 30.5 | 0.9 | <0.2 | 12.6 | 0.285 | 1.4  | 7.6  | 200 |
| Shale20 | 30.18 | 4600  | 3    | 8  | <5 | 22.4 | 2.6 | 29   | 0.6 | <0.2 | 7.7  | 0.185 | 1.7  | 9.2  | 140 |
| Shale21 | 31.1  | 7450  | 4.3  | 11 | <5 | 28.9 | 4.8 | 32.5 | 1   | 0.4  | 13.8 | 0.315 | 3.5  | 10   | 280 |
| Shale22 | 32.15 | 29600 | 6.6  | 11 | <5 | 21   | 3.9 | 32   | 0.7 | 0.4  | 10.8 | 0.23  | 3.4  | 10   | 140 |
| Shale23 | 33.21 | 26500 | 7.4  | 9  | <5 | 24.6 | 3.9 | 32   | 1   | 0.4  | 14.1 | 0.265 | 5.3  | 19.3 | 260 |
| Shale24 | 34.12 | 6100  | 1.3  | 7  | <5 | 28.9 | 2.1 | 22   | 0.4 | <0.2 | 5.7  | 0.13  | 0.9  | 2.3  | 60  |
| Shale25 | 35.6  | 1150  | 1.8  | 8  | <5 | 27.6 | 2.8 | 26   | 0.6 | <0.2 | 7.6  | 0.205 | 0.6  | 3.9  | 160 |
| Shale26 | 36.4  | 29900 | 7.5  | 4  | <5 | 32.5 | 3.2 | 21   | 0.7 | 0.2  | 9.4  | 0.215 | 7.1  | 6.8  | 100 |
| Shale27 | 38.4  | 46500 | 8.6  | 5  | <5 | 30.9 | 2.3 | 21   | 0.8 | <0.2 | 11.9 | 0.28  | 6.9  | 12   | 120 |
| Shale28 | 39.35 | 33900 | 8.9  | 7  | <5 | 31.4 | 2.8 | 22.5 | 0.8 | 0.4  | 10.9 | 0.26  | 5.8  | 11   | 100 |
| Shale29 | 40.65 | 37500 | 6    | 7  | <5 | 24.4 | 1.6 | 20.5 | 0.5 | 0.4  | 7.6  | 0.17  | 5.4  | 9.4  | 100 |
| Shale30 | 41.75 | 28700 | 5.6  | 5  | <5 | 32.1 | 2   | 18   | 0.5 | 0.2  | 7.6  | 0.185 | 6.7  | 10.1 | 80  |
| Shale31 | 42.69 | 28000 | 5.8  | 7  | <5 | 32.7 | 2.5 | 23   | 0.7 | 0.4  | 10.7 | 0.275 | 8.8  | 11.6 | 140 |
| Shale32 | 43.7  | 18600 | 4.5  | 5  | <5 | 34.2 | 2.1 | 18   | 0.6 | 0.2  | 7.5  | 0.205 | 5.6  | 9.8  | 100 |
| Shale33 | 44.76 | 34700 | 8.6  | 8  | 5  | 29.4 | 3.8 | 29   | 1   | 0.6  | 13.5 | 0.34  | 8.7  | 13.3 | 260 |
| Shale34 | 45.85 | 19200 | 3.8  | 13 | <5 | 20.3 | 3.9 | 29.5 | 0.8 | 0.2  | 11.2 | 0.26  | 4.4  | 9.7  | 220 |
| Shale35 | 46.65 | 25000 | 3.8  | 10 | <5 | 22.7 | 5   | 34.5 | 1.1 | 0.2  | 16.8 | 0.295 | 8.5  | 11.8 | 180 |
| Shale36 | 47.75 | 34700 | 7    | 11 | <5 | 29.1 | 3.4 | 27   | 1   | 0.2  | 12   | 0.305 | 10.1 | 9.9  | 160 |
| Shale37 | 48.52 | 35400 | 7.3  | 9  | <5 | 29.8 | 3.1 | 25   | 0.8 | 0.4  | 11.1 | 0.275 | 7    | 9.9  | 140 |
| Shale38 | 49.73 | 21700 | 3.7  | 10 | <5 | 26.1 | 3.4 | 32   | 0.7 | 0.2  | 10.2 | 0.22  | 8.2  | 7.2  | 140 |
| Shale39 | 51.62 | 59200 | 9.5  | 9  | <5 | 25.2 | 5.1 | 29.5 | 1.3 | 0.2  | 17.4 | 0.42  | 10.1 | 12.5 | 160 |
| Shale40 | 52.45 | 72200 | 11.4 | 8  | <5 | 23.9 | 5.3 | 27   | 1.2 | 0.4  | 17.7 | 0.4   | 10.4 | 15.3 | 180 |
| Shale41 | 53.42 | 12000 | 2.3  | 6  | <5 | 33   | 1.7 | 16.5 | 0.5 | <0.2 | 7    | 0.16  | 1.7  | 7.8  | 60  |
| Shale42 | 54.55 | 22500 | 3.8  | 9  | <5 | 29.5 | 3.3 | 25   | 1   | 0.4  | 14.6 | 0.27  | 3    | 14.4 | 100 |
| Shale43 | 55.7  | 16100 | 6.6  | 8  | <5 | 28.4 | 4.5 | 28   | 1.2 | <0.2 | 26.6 | 0.335 | 2.1  | 19.2 | 120 |
| Shale44 | 56.3  | 25300 | 7.2  | 10 | <5 | 28   | 3.4 | 31   | 1.4 | 0.6  | 16.6 | 0.375 | 2.9  | 22.6 | 160 |
| Shale45 | 57.44 | 19400 | 8.6  | 11 | <5 | 27.7 | 3.3 | 31   | 1.2 | 0.6  | 15.2 | 0.345 | 2.6  | 24.1 | 180 |
| Shale46 | 58.55 | 32800 | 7.7  | 13 | <5 | 25.7 | 4.3 | 29.5 | 1.4 | 0.6  | 22.7 | 0.355 | 3.9  | 17.1 | 160 |
| Shale47 | 59.63 | 21100 | 5.7  | 11 | <5 | 27.5 | 6.7 | 27   | 2   | 0.6  | 28.9 | 0.37  | 4.6  | 22.8 | 160 |
| Shale48 | 60.2  | 19100 | 4.6  | 8  | <5 | 22.8 | 3.2 | 16   | 0.9 | 0.4  | 11.3 | 0.29  | 4.6  | 14.4 | 120 |
| Shale49 | 61.03 | 31200 | 3.1  | 5  | 5  | 28.6 | 3.7 | 15.5 | 0.9 | 0.4  | 13.9 | 0.325 | 8.4  | 13.7 | 140 |
| Shale50 | 62.33 | 13000 | 5.7  | 8  | <5 | 33.8 | 4.1 | 20   | 0.9 | 0.6  | 12.5 | 0.28  | 9    | 12.4 | 300 |
| Shale51 | 63.65 | <50   | 0.3  | 5  | <5 | 8.17 | 0.6 | 12.5 | 0.2 | <0.2 | 2.9  | 0.055 | <0.1 | 1.3  | <20 |
| Shale52 | 64.72 | 1100  | 1.3  | 10 | <5 | 25.8 | 6.5 | 19   | 1.7 | <0.2 | 24.3 | 0.39  | 0.6  | 8.6  | 100 |
| Shale53 | 65.05 | <50   | 0.4  | 5  | <5 | 12.3 | 1.4 | 14   | 0.4 | <0.2 | 4    | 0.1   | 0.2  | 1.7  | 40  |
| Shale54 | 65.99 | 100   | 0.5  | 4  | <5 | 9.93 | 0.9 | 17   | 0.3 | <0.2 | 2.6  | 0.065 | 0.2  | 1.1  | 40  |
| Shale55 | 66.93 | 400   | 0.8  | 5  | <5 | 15.3 | 1.2 | 17.5 | 0.3 | <0.2 | 3.2  | 0.085 | 0.2  | 1.1  | 60  |

|               |              |          |          |           |            |            |             |             |             |             |            |             |             |             |             |
|---------------|--------------|----------|----------|-----------|------------|------------|-------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|
| Shale56       | 68.68        | 1100     | 0.8      | 4         | <5         | 15.1       | 0.9         | 23.5        | 0.3         | <0.2        | 2.6        | 0.07        | 0.2         | 1.6         | 40          |
| Shale57       | 69.75        | 1350     | 1.3      | 12        | <5         | 23         | 4.4         | 24          | 1.1         | <0.2        | 14.3       | 0.36        | 0.6         | 5.6         | 240         |
| Shale58       | 70.6         | 1950     | 0.8      | 7         | <5         | 29.7       | 2.4         | 19.5        | 0.5         | <0.2        | 6.3        | 0.17        | 0.3         | 3.4         | 40          |
| Shale59       | 71.65        | 2250     | 1        | 8         | <5         | 18.5       | 4.3         | 29          | 1           | <0.2        | 16         | 0.185       | 0.3         | 5.2         | 40          |
| Shale60       | 73.01        | 1850     | 1        | 6         | <5         | 23.1       | 2           | 22          | 0.4         | <0.2        | 5.4        | 0.12        | 0.2         | 1.9         | 40          |
| Shale61       | 74.79        | 1300     | 0.7      | 7         | <5         | 16.8       | 1.9         | 103         | 0.5         | <0.2        | 6          | 0.16        | 0.3         | 2.6         | 40          |
| Shale62       | 76.21        | 150      | 1.5      | 14        | <5         | 23.4       | 3.5         | 42          | 1           | <0.2        | 14.2       | 0.31        | 0.6         | 6.2         | 100         |
| Shale63       | 77.2         | <50      | 0.9      | 11        | <5         | 19.7       | 2.7         | 29.5        | 0.6         | <0.2        | 8.1        | 0.225       | 0.3         | 4           | 80          |
| Shale64       | 78.11        | 350      | 2.7      | 9         | <5         | 17.1       | 3.3         | 37.5        | 0.7         | <0.2        | 10.3       | 0.225       | 0.4         | 7.4         | 80          |
| Shale65       | 78.95        | 200      | 0.6      | 8         | <5         | 19.5       | 2           | 39.5        | 0.5         | <0.2        | 7.3        | 0.21        | 0.2         | 5.4         | 60          |
| Shale66       | 81.12        | <50      | 2.2      | 9         | <5         | 16.6       | 3.1         | 44.5        | 0.6         | <0.2        | 8.9        | 0.205       | 0.3         | 3.4         | 60          |
| Shale67       | 82.01        | 350      | 2.7      | 11        | <5         | 18         | 3.2         | 31.5        | 0.7         | <0.2        | 9.5        | 0.21        | 0.4         | 4.3         | 60          |
| Shale68       | 82.61        | <50      | 2.5      | 11        | <5         | 18.6       | 3.5         | 33.5        | 0.7         | <0.2        | 11         | 0.22        | 0.4         | 4.3         | 80          |
| Shale69       | 83.59        | <50      | 2.9      | 12        | <5         | 18.4       | 3.3         | 34.5        | 0.8         | <0.2        | 10.5       | 0.215       | 0.4         | 4.9         | 80          |
| Shale70       | 84.16        | <50      | 3        | 12        | <5         | 19.3       | 3.6         | 39.5        | 0.7         | <0.2        | 10.8       | 0.225       | 0.4         | 5.5         | 80          |
| Shale71       | 85.21        | <50      | 0.9      | 8         | <5         | 19.5       | 2.2         | 29.5        | 0.5         | <0.2        | 7.9        | 0.19        | 0.2         | 3.7         | 60          |
| Shale72       | 86.31        | 100      | 1.3      | 13        | <5         | 24.2       | 3.3         | 35.5        | 0.9         | <0.2        | 13         | 0.285       | 0.5         | 7.5         | 100         |
| Shale73       | 86.79        | <50      | 2.4      | 13        | <5         | 23         | 3.2         | 32.5        | 0.9         | <0.2        | 12.8       | 0.275       | 0.4         | 6.2         | 80          |
| Shale74       | 89.22        | <50      | 0.6      | 11        | <5         | 27         | 3           | 23          | 0.8         | <0.2        | 10.9       | 0.26        | 0.3         | 5.4         | 80          |
| Shale75       | 91.01        | 200      | 2.8      | 12        | <5         | 24.5       | 2.7         | 24.5        | 0.8         | <0.2        | 11.3       | 0.305       | 0.4         | 5.9         | 100         |
| Shale76       | 91.6         | 100      | 2.5      | 14        | <5         | 24.1       | 3           | 28          | 0.8         | <0.2        | 12.6       | 0.295       | 0.4         | 5.5         | 100         |
| Shale77       | 92.29        | <50      | 0.9      | 14        | <5         | 25.9       | 3.3         | 27          | 0.9         | <0.2        | 12.2       | 0.32        | 0.4         | 3.7         | 80          |
| Shale78       | 93.46        | 650      | 1.2      | 17        | <5         | 26.1       | 3.5         | 31          | 1           | <0.2        | 14.1       | 0.35        | 0.4         | 5.1         | 100         |
| Shale79       | 94.71        | <50      | 2.2      | 17        | <5         | 26         | 3.3         | 29          | 0.9         | <0.2        | 12.9       | 0.35        | 0.4         | 6.4         | 100         |
| Shale80       | 95.16        | 100      | 2.2      | 16        | <5         | 26.1       | 3.3         | 29          | 0.9         | <0.2        | 12.6       | 0.35        | 0.4         | 5.6         | 100         |
| Shale81       | 96.12        | <50      | 2.3      | 16        | <5         | 25.5       | 3.2         | 26.5        | 0.9         | <0.2        | 11.5       | 0.33        | 0.4         | 4.1         | 100         |
| Shale82       | 97.09        | 100      | 2        | 17        | <5         | 24.7       | 3.4         | 27          | 0.8         | <0.2        | 12.4       | 0.33        | 0.4         | 3.7         | 120         |
| <b>IDENT</b>  | <b>Depth</b> | <b>W</b> | <b>Y</b> | <b>Zn</b> | <b>Zr</b>  | <b>La</b>  | <b>Ce</b>   | <b>Pr</b>   | <b>Nd</b>   | <b>Sm</b>   | <b>Eu</b>  | <b>Gd</b>   | <b>Tb</b>   | <b>Dy</b>   | <b>Ho</b>   |
| <b>UNITS</b>  |              | ppm      | ppm      | ppm       | ppm        | ppm        | ppm         | ppm         | ppm         | ppm         | ppm        | ppm         | ppm         | ppm         | ppm         |
| <b>SCHEME</b> |              | LB102    | LB102    | MA101     | MA102      | MA102      | MA102       | MA102       | MA102       | MA102       | MA102      | MA102       | MA102       | MA102       | MA102       |
| <b>LOD</b>    | <b>3</b>     | <b>1</b> | <b>2</b> | <b>1</b>  | <b>0.1</b> | <b>0.1</b> | <b>0.05</b> | <b>0.05</b> | <b>0.05</b> | <b>0.05</b> | <b>0.2</b> | <b>0.02</b> | <b>0.05</b> | <b>0.02</b> | <b>0.02</b> |
| Shale1        | 8.67         | 111      | 15       | 20        | 88         | 16.9       | 37.5        | 4.65        | 18.5        | 3.8         | 0.75       | 3.6         | 0.5         | 3.1         | 0.6         |
| Shale2        | 9.35         | 60       | 11       | 10        | 48         | 13.3       | 28.6        | 3.6         | 14.1        | 3.05        | 0.6        | 2.8         | 0.38        | 2.1         | 0.42        |
| Shale3        | 10.68        | 51       | 11       | 8         | 53         | 16         | 33.3        | 4.05        | 15.3        | 2.8         | 0.6        | 2.8         | 0.38        | 2.3         | 0.46        |
| Shale4        | 11.55        | 45       | 11       | 10        | 59         | 16.1       | 33.7        | 4.05        | 15.2        | 3.05        | 0.6        | 3           | 0.38        | 2.35        | 0.42        |
| Shale5        | 12.7         | 81       | 14       | 18        | 126        | 21.7       | 45.1        | 5.35        | 19.8        | 3.85        | 0.7        | 3.8         | 0.52        | 3.1         | 0.6         |
| Shale6        | 13.7         | 75       | 15       | 18        | 138        | 24.1       | 47.8        | 5.5         | 20.5        | 3.65        | 0.8        | 4           | 0.52        | 3.2         | 0.66        |
| Shale7        | 15.05        | 42       | 15       | 20        | 107        | 25.7       | 49.4        | 5.6         | 20.8        | 3.8         | 0.75       | 4           | 0.52        | 3.15        | 0.6         |
| Shale8        | 16.35        | 48       | 15       | 18        | 95         | 22.1       | 46.9        | 5.65        | 21.5        | 4.15        | 0.85       | 4           | 0.54        | 3.3         | 0.62        |

|         |       |     |    |      |     |      |      |      |      |      |      |     |      |      |      |
|---------|-------|-----|----|------|-----|------|------|------|------|------|------|-----|------|------|------|
| Shale9  | 17.72 | 30  | 11 | 16   | 46  | 18.1 | 37.9 | 4.4  | 16.7 | 3.05 | 0.55 | 3   | 0.38 | 2.15 | 0.4  |
| Shale10 | 8.67  | 48  | 11 | 18   | 65  | 15.9 | 32.6 | 3.95 | 14.8 | 2.8  | 0.6  | 2.6 | 0.38 | 2.3  | 0.42 |
| Shale11 | 20.44 | 42  | 14 | 24   | 106 | 25.3 | 49.3 | 5.65 | 20.6 | 3.9  | 0.75 | 3.8 | 0.48 | 3.05 | 0.58 |
| Shale12 | 21.34 | 42  | 15 | 22   | 100 | 25.2 | 51.4 | 6.05 | 21.5 | 4.05 | 0.8  | 4   | 0.52 | 3.3  | 0.62 |
| Shale13 | 22.55 | 48  | 13 | 20   | 93  | 22.9 | 44.9 | 5.25 | 19.5 | 3.8  | 0.75 | 3.6 | 0.44 | 2.9  | 0.52 |
| Shale14 | 23.9  | 15  | 11 | 32   | 95  | 36.2 | 53.4 | 5.25 | 16.9 | 2.9  | 0.6  | 2.6 | 0.38 | 2.35 | 0.44 |
| Shale15 | 24.95 | 30  | 12 | 32   | 71  | 28.4 | 54.9 | 6.5  | 23.3 | 4.05 | 0.8  | 3.8 | 0.46 | 2.8  | 0.52 |
| Shale16 | 25.78 | 36  | 15 | 36   | 97  | 32.8 | 60.4 | 7    | 26.2 | 5.05 | 0.95 | 4.4 | 0.58 | 3.7  | 0.7  |
| Shale17 | 26.12 | 27  | 10 | 44   | 94  | 30.8 | 49   | 5.1  | 17.1 | 3.05 | 0.55 | 2.8 | 0.38 | 2.35 | 0.44 |
| Shale18 | 28.1  | 54  | 15 | 36   | 55  | 24.7 | 48.1 | 6.15 | 23.6 | 4.5  | 0.9  | 4.2 | 0.54 | 3.2  | 0.56 |
| Shale19 | 29    | 30  | 17 | 28   | 119 | 33.6 | 62.8 | 7.6  | 28.6 | 5.35 | 1.05 | 4.8 | 0.64 | 3.85 | 0.74 |
| Shale20 | 30.18 | 24  | 14 | 26   | 57  | 25.6 | 52.9 | 6.9  | 27   | 5.35 | 0.9  | 4.4 | 0.56 | 3.2  | 0.56 |
| Shale21 | 31.1  | 24  | 12 | 44   | 97  | 37.9 | 58.3 | 6.15 | 20.6 | 3.8  | 0.75 | 3.6 | 0.48 | 2.85 | 0.52 |
| Shale22 | 32.15 | 51  | 15 | 36   | 70  | 33.3 | 65.8 | 8.25 | 31.4 | 6.1  | 1.1  | 5.2 | 0.64 | 3.6  | 0.66 |
| Shale23 | 33.21 | 75  | 12 | 52   | 102 | 29.7 | 49   | 5.5  | 22.2 | 3.8  | 0.7  | 3.4 | 0.46 | 2.65 | 0.52 |
| Shale24 | 34.12 | 81  | 8  | 170  | 46  | 21   | 41.6 | 4.85 | 16.3 | 2.5  | 0.5  | 2.2 | 0.3  | 1.85 | 0.38 |
| Shale25 | 35.6  | 36  | 10 | 22   | 59  | 27.9 | 45.2 | 4.75 | 16.3 | 2.55 | 0.5  | 2.2 | 0.32 | 2    | 0.4  |
| Shale26 | 36.4  | 111 | 8  | 732  | 80  | 15.5 | 30.2 | 3.5  | 12.9 | 2.35 | 0.5  | 2   | 0.28 | 1.8  | 0.36 |
| Shale27 | 38.4  | 114 | 14 | 690  | 84  | 22.6 | 51.1 | 6.8  | 27.6 | 5.25 | 0.9  | 4.6 | 0.52 | 2.9  | 0.52 |
| Shale28 | 39.35 | 102 | 10 | 1470 | 88  | 22.9 | 41.4 | 4.7  | 16.8 | 2.8  | 0.5  | 2.4 | 0.34 | 2.2  | 0.44 |
| Shale29 | 40.65 | 93  | 13 | 22   | 55  | 20.4 | 38.9 | 4.9  | 19.8 | 4.2  | 0.7  | 4.4 | 0.54 | 3.3  | 0.5  |
| Shale30 | 41.75 | 156 | 11 | 852  | 56  | 15.1 | 30.9 | 4.05 | 15.7 | 3.55 | 0.6  | 3.6 | 0.44 | 2.6  | 0.46 |
| Shale31 | 42.69 | 120 | 9  | 798  | 87  | 24.7 | 38.3 | 4.05 | 13.9 | 2.6  | 0.5  | 2.2 | 0.3  | 1.85 | 0.34 |
| Shale32 | 43.7  | 165 | 9  | 1090 | 60  | 14.6 | 27   | 3.1  | 11.2 | 2.1  | 0.4  | 1.8 | 0.28 | 1.75 | 0.34 |
| Shale33 | 44.76 | 105 | 13 | 1240 | 97  | 40.8 | 64.6 | 7.15 | 26   | 5    | 0.95 | 4.4 | 0.52 | 2.9  | 0.52 |
| Shale34 | 45.85 | 84  | 13 | 34   | 88  | 39.3 | 60.9 | 6.5  | 22.2 | 4.05 | 0.75 | 4   | 0.52 | 3.05 | 0.54 |
| Shale35 | 46.65 | 45  | 15 | 46   | 112 | 44.1 | 66.2 | 6.65 | 22.2 | 3.8  | 0.75 | 3.6 | 0.48 | 3.15 | 0.6  |
| Shale36 | 47.75 | 84  | 11 | 1600 | 96  | 35.6 | 62.6 | 6.85 | 22.9 | 3.45 | 0.65 | 2.8 | 0.38 | 2.45 | 0.48 |
| Shale37 | 48.52 | 87  | 10 | 348  | 80  | 32.2 | 57.5 | 6.5  | 21.2 | 3.3  | 0.6  | 2.6 | 0.34 | 2.15 | 0.42 |
| Shale38 | 49.73 | 54  | 11 | 54   | 77  | 37   | 59.9 | 6.45 | 21.3 | 3.5  | 0.7  | 3.2 | 0.44 | 2.7  | 0.52 |
| Shale39 | 51.62 | 60  | 13 | 52   | 148 | 32   | 45.3 | 4.6  | 15.6 | 3.25 | 0.7  | 3   | 0.42 | 2.45 | 0.5  |
| Shale40 | 52.45 | 51  | 16 | 42   | 125 | 34.8 | 60.3 | 7    | 25.9 | 4.95 | 0.95 | 4.4 | 0.56 | 3.35 | 0.6  |
| Shale41 | 53.42 | 138 | 8  | 18   | 60  | 11.3 | 21.7 | 2.65 | 10.1 | 2.15 | 0.45 | 2   | 0.28 | 1.55 | 0.3  |
| Shale42 | 54.55 | 144 | 15 | 18   | 120 | 25.6 | 51.7 | 6.3  | 23   | 4.5  | 0.85 | 4.4 | 0.56 | 3.55 | 0.64 |
| Shale43 | 55.7  | 84  | 17 | 128  | 128 | 31.8 | 56.3 | 6.55 | 23.3 | 4.4  | 0.75 | 4.2 | 0.52 | 3.25 | 0.64 |
| Shale44 | 56.3  | 120 | 22 | 24   | 137 | 32.9 | 58.7 | 7.05 | 27   | 5.5  | 1    | 5.4 | 0.66 | 4.35 | 0.82 |
| Shale45 | 57.44 | 72  | 27 | 1440 | 115 | 35.4 | 76.8 | 9.75 | 37.3 | 7.45 | 1.55 | 7.2 | 0.88 | 5.3  | 0.94 |
| Shale46 | 58.55 | 81  | 25 | 18   | 181 | 49.6 | 73   | 7.8  | 27.3 | 5.5  | 1.1  | 5.4 | 0.74 | 4.85 | 0.94 |
| Shale47 | 59.63 | 102 | 17 | 20   | 180 | 42.4 | 56.1 | 5.7  | 19.8 | 3.8  | 0.75 | 4   | 0.52 | 3.35 | 0.66 |

|         |       |     |    |    |     |      |      |      |      |      |      |     |      |      |      |
|---------|-------|-----|----|----|-----|------|------|------|------|------|------|-----|------|------|------|
| Shale48 | 60.2  | 129 | 13 | 26 | 93  | 15.1 | 33   | 4.15 | 15.6 | 3.05 | 0.55 | 3   | 0.4  | 2.35 | 0.48 |
| Shale49 | 61.03 | 156 | 14 | <2 | 106 | 15.2 | 32.4 | 3.95 | 13.7 | 2.65 | 0.5  | 2.4 | 0.4  | 2.3  | 0.5  |
| Shale50 | 62.33 | 135 | 9  | <2 | 98  | 24.8 | 44.5 | 4.85 | 16   | 2.75 | 0.5  | 2.2 | 0.3  | 1.9  | 0.42 |
| Shale51 | 63.65 | 60  | 8  | 6  | 20  | 9.1  | 21.1 | 2.7  | 10.6 | 2.1  | 0.4  | 2   | 0.28 | 1.55 | 0.28 |
| Shale52 | 64.72 | 108 | 15 | 12 | 157 | 17   | 26.3 | 3.1  | 12.3 | 2.75 | 0.55 | 3   | 0.44 | 2.65 | 0.58 |
| Shale53 | 65.05 | 54  | 7  | 4  | 30  | 8    | 18.7 | 2.45 | 9.3  | 1.8  | 0.35 | 1.8 | 0.22 | 1.3  | 0.26 |
| Shale54 | 65.99 | 51  | 8  | 6  | 18  | 9.8  | 26.1 | 3.4  | 13.8 | 2.5  | 0.45 | 2.2 | 0.3  | 1.6  | 0.3  |
| Shale55 | 66.93 | 57  | 7  | 10 | 24  | 10.9 | 23.8 | 2.9  | 10.5 | 2    | 0.4  | 2   | 0.22 | 1.4  | 0.26 |
| Shale56 | 68.68 | 36  | 8  | 16 | 18  | 9    | 21.1 | 2.8  | 11.1 | 2.25 | 0.4  | 2   | 0.26 | 1.5  | 0.26 |
| Shale57 | 69.75 | 30  | 11 | 28 | 96  | 28.3 | 43.6 | 4.6  | 16   | 3    | 0.6  | 3   | 0.36 | 2.15 | 0.44 |
| Shale58 | 70.6  | 36  | 7  | 32 | 45  | 23.9 | 34.2 | 3.25 | 10.8 | 1.95 | 0.4  | 1.8 | 0.22 | 1.3  | 0.26 |
| Shale59 | 71.65 | 24  | 15 | 20 | 98  | 34.4 | 71.6 | 8.45 | 29   | 4.35 | 0.8  | 3.6 | 0.5  | 3    | 0.58 |
| Shale60 | 73.01 | 36  | 13 | 12 | 34  | 23.1 | 42.1 | 4.7  | 17.1 | 3.3  | 0.65 | 2.8 | 0.38 | 2.35 | 0.42 |
| Shale61 | 74.79 | 57  | 13 | <2 | 44  | 21   | 40.1 | 4.5  | 16.5 | 3.65 | 0.85 | 3.2 | 0.44 | 2.4  | 0.48 |
| Shale62 | 76.21 | 21  | 17 | 32 | 80  | 54.7 | 104  | 11.6 | 36.3 | 4.35 | 1.05 | 4   | 0.52 | 3.3  | 0.62 |
| Shale63 | 77.2  | 36  | 14 | 22 | 54  | 28.5 | 55.4 | 6.4  | 21.6 | 3.3  | 0.7  | 3.2 | 0.44 | 2.7  | 0.52 |
| Shale64 | 78.11 | 30  | 15 | 18 | 66  | 34.8 | 67.8 | 7.75 | 26.7 | 4.5  | 1    | 3.8 | 0.52 | 3.1  | 0.58 |
| Shale65 | 78.95 | 33  | 15 | 12 | 45  | 23.5 | 45.3 | 5.05 | 18.1 | 3    | 0.7  | 2.8 | 0.38 | 2.25 | 0.42 |
| Shale66 | 81.12 | 24  | 17 | 26 | 56  | 30.1 | 57.7 | 6.8  | 24.3 | 4.55 | 1.1  | 4.4 | 0.56 | 3.25 | 0.6  |
| Shale67 | 82.01 | 21  | 17 | 28 | 57  | 35.1 | 65.9 | 7.65 | 26.3 | 4.3  | 1.1  | 4.2 | 0.54 | 3.3  | 0.6  |
| Shale68 | 82.61 | 24  | 17 | 28 | 64  | 37.6 | 70.1 | 8.2  | 28.7 | 4.85 | 1.15 | 4.6 | 0.58 | 3.55 | 0.66 |
| Shale69 | 83.59 | 21  | 16 | 30 | 62  | 41.7 | 77.4 | 8.8  | 30.1 | 4.9  | 1.15 | 4.4 | 0.56 | 3.45 | 0.66 |
| Shale70 | 84.16 | 15  | 16 | 34 | 65  | 44.6 | 82   | 9.15 | 30.4 | 4.9  | 1.15 | 4.4 | 0.58 | 3.45 | 0.66 |
| Shale71 | 85.21 | 24  | 17 | 22 | 50  | 28.7 | 55.2 | 6.25 | 22   | 4.35 | 1.1  | 4.2 | 0.56 | 3.4  | 0.66 |
| Shale72 | 86.31 | 15  | 18 | 42 | 74  | 49.1 | 89.4 | 9.75 | 32   | 5.05 | 1.2  | 4.6 | 0.62 | 3.75 | 0.74 |
| Shale73 | 86.79 | 18  | 19 | 36 | 77  | 45.5 | 84.4 | 9.6  | 34.2 | 6.1  | 1.35 | 5.2 | 0.64 | 4    | 0.76 |
| Shale74 | 89.22 | 21  | 17 | 32 | 72  | 20.5 | 49.6 | 6.55 | 26.3 | 5.15 | 1.1  | 4.4 | 0.52 | 3.35 | 0.62 |
| Shale75 | 91.01 | 12  | 18 | 36 | 72  | 29   | 58.6 | 6.85 | 24.8 | 4.75 | 1.2  | 4.6 | 0.58 | 3.5  | 0.64 |
| Shale76 | 91.6  | 9   | 21 | 42 | 77  | 36.8 | 74   | 8.7  | 32.1 | 5.9  | 1.5  | 5.6 | 0.7  | 4.3  | 0.8  |
| Shale77 | 92.29 | 30  | 23 | 42 | 86  | 37.3 | 74.3 | 8.7  | 31.5 | 5.75 | 1.35 | 5.4 | 0.72 | 4.65 | 0.86 |
| Shale78 | 93.46 | 6   | 20 | 42 | 92  | 83.7 | 181  | 17.9 | 62.8 | 9.5  | 2.1  | 7.2 | 0.8  | 4.3  | 0.8  |
| Shale79 | 94.71 | 9   | 19 | 44 | 88  | 58.8 | 112  | 13   | 46.4 | 7.55 | 1.75 | 6.2 | 0.68 | 4.05 | 0.72 |
| Shale80 | 95.16 | 9   | 19 | 38 | 87  | 52.5 | 99.9 | 11.5 | 41.6 | 7.2  | 1.65 | 5.8 | 0.7  | 4.15 | 0.78 |
| Shale81 | 96.12 | 12  | 19 | 36 | 80  | 16   | 32.6 | 4.1  | 15.3 | 3.45 | 1    | 4   | 0.58 | 3.85 | 0.76 |
| Shale82 | 97.09 | 24  | 21 | 42 | 80  | 32.7 | 65.8 | 7.9  | 28.7 | 5.25 | 1.3  | 4.8 | 0.6  | 3.9  | 0.78 |

| IDENT   | Depth | Er    | Tm    | Yb    | Lu    |
|---------|-------|-------|-------|-------|-------|
| UNITS   |       | ppm   | ppm   | ppm   | ppm   |
| SCHEME  |       | MA102 | MA102 | MA102 | MA102 |
| LOD     |       | 0.05  | 0.05  | 0.05  | 0.02  |
| Shale1  | 8.67  | 1.8   | 0.25  | 1.65  | 0.26  |
| Shale2  | 9.35  | 1.15  | 0.15  | 1     | 0.14  |
| Shale3  | 10.68 | 1.25  | 0.2   | 1.2   | 0.16  |
| Shale4  | 11.55 | 1.25  | 0.15  | 1.2   | 0.16  |
| Shale5  | 12.7  | 1.85  | 0.25  | 1.75  | 0.26  |
| Shale6  | 13.7  | 1.9   | 0.25  | 1.9   | 0.28  |
| Shale7  | 15.05 | 1.8   | 0.25  | 1.75  | 0.26  |
| Shale8  | 16.35 | 1.8   | 0.25  | 1.7   | 0.26  |
| Shale9  | 17.72 | 1.15  | 0.15  | 1     | 0.14  |
| Shale10 | 8.67  | 1.25  | 0.15  | 1.15  | 0.16  |
| Shale11 | 20.44 | 1.75  | 0.25  | 1.8   | 0.26  |
| Shale12 | 21.34 | 1.85  | 0.25  | 1.7   | 0.26  |
| Shale13 | 22.55 | 1.55  | 0.2   | 1.45  | 0.22  |
| Shale14 | 23.9  | 1.3   | 0.2   | 1.3   | 0.2   |
| Shale15 | 24.95 | 1.45  | 0.2   | 1.3   | 0.2   |
| Shale16 | 25.78 | 2     | 0.3   | 1.95  | 0.28  |
| Shale17 | 26.12 | 1.3   | 0.2   | 1.45  | 0.2   |
| Shale18 | 28.1  | 1.55  | 0.2   | 1.3   | 0.18  |
| Shale19 | 29    | 2.15  | 0.3   | 2.1   | 0.3   |
| Shale20 | 30.18 | 1.55  | 0.2   | 1.35  | 0.18  |
| Shale21 | 31.1  | 1.5   | 0.2   | 1.5   | 0.24  |
| Shale22 | 32.15 | 1.8   | 0.25  | 1.55  | 0.24  |
| Shale23 | 33.21 | 1.6   | 0.2   | 1.45  | 0.22  |
| Shale24 | 34.12 | 1.05  | 0.15  | 0.95  | 0.16  |
| Shale25 | 35.6  | 1.15  | 0.15  | 1.2   | 0.18  |
| Shale26 | 36.4  | 1.05  | 0.15  | 1.15  | 0.16  |
| Shale27 | 38.4  | 1.4   | 0.15  | 1.2   | 0.16  |
| Shale28 | 39.35 | 1.4   | 0.2   | 1.3   | 0.18  |
| Shale29 | 40.65 | 1.3   | 0.15  | 1.15  | 0.16  |
| Shale30 | 41.75 | 1.25  | 0.15  | 1.15  | 0.16  |
| Shale31 | 42.69 | 1.15  | 0.15  | 1.2   | 0.16  |
| Shale32 | 43.7  | 1.05  | 0.1   | 0.95  | 0.14  |
| Shale33 | 44.76 | 1.5   | 0.2   | 1.45  | 0.2   |
| Shale34 | 45.85 | 1.6   | 0.2   | 1.5   | 0.22  |
| Shale35 | 46.65 | 1.85  | 0.25  | 1.7   | 0.22  |

|         |       |      |      |      |      |
|---------|-------|------|------|------|------|
| Shale36 | 47.75 | 1.55 | 0.25 | 1.6  | 0.24 |
| Shale37 | 48.52 | 1.3  | 0.2  | 1.45 | 0.22 |
| Shale38 | 49.73 | 1.5  | 0.2  | 1.45 | 0.2  |
| Shale39 | 51.62 | 1.5  | 0.25 | 1.7  | 0.24 |
| Shale40 | 52.45 | 1.75 | 0.25 | 1.7  | 0.22 |
| Shale41 | 53.42 | 0.95 | 0.1  | 0.85 | 0.14 |
| Shale42 | 54.55 | 1.95 | 0.3  | 2.2  | 0.3  |
| Shale43 | 55.7  | 2.05 | 0.3  | 2.2  | 0.32 |
| Shale44 | 56.3  | 2.4  | 0.3  | 2.2  | 0.3  |
| Shale45 | 57.44 | 2.6  | 0.3  | 2.3  | 0.34 |
| Shale46 | 58.55 | 3    | 0.45 | 3.05 | 0.44 |
| Shale47 | 59.63 | 2.05 | 0.3  | 2.2  | 0.32 |
| Shale48 | 60.2  | 1.45 | 0.2  | 1.45 | 0.22 |
| Shale49 | 61.03 | 1.55 | 0.25 | 1.6  | 0.24 |
| Shale50 | 62.33 | 1.2  | 0.2  | 1.35 | 0.2  |
| Shale51 | 63.65 | 0.85 | 0.1  | 0.7  | 0.08 |
| Shale52 | 64.72 | 1.75 | 0.3  | 1.75 | 0.26 |
| Shale53 | 65.05 | 0.65 | 0.1  | 0.65 | 0.1  |
| Shale54 | 65.99 | 0.85 | 0.1  | 0.75 | 0.1  |
| Shale55 | 66.93 | 0.75 | 0.1  | 0.65 | 0.08 |
| Shale56 | 68.68 | 0.7  | 0.1  | 0.6  | 0.08 |
| Shale57 | 69.75 | 1.25 | 0.2  | 1.2  | 0.2  |
| Shale58 | 70.6  | 0.8  | 0.1  | 0.7  | 0.1  |
| Shale59 | 71.65 | 1.7  | 0.25 | 1.65 | 0.24 |
| Shale60 | 73.01 | 1.2  | 0.15 | 1.1  | 0.16 |
| Shale61 | 74.79 | 1.35 | 0.15 | 1.15 | 0.18 |
| Shale62 | 76.21 | 1.8  | 0.25 | 1.7  | 0.24 |
| Shale63 | 77.2  | 1.5  | 0.2  | 1.35 | 0.2  |
| Shale64 | 78.11 | 1.75 | 0.2  | 1.65 | 0.24 |
| Shale65 | 78.95 | 1.2  | 0.15 | 1.2  | 0.16 |
| Shale66 | 81.12 | 1.75 | 0.2  | 1.5  | 0.22 |
| Shale67 | 82.01 | 1.75 | 0.25 | 1.55 | 0.22 |
| Shale68 | 82.61 | 1.85 | 0.25 | 1.7  | 0.26 |
| Shale69 | 83.59 | 1.85 | 0.25 | 1.75 | 0.26 |
| Shale70 | 84.16 | 1.8  | 0.25 | 1.75 | 0.24 |
| Shale71 | 85.21 | 1.8  | 0.25 | 1.6  | 0.22 |
| Shale72 | 86.31 | 2.05 | 0.3  | 1.95 | 0.28 |
| Shale73 | 86.79 | 2.25 | 0.3  | 2.2  | 0.28 |
| Shale74 | 89.22 | 1.8  | 0.25 | 1.6  | 0.22 |

|         |       |      |     |      |      |
|---------|-------|------|-----|------|------|
| Shale75 | 91.01 | 1.8  | 0.2 | 1.55 | 0.22 |
| Shale76 | 91.6  | 2.25 | 0.3 | 2    | 0.28 |
| Shale77 | 92.29 | 2.5  | 0.3 | 2.3  | 0.3  |
| Shale78 | 93.46 | 2.2  | 0.3 | 2.15 | 0.34 |
| Shale79 | 94.71 | 2    | 0.3 | 1.9  | 0.3  |
| Shale80 | 95.16 | 2.2  | 0.3 | 1.95 | 0.3  |
| Shale81 | 96.12 | 2.15 | 0.3 | 1.9  | 0.28 |
| Shale82 | 97.09 | 2.3  | 0.3 | 2.1  | 0.3  |

### Drill core MCDD0003 – Wuraliwuntya formation

| IDENT    | Depth  | Ag    | Al    | As    | Ba    | Be    | Bi    | Ca    | Cd    | Co    | Cr    | Cs    | Cu    | Fe    | Ga    |
|----------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| UNITS    |        | ppm   | %     | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   |
| SCHEME   |        | MA102 | LB101 | MA102 | LB101 | MA102 | MA102 | LB101 | MA102 | MA102 | LB101 | MA102 | MA101 | LB101 | MA102 |
| LOD      |        | 0.2   | 0.005 | 1     | 20    | 0.5   | 0.1   | 0.01  | 0.5   | 1     | 20    | 0.1   | 2     | 0.01  | 0.2   |
| Shale83  | 218.33 | <0.2  | 6.83  | 10    | 9640  | 1     | 0.4   | 1.48  | <0.5  | 50    | 60    | 0.6   | 20    | 6.08  | 12.4  |
| Shale84  | 219.3  | <0.2  | 6.58  | 14    | 5000  | 2     | 0.3   | 4.28  | <0.5  | 34    | 40    | 0.6   | 44    | 5.49  | 13.6  |
| Shale85  | 220.65 | <0.2  | 6.51  | 17    | 1680  | 3.5   | 0.8   | 5.95  | <0.5  | 30    | 40    | 5.4   | 44    | 5.73  | 18.8  |
| Shale86  | 222.21 | <0.2  | 4.76  | 17    | 6220  | 4     | 0.7   | 9.75  | <0.5  | 34    | 40    | 8.3   | 68    | 5.27  | 13.4  |
| Shale87  | 223.47 | <0.2  | 6.48  | 33    | 880   | 5     | 0.8   | 6.45  | <0.5  | 33    | 60    | 15.1  | 36    | 6.2   | 18.8  |
| Shale88  | 223.75 | <0.2  | 6.92  | 39    | 380   | 5.5   | 0.8   | 5.8   | <0.5  | 31    | 60    | 15.8  | 40    | 7.21  | 19.2  |
| Shale89  | 224.3  | <0.2  | 7.19  | 38    | 260   | 6.5   | 0.9   | 5.3   | <0.5  | 34    | 60    | 17.8  | 56    | 8.05  | 21.6  |
| Shale90  | 225.1  | <0.2  | 11.4  | 18    | 340   | 9.5   | 0.2   | 0.91  | <0.5  | 24    | 100   | 25.3  | 12    | 3.15  | 33.6  |
| Shale91  | 227.95 | <0.2  | 11.9  | 11    | 400   | 8.5   | 0.7   | 0.14  | <0.5  | 12    | 120   | 26.3  | 14    | 10.2  | 41.2  |
| Shale92  | 235.1  | <0.2  | 9.29  | 10    | 380   | 6.5   | 0.5   | 0.16  | <0.5  | 24    | 80    | 19.5  | 4     | 8.59  | 26.8  |
| Shale93  | 255.9  | <0.2  | 7.48  | 9     | 280   | 6     | 0.9   | 0.12  | <0.5  | 48    | 60    | 14.9  | 6     | 7.03  | 22.2  |
| Shale94  | 257.69 | <0.2  | 12    | 8     | 500   | 8.5   | 1.8   | 0.11  | <0.5  | 15    | 160   | 28    | 6     | 9.56  | 40.2  |
| Shale95  | 259.83 | <0.2  | 10.7  | 20    | 440   | 6.5   | 0.7   | 0.18  | <0.5  | 16    | 100   | 20.6  | 6     | 9.47  | 30.6  |
| Shale96  | 260.9  | <0.2  | 11.2  | 13    | 480   | 8     | 0.8   | 0.14  | <0.5  | 13    | 120   | 20.7  | 8     | 10.6  | 35    |
| Shale97  | 262.13 | <0.2  | 12.1  | 6     | 480   | 10    | 0.2   | 0.15  | <0.5  | 18    | 120   | 22.5  | 6     | 2.97  | 37.6  |
| Shale98  | 263.05 | <0.2  | 10.5  | 6     | 480   | 7.5   | 0.8   | 0.15  | <0.5  | 29    | 120   | 17.9  | 6     | 8.55  | 33    |
| Shale99  | 264.91 | <0.2  | 8.97  | 5     | 420   | 5.5   | 0.4   | 0.16  | <0.5  | 29    | 80    | 13.3  | 6     | 6.34  | 25.8  |
| Shale100 | 265.9  | <0.2  | 10.3  | 6     | 440   | 8     | 0.8   | 0.19  | <0.5  | 18    | 100   | 16    | 6     | 6.93  | 30.8  |
| Shale101 | 266.75 | 0.4   | 12.2  | 33    | 460   | 10.5  | 16.7  | 0.2   | <0.5  | 34    | 100   | 15.5  | 18    | 2.8   | 38.6  |
| Shale102 | 268.35 | 0.4   | 11.1  | 36    | 420   | 6.5   | 5.3   | 1.06  | <0.5  | 34    | 80    | 13.9  | 58    | 3.07  | 34.4  |
| Shale103 | 269.78 | <0.2  | 6.81  | 20    | 520   | 4.5   | 1     | 6.33  | <0.5  | 32    | 60    | 8.2   | 26    | 4.04  | 20.8  |
| Shale104 | 271.21 | <0.2  | 13.6  | 7     | 440   | 8.5   | <0.1  | 0.11  | <0.5  | 10    | 120   | 16.1  | 4     | 5.53  | 41.2  |

|          |        |      |      |    |     |     |      |      |      |    |     |      |     |      |      |
|----------|--------|------|------|----|-----|-----|------|------|------|----|-----|------|-----|------|------|
| Shale105 | 272.37 | <0.2 | 6.53 | 17 | 320 | 3.5 | 1    | 0.23 | <0.5 | 62 | 60  | 6.4  | 46  | 2.51 | 18.2 |
| Shale111 | 274.54 | <0.2 | 9.74 | 4  | 420 | 5   | <0.1 | 1.12 | <0.5 | 13 | 80  | 13   | 52  | 4.08 | 29.6 |
| Shale112 | 276    | <0.2 | 9.9  | 4  | 420 | 5.5 | <0.1 | 0.32 | <0.5 | 22 | 80  | 13   | 8   | 4.27 | 30.4 |
| Shale113 | 281.91 | <0.2 | 10.8 | 4  | 480 | 6   | <0.1 | 0.18 | <0.5 | 11 | 100 | 13.8 | 6   | 4.11 | 33.8 |
| Shale114 | 284.25 | <0.2 | 11.4 | 12 | 500 | 6.5 | 0.7  | 0.18 | <0.5 | 18 | 100 | 15.3 | 6   | 3.02 | 35.8 |
| Shale115 | 290.71 | 0.4  | 10.5 | 48 | 420 | 6.5 | 2.3  | 0.18 | <0.5 | 29 | 80  | 15.2 | 32  | 2.81 | 31.2 |
| Shale116 | 294.5  | <0.2 | 12.3 | 6  | 520 | 8   | 0.6  | 0.19 | <0.5 | 13 | 120 | 20.2 | 6   | 3.97 | 37.6 |
| Shale117 | 297.57 | <0.2 | 5.24 | 24 | 260 | 3   | 2.9  | 1.5  | <0.5 | 97 | 40  | 6.1  | 8   | 2.27 | 14.6 |
| Shale118 | 298.33 | 0.4  | 8.78 | 37 | 380 | 5   | 7.4  | 0.39 | <0.5 | 50 | 80  | 9.8  | 16  | 2.71 | 25.6 |
| Shale119 | 299.1  | <0.2 | 10.7 | 14 | 320 | 8.5 | 1.1  | 0.24 | <0.5 | 20 | 60  | 12.8 | 26  | 2.81 | 33.8 |
| Shale120 | 301.34 | <0.2 | 11.4 | 6  | 480 | 8   | 0.3  | 0.21 | <0.5 | 11 | 120 | 16   | 6   | 5.29 | 36.8 |
| Shale121 | 303.11 | <0.2 | 10.1 | 4  | 420 | 5.5 | 0.2  | 0.17 | <0.5 | 16 | 80  | 12.7 | <2  | 5.25 | 29.8 |
| Shale122 | 304.9  | <0.2 | 9.28 | 4  | 400 | 6.5 | <0.1 | 0.14 | <0.5 | 18 | 80  | 13.1 | 32  | 3.9  | 29.2 |
| Shale123 | 306.53 | <0.2 | 10   | 4  | 420 | 6.5 | <0.1 | 0.19 | <0.5 | 19 | 80  | 13.1 | 46  | 4.13 | 30.6 |
| Shale124 | 309.25 | <0.2 | 9.41 | 6  | 400 | 6   | 0.6  | 0.21 | <0.5 | 15 | 80  | 16.6 | 10  | 7.48 | 27.2 |
| Shale125 | 310.79 | <0.2 | 9.74 | 12 | 380 | 8   | 0.5  | 0.18 | <0.5 | 16 | 80  | 20.6 | 10  | 10.3 | 29.6 |
| Shale126 | 311.17 | <0.2 | 10.1 | 17 | 380 | 7   | 1    | 0.2  | <0.5 | 20 | 80  | 22.5 | 16  | 8.91 | 30.8 |
| Shale127 | 335.16 | <0.2 | 11.4 | 10 | 420 | 7   | 0.5  | 0.23 | <0.5 | 15 | 100 | 25.2 | 14  | 4.69 | 33.6 |
| Shale128 | 335.96 | <0.2 | 10.5 | 7  | 400 | 6   | 0.3  | 0.19 | <0.5 | 16 | 80  | 20.5 | 8   | 2.94 | 26.6 |
| Shale129 | 337.9  | <0.2 | 9.4  | 5  | 400 | 5   | 0.3  | 0.18 | <0.5 | 18 | 80  | 15.1 | 6   | 5.29 | 28.2 |
| Shale130 | 339.08 | <0.2 | 9.77 | 5  | 400 | 6   | 0.4  | 0.25 | <0.5 | 19 | 80  | 15.4 | 6   | 4.76 | 29   |
| Shale131 | 339.94 | <0.2 | 9.27 | 7  | 400 | 4   | 0.4  | 0.21 | <0.5 | 22 | 80  | 14.6 | 180 | 4.74 | 28.6 |
| Shale132 | 341.56 | <0.2 | 10.4 | 4  | 380 | 7   | 0.3  | 0.24 | <0.5 | 15 | 80  | 19.9 | 48  | 5.26 | 33.2 |
| Shale133 | 343.18 | <0.2 | 10   | 6  | 420 | 6.5 | 0.2  | 0.19 | <0.5 | 14 | 80  | 17.4 | 6   | 4.69 | 32.4 |
| Shale134 | 344.25 | <0.2 | 10.4 | 4  | 440 | 6   | 0.2  | 0.19 | <0.5 | 13 | 100 | 19.2 | <2  | 5.06 | 31   |
| Shale135 | 345.4  | <0.2 | 9.57 | 4  | 440 | 5   | 0.4  | 0.29 | <0.5 | 19 | 80  | 15.1 | 6   | 2.59 | 29   |
| Shale136 | 347.81 | <0.2 | 8.61 | 9  | 400 | 5.5 | 1    | 0.31 | <0.5 | 28 | 60  | 12.6 | 22  | 3.23 | 25.4 |
| Shale137 | 348.62 | <0.2 | 10.4 | 6  | 420 | 6   | <0.1 | 0.18 | <0.5 | 16 | 100 | 14.2 | <2  | 2.41 | 33   |
| Shale138 | 350.1  | <0.2 | 9.35 | 6  | 400 | 5   | 0.6  | 0.14 | <0.5 | 18 | 80  | 13.9 | 4   | 5.9  | 27.6 |
| Shale139 | 350.91 | <0.2 | 9.76 | 5  | 440 | 5.5 | 0.7  | 0.16 | <0.5 | 16 | 80  | 13.6 | 110 | 4.82 | 28.8 |
| Shale140 | 352.71 | <0.2 | 10.8 | 4  | 440 | 8   | 0.3  | 0.15 | <0.5 | 14 | 80  | 15.6 | 4   | 2.52 | 32.6 |
| Shale141 | 353.46 | <0.2 | 7.16 | 6  | 360 | 3.5 | 0.7  | 0.12 | <0.5 | 43 | 60  | 10   | 16  | 7.16 | 20.2 |
| Shale142 | 355.11 | <0.2 | 10.2 | 12 | 660 | 6.5 | 0.8  | 0.14 | <0.5 | 17 | 80  | 19.8 | 12  | 8.04 | 31.2 |
| Shale143 | 357.29 | <0.2 | 10.9 | 9  | 460 | 6.5 | 0.8  | 0.17 | <0.5 | 14 | 80  | 19.1 | 24  | 9.35 | 29.4 |

| IDENT    | Depth  | Hf    | In    | K     | Li    | Mg    | Mn     | Mo    | Na    | Nb    | Ni    | P     | Pb    | Rb    | Re    |
|----------|--------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|
| UNITS    |        | ppm   | ppm   | %     | ppm   | %     | %      | ppm   | %     | ppm   | ppm   | %     | ppm   | ppm   | ppm   |
| SCHEME   |        | MA102 | MA102 | LB101 | MA101 | LB101 | LB101  | MA102 | LB101 | MA102 | MA101 | LB101 | MA102 | LB102 | LB102 |
| LOD      |        | 0.2   | 0.05  | 0.01  | 10    | 0.005 | 0.005  | 0.5   | 0.01  | 0.5   | 2     | 0.005 | 1     | 0.5   | 0.1   |
| Shale83  | 218.33 | 1.6   | <0.05 | 7.88  | <10   | 1.19  | 0.125  | <0.5  | 0.16  | 8     | 8     | 0.055 | 5     | 169   | <0.1  |
| Shale84  | 219.3  | 1.6   | 0.1   | 7.02  | <10   | 2.59  | 0.24   | 1     | 0.25  | 8     | 10    | 0.055 | 5     | 153   | <0.1  |
| Shale85  | 220.65 | 1.8   | 0.15  | 5.12  | 20    | 3.82  | 0.36   | 1     | 0.13  | 8.5   | 18    | 0.06  | 8     | 179   | <0.1  |
| Shale86  | 222.21 | 1.2   | 0.15  | 3.23  | 30    | 5.82  | 0.5    | 1     | 0.09  | 7     | 22    | 0.065 | 9     | 147   | <0.1  |
| Shale87  | 223.47 | 3.2   | 0.15  | 4.26  | 30    | 4.39  | 0.535  | 1.5   | 0.09  | 10.5  | 20    | 0.07  | 19    | 200   | <0.1  |
| Shale88  | 223.75 | 2.4   | 0.15  | 4.39  | 30    | 4.05  | 0.48   | 1.5   | 0.09  | 10    | 20    | 0.075 | 19    | 211   | <0.1  |
| Shale89  | 224.3  | 2.2   | 0.15  | 4.35  | 30    | 3.87  | 0.465  | 3.5   | 0.09  | 10    | 20    | 0.075 | 17    | 213   | <0.1  |
| Shale90  | 225.1  | 3.6   | 0.15  | 6.34  | 40    | 2.24  | 0.04   | 1     | 0.1   | 14.5  | 28    | 0.075 | 5     | 353   | <0.1  |
| Shale91  | 227.95 | 5.8   | 0.15  | 6.56  | 30    | 1.49  | 0.01   | 12.5  | 0.09  | 20.5  | 20    | 0.045 | 11    | 356   | <0.1  |
| Shale92  | 235.1  | 5.2   | 0.1   | 5.49  | 20    | 1.03  | <0.005 | 6     | 0.09  | 15.5  | 20    | 0.055 | 14    | 312   | <0.1  |
| Shale93  | 255.9  | 5.2   | 0.15  | 4.47  | 20    | 1.19  | <0.005 | 5     | 0.07  | 12    | 20    | 0.045 | 13    | 230   | <0.1  |
| Shale94  | 257.69 | 7.4   | 0.15  | 6.89  | 20    | 1.35  | <0.005 | 5     | 0.1   | 28    | 22    | 0.035 | 19    | 382   | <0.1  |
| Shale95  | 259.83 | 4.8   | 0.1   | 6.32  | 20    | 1.23  | <0.005 | 4.5   | 0.09  | 18    | 22    | 0.075 | 15    | 331   | <0.1  |
| Shale96  | 260.9  | 8.4   | 0.15  | 6.61  | 20    | 1.17  | 0.01   | 3.5   | 0.1   | 25    | 20    | 0.055 | 17    | 348   | <0.1  |
| Shale97  | 262.13 | 6.6   | 0.2   | 7.25  | 20    | 1.37  | <0.005 | 1     | 0.11  | 22    | 26    | 0.055 | 7     | 373   | <0.1  |
| Shale98  | 263.05 | 5.6   | 0.15  | 6.1   | 20    | 1.14  | <0.005 | 2     | 0.1   | 17.5  | 20    | 0.065 | 14    | 319   | <0.1  |
| Shale99  | 264.91 | 5.2   | 0.1   | 5.81  | 10    | 0.935 | <0.005 | 1     | 0.09  | 14    | 20    | 0.065 | 11    | 284   | <0.1  |
| Shale100 | 265.9  | 5.6   | 0.1   | 6.27  | 20    | 1.13  | <0.005 | 1     | 0.09  | 18    | 20    | 0.08  | 14    | 323   | <0.1  |
| Shale101 | 266.75 | 4.8   | 0.1   | 7.44  | 30    | 1.42  | <0.005 | 40.5  | 0.1   | 19    | 34    | 0.08  | 46    | 363   | <0.1  |
| Shale102 | 268.35 | 4.4   | 0.1   | 6.55  | 20    | 1.71  | 0.025  | 4     | 0.09  | 19    | 30    | 0.08  | 16    | 324   | <0.1  |
| Shale103 | 269.78 | 5.6   | 0.15  | 4.32  | 10    | 3.97  | 0.125  | 1     | 0.08  | 11    | 24    | 0.055 | 10    | 196   | <0.1  |
| Shale104 | 271.21 | 5.8   | 0.15  | 7.33  | 20    | 1.41  | <0.005 | 1     | 0.08  | 22.5  | 22    | 0.035 | 9     | 388   | <0.1  |
| Shale105 | 272.37 | 3.6   | <0.05 | 4.19  | 20    | 1.09  | <0.005 | 1     | 0.08  | 10    | 24    | 0.06  | 12    | 193   | <0.1  |
| Shale111 | 274.54 | 3.6   | <0.05 | 6.26  | 20    | 1.5   | 0.03   | <0.5  | 0.08  | 14.5  | 22    | 0.08  | 8     | 303   | <0.1  |
| Shale112 | 276    | 4.4   | 0.1   | 6.48  | 20    | 1.1   | <0.005 | <0.5  | 0.08  | 17    | 22    | 0.065 | 9     | 296   | <0.1  |
| Shale113 | 281.91 | 5     | 0.1   | 6.93  | 20    | 1.14  | <0.005 | <0.5  | 0.1   | 19    | 20    | 0.07  | 8     | 344   | <0.1  |
| Shale114 | 284.25 | 5.4   | 0.1   | 6.84  | 20    | 1.19  | <0.005 | 1     | 0.09  | 22    | 22    | 0.075 | 12    | 339   | <0.1  |
| Shale115 | 290.71 | 4.4   | <0.05 | 6.57  | 20    | 1.2   | <0.005 | 2     | 0.08  | 16.5  | 26    | 0.075 | 28    | 319   | <0.1  |
| Shale116 | 294.5  | 5.4   | 0.1   | 7.4   | 10    | 1.28  | <0.005 | <0.5  | 0.1   | 23.5  | 20    | 0.08  | 11    | 402   | <0.1  |
| Shale117 | 297.57 | 4.2   | 0.1   | 3.58  | 10    | 1.39  | 0.025  | 1.5   | 0.07  | 10    | 14    | 0.055 | 17    | 165   | <0.1  |
| Shale118 | 298.33 | 3.6   | 0.1   | 5.96  | 10    | 1.09  | <0.005 | 7.5   | 0.09  | 13    | 22    | 0.075 | 32    | 270   | <0.1  |
| Shale119 | 299.1  | 6     | 0.1   | 6.44  | 20    | 1.28  | <0.005 | <0.5  | 0.07  | 19    | 22    | 0.08  | 10    | 287   | <0.1  |
| Shale120 | 301.34 | 5     | 0.1   | 6.72  | 10    | 1.18  | <0.005 | 1     | 0.09  | 20.5  | 20    | 0.09  | 11    | 357   | <0.1  |
| Shale121 | 303.11 | 3.6   | 0.1   | 6.44  | 10    | 1.11  | <0.005 | 1     | 0.08  | 16    | 22    | 0.07  | 9     | 308   | <0.1  |
| Shale122 | 304.9  | 4.2   | 0.1   | 6.07  | 10    | 1.09  | <0.005 | 1     | 0.09  | 16    | 28    | 0.06  | 8     | 307   | <0.1  |

|               |              |           |            |           |           |              |            |            |            |            |            |              |            |            |           |
|---------------|--------------|-----------|------------|-----------|-----------|--------------|------------|------------|------------|------------|------------|--------------|------------|------------|-----------|
| Shale123      | 306.53       | 4.2       | 0.1        | 6.52      | 10        | 1.19         | <0.005     | 1.5        | 0.08       | 16         | 24         | 0.075        | 8          | 304        | <0.1      |
| Shale124      | 309.25       | 3.6       | 0.1        | 6.09      | 10        | 1.05         | <0.005     | 4          | 0.08       | 13.5       | 24         | 0.09         | 12         | 315        | <0.1      |
| Shale125      | 310.79       | 3.6       | 0.1        | 6.06      | 10        | 1.04         | <0.005     | 7.5        | 0.09       | 14.5       | 20         | 0.08         | 16         | 335        | <0.1      |
| Shale126      | 311.17       | 4.2       | 0.1        | 6.08      | 10        | 1.02         | <0.005     | 6          | 0.08       | 15.5       | 20         | 0.085        | 23         | 345        | <0.1      |
| Shale127      | 335.16       | 5.2       | 0.1        | 6.94      | 20        | 1.3          | <0.005     | 2          | 0.09       | 16.5       | 22         | 0.1          | 9          | 379        | <0.1      |
| Shale128      | 335.96       | 4.2       | <0.05      | 6.55      | <10       | 1.14         | <0.005     | 3.5        | 0.09       | 14         | 16         | 0.08         | 7          | 363        | <0.1      |
| Shale129      | 337.9        | 3.6       | <0.05      | 6.02      | 10        | 1.06         | <0.005     | 1          | 0.08       | 14         | 24         | 0.07         | 11         | 292        | <0.1      |
| Shale130      | 339.08       | 3.6       | 0.1        | 6.07      | 10        | 1.18         | <0.005     | 1          | 0.09       | 14.5       | 26         | 0.08         | 10         | 311        | <0.1      |
| Shale131      | 339.94       | 5.4       | <0.05      | 5.87      | 10        | 1.1          | <0.005     | 1          | 0.09       | 16.5       | 28         | 0.07         | 11         | 291        | <0.1      |
| Shale132      | 341.56       | 4.4       | 0.1        | 6.43      | 20        | 1.21         | <0.005     | 1.5        | 0.09       | 18         | 22         | 0.11         | 12         | 334        | <0.1      |
| Shale133      | 343.18       | 4.2       | 0.1        | 6.45      | 10        | 1.12         | <0.005     | 1          | 0.09       | 17         | 24         | 0.08         | 11         | 337        | <0.1      |
| Shale134      | 344.25       | 4.2       | <0.05      | 6.42      | 20        | 1.13         | <0.005     | 1          | 0.09       | 17         | 22         | 0.085        | 11         | 338        | <0.1      |
| Shale135      | 345.4        | 4.6       | <0.05      | 6.18      | 10        | 1.14         | <0.005     | 1          | 0.09       | 17         | 22         | 0.085        | 8          | 306        | <0.1      |
| Shale136      | 347.81       | 4.4       | <0.05      | 5.5       | 10        | 1.08         | <0.005     | 1          | 0.08       | 14         | 26         | 0.07         | 12         | 271        | <0.1      |
| Shale137      | 348.62       | 4.4       | 0.1        | 6.48      | 20        | 1.18         | <0.005     | <0.5       | 0.09       | 17         | 22         | 0.065        | 7          | 313        | <0.1      |
| Shale138      | 350.1        | 3.4       | <0.05      | 6.05      | 10        | 1.08         | <0.005     | 1.5        | 0.08       | 14         | 22         | 0.065        | 12         | 289        | <0.1      |
| Shale139      | 350.91       | 3.8       | 0.15       | 6.15      | 10        | 1.11         | <0.005     | 2          | 0.09       | 15         | 28         | 0.065        | 10         | 291        | <0.1      |
| Shale140      | 352.71       | 3.8       | 0.15       | 6.74      | 10        | 1.19         | <0.005     | 3.5        | 0.08       | 16         | 26         | 0.065        | 7          | 315        | <0.1      |
| Shale141      | 353.46       | 4.4       | 0.15       | 4.5       | 10        | 1.07         | <0.005     | 5.5        | 0.08       | 12.5       | 22         | 0.055        | 14         | 206        | <0.1      |
| Shale142      | 355.11       | 3.6       | 0.15       | 6.08      | 10        | 1.1          | 0.005      | 8          | 0.08       | 15         | 28         | 0.06         | 13         | 307        | <0.1      |
| Shale143      | 357.29       | 3.8       | 0.15       | 6.4       | 10        | 1.12         | <0.005     | 14.5       | 0.09       | 14.5       | 20         | 0.07         | 12         | 315        | <0.1      |
| <b>IDENT</b>  | <b>Depth</b> | <b>S</b>  | <b>Sb</b>  | <b>Sc</b> | <b>Se</b> | <b>Si</b>    | <b>Sn</b>  | <b>Sr</b>  | <b>Ta</b>  | <b>Te</b>  | <b>Th</b>  | <b>Ti</b>    | <b>Tl</b>  | <b>U</b>   | <b>V</b>  |
| <b>UNITS</b>  |              | ppm       | ppm        | ppm       | ppm       | %            | ppm        | ppm        | ppm        | ppm        | ppm        | %            | ppm        | ppm        | ppm       |
| <b>SCHEME</b> |              | MA101     | MA102      | MA101     | MA102     | LB101        | MA102      | MA102      | MA102      | MA102      | MA102      | LB101        | MA102      | MA102      | LB101     |
| <b>LOD</b>    |              | <b>50</b> | <b>0.1</b> | <b>1</b>  | <b>5</b>  | <b>0.005</b> | <b>0.1</b> | <b>0.5</b> | <b>0.1</b> | <b>0.2</b> | <b>0.1</b> | <b>0.005</b> | <b>0.1</b> | <b>0.1</b> | <b>20</b> |
| Shale83       | 218.33       | 1250      | 2          | 11        | <5        | 27.4         | 2.9        | 144        | 0.7        | <0.2       | 9.7        | 0.255        | 0.5        | 3.4        | 40        |
| Shale84       | 219.3        | <50       | 2.3        | 12        | <5        | 23.6         | 3.3        | 82.5       | 0.7        | <0.2       | 11         | 0.265        | 0.4        | 4.1        | 60        |
| Shale85       | 220.65       | <50       | 4.8        | 11        | <5        | 21.4         | 3.3        | 55         | 0.7        | <0.2       | 11.3       | 0.26         | 0.6        | 2.7        | 60        |
| Shale86       | 222.21       | 1100      | 4.1        | 8         | <5        | 14.4         | 2.3        | 151        | 0.6        | <0.2       | 8.6        | 0.185        | 0.4        | 3.5        | 60        |
| Shale87       | 223.47       | <50       | 4          | 14        | <5        | 18.2         | 3.3        | 64.5       | 1          | 0.2        | 12.2       | 0.275        | 0.6        | 4.1        | 80        |
| Shale88       | 223.75       | <50       | 4.8        | 14        | <5        | 19           | 3.3        | 55         | 0.9        | <0.2       | 12.6       | 0.275        | 0.7        | 4.2        | 80        |
| Shale89       | 224.3        | <50       | 5.1        | 15        | <5        | 19           | 3.6        | 56.5       | 1          | <0.2       | 13.5       | 0.285        | 0.7        | 4.4        | 100       |
| Shale90       | 225.1        | 250       | 2.2        | 21        | <5        | 24           | 5.7        | 80         | 1.4        | <0.2       | 18.9       | 0.46         | 1          | 7.3        | 300       |
| Shale91       | 227.95       | <50       | 4.1        | 25        | <5        | 21           | 7.6        | 119        | 1.8        | <0.2       | 27.8       | 0.62         | 1          | 6.9        | 200       |
| Shale92       | 235.1        | <50       | 3.9        | 20        | <5        | 25.5         | 5.1        | 55         | 1.4        | <0.2       | 22.3       | 0.5          | 0.9        | 3.9        | 140       |
| Shale93       | 255.9        | <50       | 3.1        | 17        | <5        | 29.5         | 4.2        | 60         | 1          | <0.2       | 18         | 0.38         | 0.6        | 4.3        | 120       |
| Shale94       | 257.69       | <50       | 5          | 36        | <5        | 21.1         | 9.2        | 49         | 2.6        | <0.2       | 32.8       | 0.785        | 1.2        | 6.9        | 220       |
| Shale95       | 259.83       | <50       | 3.8        | 25        | <5        | 23.4         | 5.4        | 91         | 1.6        | <0.2       | 22.7       | 0.575        | 1          | 6.6        | 180       |
| Shale96       | 260.9        | <50       | 4.4        | 27        | <5        | 21.3         | 8.2        | 135        | 2.2        | <0.2       | 37.6       | 0.775        | 1          | 7          | 200       |

|          |        |      |     |    |    |      |     |      |     |      |      |       |     |      |     |
|----------|--------|------|-----|----|----|------|-----|------|-----|------|------|-------|-----|------|-----|
| Shale97  | 262.13 | <50  | 1.3 | 28 | <5 | 25.5 | 7.1 | 107  | 1.8 | <0.2 | 30.1 | 0.72  | 1.1 | 6.3  | 160 |
| Shale98  | 263.05 | <50  | 3.7 | 21 | <5 | 24   | 7   | 101  | 1.4 | <0.2 | 31.5 | 0.65  | 1   | 5.6  | 200 |
| Shale99  | 264.91 | <50  | 2.3 | 21 | <5 | 27.9 | 4.8 | 80.5 | 1.2 | <0.2 | 20.1 | 0.49  | 0.9 | 4.3  | 140 |
| Shale100 | 265.9  | <50  | 3.1 | 25 | <5 | 25   | 6.4 | 105  | 1.7 | <0.2 | 28.8 | 0.575 | 1   | 5.5  | 180 |
| Shale101 | 266.75 | 3850 | 3   | 26 | <5 | 26.5 | 6.6 | 117  | 1.7 | <0.2 | 25.1 | 0.555 | 1.8 | 32.3 | 240 |
| Shale102 | 268.35 | 2600 | 2.2 | 20 | <5 | 25   | 6   | 97   | 1.7 | <0.2 | 23.8 | 0.535 | 1.7 | 6.9  | 160 |
| Shale103 | 269.78 | 600  | 1.3 | 18 | <5 | 21.9 | 3.8 | 65.5 | 1   | <0.2 | 16.2 | 0.335 | 0.8 | 4    | 100 |
| Shale104 | 271.21 | <50  | 2.2 | 20 | <5 | 22.8 | 8   | 123  | 2.1 | <0.2 | 30.6 | 0.655 | 1   | 6.8  | 200 |
| Shale105 | 272.37 | 1000 | 1.2 | 15 | <5 | 35.1 | 3.3 | 52   | 0.8 | <0.2 | 14.6 | 0.315 | 0.7 | 3.4  | 80  |
| Shale111 | 274.54 | <50  | 1.7 | 23 | <5 | 26.5 | 5.1 | 83   | 1.4 | <0.2 | 20   | 0.46  | 0.9 | 5.7  | 140 |
| Shale112 | 276    | 100  | 2   | 23 | <5 | 29.4 | 5.8 | 96   | 1.5 | <0.2 | 23.6 | 0.515 | 0.9 | 6.2  | 160 |
| Shale113 | 281.91 | 100  | 2   | 20 | <5 | 27.1 | 6.5 | 104  | 1.7 | <0.2 | 26.8 | 0.59  | 1   | 6.9  | 160 |
| Shale114 | 284.25 | 1450 | 2.1 | 26 | <5 | 27.5 | 7.6 | 110  | 2   | <0.2 | 30.3 | 0.64  | 1.4 | 6.5  | 160 |
| Shale115 | 290.71 | 2150 | 2.2 | 24 | <5 | 28   | 5.6 | 93.5 | 1.5 | <0.2 | 22.1 | 0.485 | 2   | 4.9  | 140 |
| Shale116 | 294.5  | 400  | 1.9 | 27 | <5 | 25.1 | 7.5 | 141  | 2.1 | <0.2 | 31.9 | 0.69  | 1.9 | 6.8  | 200 |
| Shale117 | 297.57 | 2000 | 1.2 | 13 | <5 | 33.5 | 3.1 | 44.5 | 0.9 | <0.2 | 12.8 | 0.31  | 2.2 | 3.2  | 80  |
| Shale118 | 298.33 | 4600 | 2.1 | 20 | <5 | 30.7 | 4.9 | 70.5 | 1.2 | <0.2 | 18.2 | 0.415 | 2.7 | 4.2  | 140 |
| Shale119 | 299.1  | 700  | 1.8 | 24 | <5 | 27.5 | 5.7 | 83.5 | 1.5 | <0.2 | 24.1 | 0.555 | 0.9 | 8.5  | 140 |
| Shale120 | 301.34 | 100  | 2.3 | 29 | <5 | 25.4 | 7.8 | 119  | 1.9 | <0.2 | 31.6 | 0.61  | 1   | 6.9  | 180 |
| Shale121 | 303.11 | <50  | 2.2 | 24 | <5 | 27.6 | 5.2 | 85.5 | 1.5 | <0.2 | 21.1 | 0.465 | 0.9 | 4.9  | 140 |
| Shale122 | 304.9  | <50  | 1.8 | 23 | <5 | 29.9 | 5.3 | 79   | 1.4 | <0.2 | 21   | 0.445 | 0.9 | 4.4  | 120 |
| Shale123 | 306.53 | 100  | 1.7 | 24 | <5 | 28.2 | 5.5 | 80.5 | 1.4 | <0.2 | 22   | 0.49  | 0.9 | 4.9  | 140 |
| Shale124 | 309.25 | <50  | 3.5 | 23 | <5 | 27.1 | 5   | 76.5 | 1.3 | <0.2 | 19.4 | 0.425 | 1   | 4.5  | 160 |
| Shale125 | 310.79 | <50  | 5.4 | 24 | <5 | 24.6 | 5.4 | 89.5 | 1.3 | <0.2 | 21.2 | 0.445 | 1   | 4.3  | 160 |
| Shale126 | 311.17 | 100  | 6.8 | 24 | <5 | 25   | 5.7 | 94.5 | 1.4 | <0.2 | 23.3 | 0.47  | 1   | 4.3  | 160 |
| Shale127 | 335.16 | 100  | 3.4 | 30 | <5 | 26.5 | 6.3 | 82.5 | 1.6 | <0.2 | 24.8 | 0.51  | 1.3 | 4.3  | 140 |
| Shale128 | 335.96 | <50  | 2   | 22 | <5 | 28.3 | 5   | 73.5 | 1.3 | <0.2 | 19.9 | 0.49  | 1.1 | 3.9  | 120 |
| Shale129 | 337.9  | <50  | 2.6 | 22 | <5 | 28.2 | 5   | 80.5 | 1.4 | <0.2 | 20.1 | 0.445 | 0.9 | 4.4  | 140 |
| Shale130 | 339.08 | 150  | 2.3 | 21 | <5 | 27.9 | 5.2 | 120  | 1.4 | <0.2 | 21.1 | 0.47  | 0.9 | 4.5  | 140 |
| Shale131 | 339.94 | 250  | 2.4 | 23 | <5 | 29.1 | 5.6 | 82   | 1.6 | 0.2  | 20.9 | 0.455 | 1   | 4.5  | 120 |
| Shale132 | 341.56 | <50  | 2.5 | 24 | <5 | 26.2 | 6.2 | 106  | 1.6 | <0.2 | 25   | 0.515 | 1.1 | 5.6  | 160 |
| Shale133 | 343.18 | <50  | 2.2 | 23 | <5 | 27.8 | 5.8 | 98   | 1.6 | 0.2  | 22.8 | 0.505 | 1.1 | 4.9  | 180 |
| Shale134 | 344.25 | <50  | 2.2 | 23 | <5 | 27.1 | 6.1 | 104  | 1.5 | <0.2 | 24.3 | 0.53  | 1   | 5    | 160 |
| Shale135 | 345.4  | <50  | 1.5 | 18 | <5 | 30   | 5.3 | 92   | 1.5 | <0.2 | 21.3 | 0.525 | 1   | 4.5  | 120 |
| Shale136 | 347.81 | 300  | 1.6 | 16 | <5 | 29.8 | 4.8 | 72.5 | 1.3 | <0.2 | 19   | 0.48  | 1.3 | 4    | 120 |
| Shale137 | 348.62 | <50  | 1.5 | 22 | <5 | 28.5 | 5.9 | 93.5 | 1.5 | <0.2 | 23.5 | 0.535 | 1   | 14.4 | 160 |
| Shale138 | 350.1  | <50  | 2.7 | 17 | <5 | 28.3 | 5   | 102  | 1.4 | <0.2 | 20.4 | 0.435 | 0.9 | 4.1  | 140 |
| Shale139 | 350.91 | 150  | 2.2 | 19 | <5 | 28.6 | 5.2 | 111  | 1.4 | <0.2 | 21   | 0.46  | 1   | 4.3  | 140 |
| Shale140 | 352.71 | <50  | 1.8 | 22 | <5 | 28.7 | 5.7 | 98   | 1.5 | 0.2  | 22.3 | 0.485 | 1.1 | 4.8  | 120 |

|          |        |     |     |    |    |      |     |      |     |      |      |       |     |     |     |
|----------|--------|-----|-----|----|----|------|-----|------|-----|------|------|-------|-----|-----|-----|
| Shale141 | 353.46 | 100 | 3.7 | 16 | <5 | 31.8 | 4.1 | 63.5 | 1.2 | <0.2 | 17.7 | 0.425 | 0.7 | 4.9 | 120 |
| Shale142 | 355.11 | <50 | 4   | 21 | <5 | 26.1 | 5.4 | 102  | 1.4 | <0.2 | 21.3 | 0.455 | 1   | 4.1 | 140 |
| Shale143 | 357.29 | <50 | 4.2 | 19 | <5 | 25.9 | 5.4 | 70   | 1.4 | <0.2 | 20.6 | 0.49  | 1   | 4.3 | 140 |

| IDENT    | Depth  | W     | Y     | Zn    | Zr    | La    | Ce    | Pr    | Nd    | Sm    | Eu    | Gd    | Tb    | Dy    | Ho    |
|----------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| UNITS    |        | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   |
| SCHEME   |        | LB102 | LB102 | MA101 | MA102 | MA102 | MA102 | MA102 | MA102 | MA102 | MA102 | MA102 | MA102 | MA102 | MA102 |
| LOD      |        | 3     | 1     | 2     | 1     | 0.1   | 0.1   | 0.05  | 0.05  | 0.05  | 0.05  | 0.2   | 0.02  | 0.05  | 0.02  |
| Shale83  | 218.33 | 249   | 11    | 4     | 62    | 7.8   | 21.1  | 1.65  | 6     | 1.35  | 0.55  | 1.8   | 0.28  | 1.7   | 0.34  |
| Shale84  | 219.3  | 135   | 15    | 6     | 70    | 25.2  | 68    | 7.3   | 27    | 4.3   | 0.95  | 3.6   | 0.46  | 2.5   | 0.5   |
| Shale85  | 220.65 | 45    | 17    | 18    | 73    | 26.2  | 49.9  | 5.8   | 21.5  | 4.05  | 0.95  | 4     | 0.54  | 3.25  | 0.64  |
| Shale86  | 222.21 | 36    | 17    | 18    | 56    | 26.1  | 47.9  | 6.15  | 22.9  | 4.55  | 1.05  | 4.4   | 0.56  | 3.3   | 0.62  |
| Shale87  | 223.47 | 48    | 18    | 22    | 84    | 36.1  | 70.8  | 8.25  | 29.1  | 4.6   | 1     | 4.4   | 0.6   | 3.65  | 0.72  |
| Shale88  | 223.75 | 30    | 18    | 22    | 86    | 36.4  | 70.9  | 8.3   | 29.2  | 4.75  | 1.05  | 4.4   | 0.62  | 3.7   | 0.72  |
| Shale89  | 224.3  | 30    | 19    | 24    | 90    | 38.2  | 75    | 9.05  | 32.3  | 5.2   | 1.1   | 4.8   | 0.66  | 4.15  | 0.8   |
| Shale90  | 225.1  | 15    | 22    | 36    | 137   | 62    | 124   | 14.1  | 50.3  | 6.3   | 1.1   | 4.4   | 0.58  | 4     | 0.82  |
| Shale91  | 227.95 | 15    | 19    | 36    | 212   | 82.1  | 169   | 16.9  | 56.8  | 8.2   | 1.45  | 4.8   | 0.58  | 3.7   | 0.78  |
| Shale92  | 235.1  | 114   | 33    | 30    | 217   | 35.6  | 68.4  | 7.7   | 28    | 5.45  | 1.2   | 5.8   | 0.78  | 5.15  | 0.98  |
| Shale93  | 255.9  | 309   | 27    | 28    | 234   | 42.2  | 83.2  | 9.75  | 33.9  | 6.1   | 1.2   | 5     | 0.8   | 4.7   | 1.02  |
| Shale94  | 257.69 | 30    | 31    | 38    | 302   | 35.8  | 66.3  | 7.35  | 24.9  | 5     | 1.1   | 5.4   | 0.84  | 5.7   | 1.12  |
| Shale95  | 259.83 | 45    | 32    | 34    | 203   | 64.4  | 122   | 13.9  | 48.4  | 7.55  | 1.45  | 5.6   | 0.92  | 5.2   | 1.02  |
| Shale96  | 260.9  | 24    | 32    | 32    | 368   | 89.5  | 194   | 20.5  | 72.6  | 11    | 1.9   | 7.2   | 0.94  | 5.95  | 1.16  |
| Shale97  | 262.13 | 39    | 42    | 34    | 283   | 64.5  | 127   | 14.7  | 52.5  | 8.85  | 1.7   | 8.2   | 1.12  | 8.1   | 1.48  |
| Shale98  | 263.05 | 165   | 26    | 30    | 242   | 71.4  | 140   | 16    | 56.3  | 8.75  | 1.5   | 6     | 0.76  | 4.8   | 0.96  |
| Shale99  | 264.91 | 177   | 29    | 26    | 225   | 50.2  | 101   | 11.9  | 43.3  | 7.25  | 1.4   | 5.8   | 0.8   | 5     | 0.98  |
| Shale100 | 265.9  | 69    | 31    | 26    | 241   | 66.2  | 131   | 15.6  | 55.8  | 9.5   | 1.75  | 7     | 0.92  | 6.1   | 1.1   |
| Shale101 | 266.75 | 27    | 34    | 28    | 187   | 71.3  | 144   | 16.8  | 61.5  | 10.3  | 1.85  | 8     | 1.08  | 6.75  | 1.28  |
| Shale102 | 268.35 | 30    | 29    | 30    | 201   | 63.2  | 126   | 14.9  | 52.9  | 9.2   | 1.7   | 7.6   | 0.94  | 6     | 1.12  |
| Shale103 | 269.78 | 135   | 25    | 20    | 264   | 41.4  | 82.8  | 10    | 37.5  | 7.25  | 1.55  | 8     | 0.84  | 5.15  | 0.92  |
| Shale104 | 271.21 | 21    | 31    | 30    | 239   | 80.9  | 167   | 19    | 68.8  | 11    | 1.8   | 7     | 0.88  | 6.25  | 1.16  |
| Shale105 | 272.37 | 423   | 24    | 24    | 160   | 41.2  | 83.2  | 10.1  | 36.2  | 7     | 1.25  | 6.2   | 0.86  | 5.6   | 0.98  |
| Shale111 | 274.54 | 48    | 29    | 30    | 149   | 55.2  | 110   | 13.3  | 48.6  | 8.5   | 1.55  | 7.2   | 0.9   | 5.65  | 1.04  |
| Shale112 | 276    | 102   | 27    | 28    | 189   | 67.9  | 134   | 15.6  | 54.9  | 8.85  | 1.55  | 7     | 0.86  | 5.35  | 1.02  |
| Shale113 | 281.91 | 36    | 35    | 32    | 210   | 68.8  | 136   | 15.8  | 57    | 9.6   | 1.75  | 7.6   | 0.98  | 6.55  | 1.24  |
| Shale114 | 284.25 | 30    | 38    | 28    | 234   | 82.1  | 180   | 19.2  | 68.4  | 11.2  | 1.95  | 9     | 1.14  | 7.25  | 1.36  |
| Shale115 | 290.71 | 54    | 30    | 30    | 185   | 62.6  | 126   | 14.9  | 54.3  | 9.2   | 1.6   | 7.2   | 0.92  | 5.95  | 1.12  |
| Shale116 | 294.5  | 24    | 39    | 34    | 201   | 95.9  | 216   | 23.1  | 85.1  | 13.2  | 2.25  | 9.2   | 1.18  | 8.15  | 1.36  |
| Shale117 | 297.57 | 666   | 23    | 18    | 167   | 30.8  | 62    | 7.5   | 27.3  | 5.3   | 1     | 5     | 0.68  | 4.25  | 0.88  |
| Shale118 | 298.33 | 201   | 28    | 20    | 164   | 51.7  | 103   | 12.2  | 44.2  | 7.7   | 1.4   | 6.2   | 0.8   | 5.1   | 0.94  |
| Shale119 | 299.1  | 51    | 36    | 30    | 268   | 47.6  | 98    | 12    | 45    | 9.4   | 1.85  | 9     | 1.2   | 7.75  | 1.46  |
| Shale120 | 301.34 | 27    | 39    | 30    | 212   | 88.6  | 194   | 21.2  | 78.3  | 13.2  | 2.45  | 11    | 1.28  | 7.7   | 1.4   |
| Shale121 | 303.11 | 51    | 31    | 26    | 163   | 56.6  | 113   | 13.5  | 50    | 9.1   | 1.7   | 7.8   | 0.96  | 6     | 1.12  |

|               |              |             |             |             |             |      |      |      |      |      |      |     |      |      |      |
|---------------|--------------|-------------|-------------|-------------|-------------|------|------|------|------|------|------|-----|------|------|------|
| Shale122      | 304.9        | 78          | 34          | 30          | 183         | 53   | 106  | 12.6 | 46.5 | 8.5  | 1.6  | 7.4 | 0.94 | 5.95 | 1.12 |
| Shale123      | 306.53       | 75          | 31          | 28          | 172         | 54.7 | 108  | 13.1 | 47.3 | 8.9  | 1.75 | 8   | 1.06 | 6.2  | 1.14 |
| Shale124      | 309.25       | 45          | 31          | 34          | 148         | 49.4 | 98.9 | 11.7 | 43   | 7.95 | 1.5  | 7.2 | 0.94 | 5.45 | 1    |
| Shale125      | 310.79       | 30          | 32          | 34          | 157         | 55.1 | 110  | 12.9 | 46.2 | 7.95 | 1.5  | 6.8 | 0.86 | 5.55 | 1.04 |
| Shale126      | 311.17       | 57          | 34          | 36          | 179         | 61.8 | 121  | 14.2 | 50.9 | 8.9  | 1.8  | 7.8 | 1    | 6.15 | 1.16 |
| Shale127      | 335.16       | 33          | 36          | 22          | 181         | 54.7 | 108  | 13   | 47.1 | 9.3  | 1.7  | 8   | 1.06 | 6.65 | 1.32 |
| Shale128      | 335.96       | 48          | 34          | 16          | 144         | 47.1 | 93.7 | 11.4 | 40.8 | 7.65 | 1.35 | 6.6 | 0.92 | 5.45 | 1.1  |
| Shale129      | 337.9        | 60          | 30          | 34          | 153         | 50.3 | 99.9 | 11.7 | 43   | 7.7  | 1.45 | 7.2 | 0.92 | 5.85 | 1.06 |
| Shale130      | 339.08       | 84          | 33          | 36          | 161         | 76.5 | 152  | 19.2 | 71   | 12   | 2    | 8.4 | 0.98 | 6.25 | 1.12 |
| Shale131      | 339.94       | 84          | 29          | 38          | 180         | 51.3 | 101  | 12.2 | 44.4 | 8.05 | 1.5  | 7.2 | 0.94 | 5.9  | 1.12 |
| Shale132      | 341.56       | 39          | 31          | 54          | 179         | 71.1 | 141  | 16.9 | 62   | 10.7 | 1.95 | 8.6 | 1.02 | 6.5  | 1.2  |
| Shale133      | 343.18       | 33          | 31          | 34          | 175         | 60.4 | 119  | 14.2 | 51.5 | 8.9  | 1.6  | 7.2 | 0.92 | 5.7  | 1.06 |
| Shale134      | 344.25       | 36          | 30          | 34          | 176         | 67.5 | 133  | 15.8 | 56.3 | 9.3  | 1.7  | 7.4 | 0.92 | 5.5  | 1.06 |
| Shale135      | 345.4        | 81          | 31          | 30          | 201         | 56.1 | 111  | 13.5 | 49   | 8.6  | 1.55 | 7.2 | 0.9  | 5.85 | 1.08 |
| Shale136      | 347.81       | 126         | 28          | 26          | 189         | 43.9 | 87.7 | 10.3 | 37.5 | 6.8  | 1.25 | 6.4 | 0.8  | 5.3  | 1    |
| Shale137      | 348.62       | 63          | 33          | 24          | 189         | 60   | 118  | 13.9 | 50.7 | 8.65 | 1.65 | 7.6 | 1.02 | 6.65 | 1.28 |
| Shale138      | 350.1        | 57          | 28          | 26          | 145         | 64.4 | 127  | 15.6 | 57.8 | 9.6  | 1.7  | 7   | 0.9  | 5.5  | 1.02 |
| Shale139      | 350.91       | 54          | 31          | 26          | 159         | 71.2 | 141  | 17.2 | 62.5 | 10.3 | 1.8  | 7.4 | 0.94 | 5.65 | 1.12 |
| Shale140      | 352.71       | 30          | 33          | 28          | 159         | 67.4 | 141  | 17.4 | 65.8 | 11.7 | 2.05 | 9   | 1.2  | 6.75 | 1.36 |
| Shale141      | 353.46       | 261         | 28          | 26          | 202         | 43   | 81.8 | 9.65 | 34.4 | 6.25 | 1.35 | 6   | 0.92 | 5.05 | 1    |
| Shale142      | 355.11       | 36          | 28          | 32          | 154         | 56.6 | 112  | 13.4 | 48.8 | 8.6  | 1.65 | 6.8 | 0.92 | 5.55 | 1.12 |
| Shale143      | 357.29       | 42          | 30          | 28          | 167         | 46.1 | 91   | 10.7 | 38.1 | 7.15 | 1.4  | 5.8 | 0.84 | 5.15 | 1.04 |
| <b>IDENT</b>  | <b>Depth</b> | <b>Er</b>   | <b>Tm</b>   | <b>Yb</b>   | <b>Lu</b>   |      |      |      |      |      |      |     |      |      |      |
| <b>UNITS</b>  |              | ppm         | ppm         | ppm         | ppm         |      |      |      |      |      |      |     |      |      |      |
| <b>SCHEME</b> |              | MA102       | MA102       | MA102       | MA102       |      |      |      |      |      |      |     |      |      |      |
| <b>LOD</b>    |              | <b>0.05</b> | <b>0.05</b> | <b>0.05</b> | <b>0.02</b> |      |      |      |      |      |      |     |      |      |      |
| Shale83       | 218.33       | 1.05        | 0.15        | 1.1         | 0.18        |      |      |      |      |      |      |     |      |      |      |
| Shale84       | 219.3        | 1.5         | 0.2         | 1.4         | 0.22        |      |      |      |      |      |      |     |      |      |      |
| Shale85       | 220.65       | 1.8         | 0.25        | 1.75        | 0.26        |      |      |      |      |      |      |     |      |      |      |
| Shale86       | 222.21       | 1.75        | 0.25        | 1.65        | 0.24        |      |      |      |      |      |      |     |      |      |      |
| Shale87       | 223.47       | 1.95        | 0.3         | 1.95        | 0.28        |      |      |      |      |      |      |     |      |      |      |
| Shale88       | 223.75       | 2.05        | 0.3         | 1.9         | 0.3         |      |      |      |      |      |      |     |      |      |      |
| Shale89       | 224.3        | 2.35        | 0.3         | 2.05        | 0.32        |      |      |      |      |      |      |     |      |      |      |
| Shale90       | 225.1        | 2.55        | 0.35        | 2.6         | 0.42        |      |      |      |      |      |      |     |      |      |      |
| Shale91       | 227.95       | 2.45        | 0.35        | 2.75        | 0.42        |      |      |      |      |      |      |     |      |      |      |
| Shale92       | 235.1        | 3.05        | 0.4         | 3           | 0.44        |      |      |      |      |      |      |     |      |      |      |
| Shale93       | 255.9        | 2.85        | 0.5         | 2.95        | 0.5         |      |      |      |      |      |      |     |      |      |      |
| Shale94       | 257.69       | 3.45        | 0.5         | 3.75        | 0.58        |      |      |      |      |      |      |     |      |      |      |

|          |        |      |      |      |      |
|----------|--------|------|------|------|------|
| Shale95  | 259.83 | 3.2  | 0.45 | 3.3  | 0.48 |
| Shale96  | 260.9  | 3.75 | 0.5  | 3.95 | 0.62 |
| Shale97  | 262.13 | 4.45 | 0.6  | 4.2  | 0.66 |
| Shale98  | 263.05 | 2.95 | 0.45 | 3.05 | 0.46 |
| Shale99  | 264.91 | 2.8  | 0.4  | 2.75 | 0.42 |
| Shale100 | 265.9  | 3.35 | 0.45 | 3.35 | 0.5  |
| Shale101 | 266.75 | 3.95 | 0.5  | 3.65 | 0.56 |
| Shale102 | 268.35 | 3.4  | 0.45 | 3.25 | 0.46 |
| Shale103 | 269.78 | 2.7  | 0.35 | 2.6  | 0.38 |
| Shale104 | 271.21 | 3.4  | 0.5  | 3.6  | 0.52 |
| Shale105 | 272.37 | 2.85 | 0.4  | 2.5  | 0.4  |
| Shale111 | 274.54 | 3.1  | 0.45 | 2.9  | 0.42 |
| Shale112 | 276    | 3.1  | 0.45 | 3    | 0.44 |
| Shale113 | 281.91 | 3.7  | 0.5  | 3.45 | 0.52 |
| Shale114 | 284.25 | 4.05 | 0.55 | 3.95 | 0.56 |
| Shale115 | 290.71 | 3.35 | 0.45 | 3.2  | 0.44 |
| Shale116 | 294.5  | 4.2  | 0.55 | 4.1  | 0.6  |
| Shale117 | 297.57 | 2.3  | 0.3  | 2.2  | 0.32 |
| Shale118 | 298.33 | 2.75 | 0.35 | 2.7  | 0.38 |
| Shale119 | 299.1  | 4.35 | 0.6  | 4.5  | 0.66 |
| Shale120 | 301.34 | 4.2  | 0.55 | 3.95 | 0.56 |
| Shale121 | 303.11 | 3.25 | 0.45 | 3.15 | 0.5  |
| Shale122 | 304.9  | 3.35 | 0.45 | 3.1  | 0.44 |
| Shale123 | 306.53 | 3.3  | 0.45 | 3.15 | 0.44 |
| Shale124 | 309.25 | 2.9  | 0.35 | 2.75 | 0.42 |
| Shale125 | 310.79 | 3.2  | 0.4  | 2.95 | 0.42 |
| Shale126 | 311.17 | 3.4  | 0.45 | 3.35 | 0.46 |
| Shale127 | 335.16 | 4    | 0.55 | 3.75 | 0.54 |
| Shale128 | 335.96 | 3.2  | 0.45 | 3.05 | 0.44 |
| Shale129 | 337.9  | 3.25 | 0.4  | 3    | 0.42 |
| Shale130 | 339.08 | 3.35 | 0.45 | 3.05 | 0.44 |
| Shale131 | 339.94 | 3.25 | 0.45 | 3.1  | 0.44 |
| Shale132 | 341.56 | 3.6  | 0.5  | 3.5  | 0.52 |
| Shale133 | 343.18 | 3.35 | 0.45 | 3.05 | 0.44 |
| Shale134 | 344.25 | 3.15 | 0.5  | 3    | 0.44 |
| Shale135 | 345.4  | 3.35 | 0.65 | 3.15 | 0.48 |
| Shale136 | 347.81 | 3    | 0.6  | 2.9  | 0.42 |
| Shale137 | 348.62 | 3.85 | 0.5  | 3.6  | 0.5  |

|          |        |      |      |      |      |
|----------|--------|------|------|------|------|
| Shale138 | 350.1  | 3.15 | 0.4  | 2.8  | 0.4  |
| Shale139 | 350.91 | 3.25 | 0.45 | 2.9  | 0.48 |
| Shale140 | 352.71 | 3.85 | 0.55 | 3.65 | 0.6  |
| Shale141 | 353.46 | 2.9  | 0.45 | 2.8  | 0.48 |
| Shale142 | 355.11 | 3.15 | 0.5  | 3    | 0.48 |
| Shale143 | 357.29 | 3.15 | 0.5  | 3.05 | 0.52 |

### Drill Core MCDD0003 – TOC report

| Client ID | Depth | TOC  | S1   | S2   | S3   | Tmax<br>(°C) | Calc.<br>% Ro | HI  | OI  | S2/S3 | S1/TOC<br>*100 | PI   |
|-----------|-------|------|------|------|------|--------------|---------------|-----|-----|-------|----------------|------|
| 1         | 8.67  | 0.27 |      |      | 0.54 | 565          | 3.01          |     | 200 |       |                |      |
| 2         | 9.35  | 0.82 | 0.00 | 0.02 | 0.58 | 558          | 2.88          | 2   | 71  | 0.0   |                |      |
| 3         | 10.68 | 0.32 | 0.00 |      | 0.65 | 524          | 2.27          |     | 203 |       |                |      |
| 4         | 11.55 | 0.26 | 0.00 |      | 0.63 | 596          | 3.57          |     | 242 |       |                |      |
| 5         | 12.7  | 0.33 | 0.01 | 0.02 | 0.49 | 560          | 2.93          | 6   | 148 | 0.0   | 3              | 0.33 |
| 6         | 13.7  | 0.49 | 0.01 | 0.03 | 0.56 | 570          | 3.10          | 6   | 114 | 0.1   | 2              | 0.25 |
| 7         | 15.05 | 0.40 | 0.01 | 0.03 | 0.48 | 309          |               | 8   | 120 | 0.1   | 3              | 0.25 |
| 8         | 16.35 | 0.32 | 0.00 |      | 0.42 | 557          | 2.87          |     | 131 |       |                |      |
| 13        | 22.55 | 0.39 | 0.01 | 0.04 | 0.60 | 609          | 3.80          | 10  | 154 | 0.1   | 3              | 0.20 |
| 23        | 33.21 | 0.23 | 0.01 | 0.01 | 0.12 | 607          | 3.77          | 4   | 52  | 0.1   | 4              | 0.50 |
| 28        | 39.35 | 0.30 | 0.00 | 0.01 | 0.07 | 609          | 3.81          | 3   | 23  | 0.1   |                |      |
| 30        | 41.75 | 2.71 | 0.69 | 4.43 | 0.34 | 422          | 0.44          | 163 | 13  | 13.0  | 25             | 0.13 |
| 31        | 42.69 | 2.61 | 0.48 | 3.11 | 0.05 | 427          | 0.52          | 119 | 2   | 62.2  | 18             | 0.13 |
| 32        | 43.7  | 3.23 | 0.69 | 3.88 | 0.21 | 423          | 0.46          | 120 | 7   | 18.5  | 21             | 0.15 |
| 33        | 44.76 | 2.53 | 0.75 | 2.19 | 0.07 | 428          | 0.55          | 87  | 3   | 31.3  | 30             | 0.26 |
| 34        | 45.85 | 1.06 | 0.16 | 0.37 | 0.70 | 434          | 0.64          | 35  | 66  | 0.5   | 15             | 0.30 |
| 35        | 46.65 | 1.00 | 0.13 | 0.55 | 0.19 | 441          | 0.78          | 55  | 19  | 2.9   | 13             | 0.19 |
| 36        | 47.75 | 1.79 | 0.39 | 1.09 | 0.04 | 444          | 0.83          | 61  | 2   | 27.3  | 22             | 0.26 |
| 37        | 48.52 | 2.26 | 2.00 | 2.01 | 0.27 | 426          | 0.52          | 89  | 12  | 7.4   | 88             | 0.50 |
| 38        | 49.73 | 0.64 | 0.08 | 0.21 | 0.24 | 427          | 0.53          | 33  | 38  | 0.9   | 13             | 0.28 |
| 39        | 51.62 | 0.30 | 0.01 | 0.02 |      | 583          | 3.33          | 7   |     |       | 3              | 0.33 |
| 40        | 52.45 | 2.09 | 0.22 | 0.83 | 0.18 | 438          | 0.73          | 40  | 9   | 4.6   | 11             | 0.21 |
| 41        | 53.42 | 3.18 | 0.22 | 1.75 | 0.29 | 440          | 0.76          | 55  | 9   | 6.0   | 7              | 0.11 |
| 42        | 54.55 | 4.00 | 0.47 | 3.12 | 0.09 | 440          | 0.77          | 78  | 2   | 34.7  | 12             | 0.13 |
| 43        | 55.7  | 3.53 | 0.20 | 2.29 | 0.11 | 446          | 0.87          | 65  | 3   | 20.8  | 6              | 0.08 |
| 44        | 56.3  | 4.71 | 0.36 | 3.63 | 0.19 | 439          | 0.75          | 77  | 4   | 19.1  | 8              | 0.09 |
| 45        | 57.44 | 8.31 | 0.58 | 8.52 | 0.08 | 448          | 0.90          | 103 | 1   | 106.5 | 7              | 0.06 |

|    |        |      |      |      |      |     |      |     |     |      |    |      |
|----|--------|------|------|------|------|-----|------|-----|-----|------|----|------|
| 46 | 58.55  | 4.47 | 0.30 | 2.95 | 0.20 | 444 | 0.82 | 66  | 4   | 14.8 | 7  | 0.09 |
| 47 | 59.63  | 4.01 | 0.23 | 2.50 | 0.14 | 447 | 0.88 | 62  | 3   | 17.9 | 6  | 0.08 |
| 48 | 60.2   | 7.81 | 0.53 | 7.88 | 0.14 | 447 | 0.89 | 101 | 2   | 56.3 | 7  | 0.06 |
| 49 | 61.03  | 4.58 | 0.43 | 2.99 | 0.15 | 440 | 0.75 | 65  | 3   | 19.9 | 9  | 0.13 |
| 50 | 62.33  | 3.07 | 0.20 | 3.46 | 0.14 | 426 | 0.50 | 113 | 5   | 24.7 | 7  | 0.05 |
| 51 | 63.65  | 0.39 | 0.01 | 0.01 | 1.24 | 553 | 2.80 | 3   | 318 | 0.0  | 3  | 0.50 |
| 52 | 64.72  | 0.45 | 0.02 | 0.11 | 0.25 | 404 | 0.12 | 24  | 56  | 0.4  | 4  | 0.15 |
| 53 | 65.05  | 0.39 | 0.00 | 0.01 | 0.68 | 535 | 2.48 | 3   | 174 | 0.0  |    |      |
| 54 | 65.99  | 0.75 | 0.10 | 0.32 | 0.67 | 440 | 0.75 | 43  | 89  | 0.5  | 13 | 0.24 |
| 55 | 66.93  | 0.68 | 0.05 | 0.30 | 0.62 | 436 | 0.69 | 44  | 91  | 0.5  | 7  | 0.14 |
| 56 | 68.68  | 0.69 | 0.07 | 0.36 | 0.52 | 439 | 0.75 | 52  | 75  | 0.7  | 10 | 0.16 |
| 57 | 69.75  | 0.47 | 0.03 | 0.07 | 0.17 | 430 | 0.58 | 15  | 36  | 0.4  | 6  | 0.30 |
| 58 | 70.6   | 0.35 | 0.01 | 0.04 | 0.13 | 449 | 0.93 | 11  | 37  | 0.3  | 3  | 0.20 |
| 59 | 71.65  | 0.42 | 0.00 | 0.01 | 0.11 | 394 |      | 2   | 26  | 0.1  |    |      |
| 60 | 73.01  | 0.35 | 0.01 | 0.03 | 0.34 | 444 | 0.83 | 9   | 97  | 0.1  | 3  | 0.25 |
| 61 | 74.79  | 0.28 | 0.01 | 0.02 | 0.72 | 501 | 1.86 | 7   | 257 | 0.0  | 4  | 0.33 |
| 62 | 76.21  | 0.27 | 0.01 | 0.03 | 0.17 | 338 |      | 11  | 63  | 0.2  | 4  | 0.25 |
| 63 | 77.2   | 0.28 | 0.01 | 0.03 | 0.23 |     |      | 11  | 82  | 0.1  | 4  | 0.25 |
| 64 | 78.11  | 0.36 | 0.01 | 0.02 | 0.12 | 404 | 0.12 | 6   | 33  | 0.2  | 3  | 0.33 |
| 65 | 78.95  | 0.31 | 0.01 | 0.03 | 0.23 | 454 | 1.02 | 10  | 74  | 0.1  | 3  | 0.25 |
| 66 | 81.12  | 0.26 | 0.01 | 0.02 | 0.10 | 451 | 0.96 | 8   | 38  | 0.2  | 4  | 0.33 |
| 67 | 82.01  | 0.29 | 0.02 | 0.04 | 0.11 | 320 |      | 14  | 38  | 0.4  | 7  | 0.33 |
| 68 | 82.61  | 0.35 | 0.00 | 0.02 | 0.86 | 427 | 0.53 | 6   | 246 | 0.0  |    |      |
| 69 | 83.59  | 0.35 | 0.04 | 0.04 | 0.07 | 307 |      | 11  | 20  | 0.6  | 11 | 0.50 |
| 70 | 84.16  | 0.35 | 0.01 | 0.01 | 0.68 | 598 | 3.60 | 3   | 194 | 0.0  | 3  | 0.50 |
| 71 | 85.21  | 0.27 | 0.04 | 0.02 | 0.24 | 302 |      | 7   | 89  | 0.1  | 15 | 0.67 |
| 72 | 86.31  | 0.20 | 0.00 |      | 0.10 | 565 | 3.01 |     | 50  |      |    |      |
| 73 | 86.79  | 0.81 | 0.01 | 0.03 | 0.19 | 558 | 2.89 | 4   | 23  | 0.2  | 1  | 0.25 |
| 74 | 89.22  | 0.12 | 0.00 | 0.01 | 0.08 | 566 | 3.03 | 8   | 67  | 0.1  |    |      |
| 75 | 91.01  | 0.13 | 0.00 | 0.01 | 0.05 | 565 | 3.00 | 8   | 38  | 0.2  |    |      |
| 76 | 91.6   | 0.13 | 0.00 |      | 0.08 | 560 | 2.91 |     | 62  |      |    |      |
| 77 | 92.29  | 0.15 | 0.00 | 0.01 | 0.09 | 306 |      | 7   | 60  | 0.1  |    |      |
| 78 | 93.46  | 0.12 | 0.00 |      | 0.02 | 603 | 3.70 |     | 17  |      |    |      |
| 79 | 94.71  | 0.11 | 0.00 | 0.01 | 0.05 | 564 | 2.99 | 9   | 45  | 0.2  |    |      |
| 80 | 95.16  | 0.10 | 0.00 |      | 0.03 | 570 | 3.10 |     | 30  |      |    |      |
| 81 | 96.12  | 0.10 | 0.01 | 0.02 | 0.03 | 603 | 3.69 | 20  | 30  | 0.7  | 10 | 0.33 |
| 82 | 97.09  | 0.10 | 0.01 | 0.01 | 0.04 | 500 | 1.83 | 10  | 40  | 0.3  | 10 | 0.50 |
| 83 | 218.33 | 0.10 | 0.04 | 0.01 | 0.23 | 542 | 2.60 | 10  | 230 | 0.0  | 40 | 0.80 |

|     |        |      |      |      |      |     |      |     |     |     |     |      |
|-----|--------|------|------|------|------|-----|------|-----|-----|-----|-----|------|
| 84  | 219.3  | 0.47 | 0.04 | 0.03 | 0.43 | 319 |      | 6   | 91  | 0.1 | 9   | 0.57 |
| 85  | 220.65 | 0.07 | 0.03 | 0.02 | 0.15 |     |      | 29  | 214 | 0.1 | 43  | 0.60 |
| 86  | 222.21 | 0.25 | 0.01 | 0.03 | 0.33 | 338 |      | 12  | 132 | 0.1 | 4   | 0.25 |
| 87  | 223.47 | 0.20 | 0.01 | 0.02 | 0.22 | 335 |      | 10  | 110 | 0.1 | 5   | 0.33 |
| 88  | 223.75 | 0.21 | 0.02 | 0.04 | 0.17 | 308 |      | 19  | 81  | 0.2 | 10  | 0.33 |
| 89  | 224.3  | 0.19 | 0.01 | 0.02 | 0.16 | 319 |      | 11  | 84  | 0.1 | 5   | 0.33 |
| 90  | 225.1  | 0.17 | 0.02 | 0.01 | 0.09 | 344 |      | 6   | 53  | 0.1 | 12  | 0.67 |
| 91  | 227.95 | 0.09 | 0.02 | 0.02 | 0.06 | 308 |      | 22  | 67  | 0.3 | 22  | 0.50 |
| 93  | 255.9  | 0.06 | 0.01 | 0.03 | 0.02 | 329 |      | 50  | 33  | 1.5 | 17  | 0.25 |
| 94  | 257.69 | 0.34 | 0.00 |      |      |     |      |     |     |     |     |      |
| 95  | 259.83 | 0.01 | 0.00 | 0.01 | 0.03 | 346 |      | 100 | 300 | 0.3 |     |      |
| 96  | 260.9  | 0.05 | 0.01 | 0.02 | 0.09 | 307 |      | 40  | 180 | 0.2 | 20  | 0.33 |
| 97  | 262.13 |      | 0.00 | 0.01 | 0.07 | 322 |      |     |     | 0.1 |     |      |
| 98  | 263.05 | 0.08 | 0.10 | 0.25 | 0.07 | 320 |      | 313 | 88  | 3.6 | 125 | 0.29 |
| 99  | 264.91 | 0.04 | 0.02 | 0.08 | 0.06 | 337 |      | 200 | 150 | 1.3 | 50  | 0.20 |
| 100 | 265.9  | 0.06 | 0.01 | 0.03 | 0.07 | 352 |      | 50  | 117 | 0.4 | 17  | 0.25 |
| 101 | 266.75 | 0.05 | 0.00 | 0.01 | 0.05 | 327 |      | 20  | 100 | 0.2 |     |      |
| 102 | 268.35 | 0.06 | 0.00 | 0.02 | 0.08 | 361 |      | 33  | 133 | 0.3 |     |      |
| 103 | 269.78 | 0.03 | 0.00 |      | 0.17 | 331 |      |     | 567 |     |     |      |
| 104 | 271.21 | 0.05 | 0.00 |      | 0.19 | 341 |      |     | 380 |     |     |      |
| 105 | 272.37 | 0.06 | 0.00 | 0.02 | 0.13 | 490 | 1.66 | 33  | 217 | 0.2 |     |      |
| 111 | 274.54 | 0.08 | 0.00 | 0.01 | 0.18 | 307 |      | 13  | 225 | 0.1 |     |      |
| 112 | 276    | 0.05 | 0.05 | 0.06 | 0.07 | 333 |      | 120 | 140 | 0.9 | 100 | 0.45 |
| 113 | 281.91 | 0.07 | 0.22 | 0.03 | 0.10 | 387 |      | 43  | 143 | 0.3 | 314 | 0.88 |
| 114 | 284.25 | 0.06 | 0.01 | 0.04 | 0.03 | 370 |      | 67  | 50  | 1.3 | 17  | 0.20 |
| 115 | 290.71 | 0.07 | 0.01 | 0.02 | 0.16 | 388 |      | 29  | 229 | 0.1 | 14  | 0.33 |
| 116 | 294.5  | 0.06 | 0.01 | 0.01 | 0.07 | 339 |      | 17  | 117 | 0.1 | 17  | 0.50 |
| 117 | 297.57 | 0.09 | 0.28 | 0.10 | 0.23 |     |      | 111 | 256 | 0.4 | 311 | 0.74 |
| 118 | 298.33 | 0.05 | 0.03 | 0.02 | 0.06 |     |      | 40  | 120 | 0.3 | 60  | 0.60 |
| 119 | 299.1  | 0.06 | 0.02 | 0.02 | 0.07 | 347 |      | 33  | 117 | 0.3 | 33  | 0.50 |
| 120 | 301.34 | 0.08 | 0.00 | 0.01 | 0.06 | 378 |      | 13  | 75  | 0.2 |     |      |
| 121 | 303.11 | 0.07 | 0.00 | 0.01 | 0.04 | 325 |      | 14  | 57  | 0.3 |     |      |
| 122 | 304.9  | 0.02 | 0.00 | 0.01 | 0.04 | 373 |      | 50  | 200 | 0.3 |     |      |
| 125 | 310.79 | 0.07 | 0.01 | 0.01 | 0.08 | 321 |      | 14  | 114 | 0.1 | 14  | 0.50 |
| 126 | 311.17 | 0.05 | 0.01 | 0.05 | 0.05 | 339 |      | 100 | 100 | 1.0 | 20  | 0.17 |
| 128 | 335.96 | 0.06 | 0.01 | 0.02 | 0.07 | 334 |      | 33  | 117 | 0.3 | 17  | 0.33 |
| 129 | 337.9  | 0.07 | 0.01 | 0.02 | 0.12 | 321 |      | 29  | 171 | 0.2 | 14  | 0.33 |
| 130 | 339.08 | 0.06 | 0.03 | 0.07 | 0.19 | 337 |      | 117 | 317 | 0.4 | 50  | 0.30 |

|     |        |      |      |      |      |     |  |     |     |     |     |      |
|-----|--------|------|------|------|------|-----|--|-----|-----|-----|-----|------|
| 131 | 339.94 | 0.04 | 0.01 | 0.02 | 0.05 | 327 |  | 50  | 125 | 0.4 | 25  | 0.33 |
| 132 | 341.56 | 0.08 | 0.04 | 0.12 | 0.11 | 317 |  | 150 | 138 | 1.1 | 50  | 0.25 |
| 138 | 350.1  | 0.20 | 0.03 | 0.07 | 0.07 | 328 |  | 35  | 35  | 1.0 | 15  | 0.30 |
| 139 | 350.91 | 0.17 | 0.02 | 0.08 | 0.11 | 335 |  | 47  | 65  | 0.7 | 12  | 0.20 |
| 140 | 352.71 | 0.23 | 0.02 | 0.05 | 0.14 | 324 |  | 22  | 61  | 0.4 | 9   | 0.29 |
| 141 | 353.46 | 0.19 | 0.20 | 0.11 | 0.06 |     |  | 58  | 32  | 1.8 | 105 | 0.65 |
| 142 | 355.11 | 0.14 | 0.03 | 0.06 | 0.09 | 322 |  | 43  | 64  | 0.7 | 21  | 0.33 |
| 143 | 357.29 | 0.15 | 0.02 | 0.03 | 0.19 | 335 |  | 20  | 127 | 0.2 | 13  | 0.40 |

### Drill core MCDD0005 – TOC report

| Client ID | Depth  | TOC  | S1   | S2   | S3   | Tmax<br>(°C) | Calc.<br>% Ro | HI | OI  | S2/S3 | S1/TOC<br>*100 | PI   |
|-----------|--------|------|------|------|------|--------------|---------------|----|-----|-------|----------------|------|
| 1         | 165.2  | 0.45 | 0.03 | 0.04 | 0.32 | 359          |               | 9  | 71  | 0.1   | 7              | 0.43 |
| 2         | 166.3  | 0.23 | 0.01 | 0.03 | 0.11 | N/A          |               | 13 | 48  | 0.3   | 4              | 0.25 |
| 3         | 167.3  | 0.25 | 0.01 | 0.02 | 0.17 | 346          |               | 8  | 68  | 0.1   | 4              | 0.33 |
| 4         | 167.9  | 0.40 | 0.04 | 0.07 | 0.32 | 309          |               | 18 | 80  | 0.2   | 10             | 0.36 |
| 5         | 169.9  | 0.74 | 0.02 | 0.09 | 0.22 | 334          |               | 12 | 30  | 0.4   | 3              | 0.18 |
| 6         | 170.7  | 0.21 | 0.01 | 0.03 | 0.10 | 553          | 2.79          | 14 | 48  | 0.3   | 5              | 0.25 |
| 7         | 171.8  | 0.12 | 0.00 | 0.02 | 0.08 | 338          |               | 17 | 67  | 0.3   |                |      |
| 8         | 172.8  | 0.06 | 0.00 |      | 0.02 | 336          |               |    | 33  |       |                |      |
| 9         | 173.9  | 0.05 | 0.00 |      |      | 390          |               |    |     |       |                |      |
| 19        | 185.9  | 0.38 | 0.01 | 0.04 | 0.25 | 314          |               | 11 | 66  | 0.2   | 3              | 0.20 |
| 29        | 198.4  | 0.19 | 0.00 |      | 0.16 | 609          | 3.81          |    | 84  |       |                |      |
| 39        | 210.5  | 0.20 | 0.00 | 0.02 | 0.17 | 606          | 3.75          | 10 | 85  | 0.1   |                |      |
| 49        | 222.9  | 0.42 | 0.00 | 0.01 | 0.41 | 432          | 0.61          | 2  | 98  | 0.0   |                |      |
| 59        | 236.1  | 0.22 | 0.00 |      | 0.41 | 342          |               |    | 186 |       |                |      |
| 69        | 248.6  | 0.20 | 0.01 | 0.01 | 0.19 | 369          |               | 5  | 95  | 0.1   | 5              | 0.50 |
| 79        | 262.6  | 0.17 | 0.00 |      | 0.14 | 550          | 2.73          |    | 82  |       |                |      |
| 89        | 279.1  | 0.22 | 0.01 | 0.05 | 0.23 | 333          |               | 23 | 105 | 0.2   | 5              | 0.17 |
| 99        | 293.9  | 0.20 | 0.01 | 0.02 | 0.24 | 319          |               | 10 | 120 | 0.1   | 5              | 0.33 |
| 109       | 308.9  | 0.15 | 0.00 |      | 0.15 | 576          | 3.20          |    | 100 |       |                |      |
| 119       | 325    | 0.17 | 0.01 | 0.02 | 0.10 | 368          |               | 12 | 59  | 0.2   | 6              | 0.33 |
| 129       | 341.7  | 0.58 | 0.01 | 0.02 | 0.32 | 336          |               | 3  | 55  | 0.1   | 2              | 0.33 |
| 139       | 496.66 | 0.21 | 0.00 | 0.03 | 0.30 | 364          |               | 14 | 143 | 0.1   |                |      |
| 149       | 508.6  | 0.29 | 0.03 | 0.12 | 0.36 | 323          |               | 41 | 124 | 0.3   | 10             | 0.20 |
| 159       | 519.36 | 0.29 | 0.01 | 0.03 | 0.47 | 308          |               | 10 | 162 | 0.1   | 3              | 0.25 |

|     |        |      |      |      |      |     |      |     |    |       |    |      |
|-----|--------|------|------|------|------|-----|------|-----|----|-------|----|------|
| 169 | 531.17 | 0.43 | 0.00 | 0.06 | 0.22 | 358 |      | 14  | 51 | 0.3   |    |      |
| 175 | 539.1  | 0.61 | 0.09 | 0.22 | 0.31 | 440 | 0.76 | 36  | 51 | 0.7   | 15 | 0.29 |
| 176 | 540.7  | 0.71 | 0.13 | 0.39 | 0.28 | 451 | 0.95 | 55  | 39 | 1.4   | 18 | 0.25 |
| 177 | 541.45 | 0.94 | 0.13 | 0.49 | 0.28 | 438 | 0.73 | 52  | 30 | 1.8   | 14 | 0.21 |
| 178 | 544.5  | 3.74 | 1.37 | 5.53 | 0.29 | 433 | 0.63 | 148 | 8  | 19.1  | 37 | 0.20 |
| 179 | 544.8  | 3.52 | 1.50 | 5.38 | 0.08 | 430 | 0.59 | 153 | 2  | 67.3  | 43 | 0.22 |
| 180 | 546.8  | 2.79 | 1.04 | 3.42 | 0.35 | 436 | 0.68 | 123 | 13 | 9.8   | 37 | 0.23 |
| 181 | 547.9  | 1.80 | 0.95 | 4.57 | 0.20 | 422 | 0.44 | 254 | 11 | 22.9  | 53 | 0.17 |
| 182 | 548.9  | 1.54 | 0.33 | 0.97 | 0.08 | 440 | 0.76 | 63  | 5  | 12.1  | 21 | 0.25 |
| 183 | 549.67 | 2.63 | 1.03 | 3.50 | 0.04 | 424 | 0.47 | 133 | 2  | 87.5  | 39 | 0.23 |
| 184 | 550.5  | 2.36 | 0.80 | 1.83 | 0.04 | 438 | 0.73 | 78  | 2  | 45.8  | 34 | 0.30 |
| 185 | 550.9  | 2.47 | 1.02 | 4.12 | 0.04 | 418 | 0.37 | 167 | 2  | 103.0 | 41 | 0.20 |
| 186 | 551.1  | 2.52 | 1.20 | 5.02 | 0.09 | 418 | 0.36 | 199 | 4  | 55.8  | 48 | 0.19 |
| 187 | 551.72 | 2.32 | 0.88 | 3.82 | 0.07 | 416 | 0.33 | 165 | 3  | 54.6  | 38 | 0.19 |
| 188 | 553.38 | 2.23 | 0.79 | 2.90 | 0.08 | 423 | 0.46 | 130 | 4  | 36.3  | 35 | 0.21 |
| 189 | 554.25 | 2.30 | 0.72 | 2.02 | 0.09 | 437 | 0.70 | 88  | 4  | 22.4  | 31 | 0.26 |
| 190 | 554.63 | 1.48 | 0.38 | 0.89 | 0.01 | 438 | 0.73 | 60  | 1  | 89.0  | 26 | 0.30 |
| 191 | 555.39 | 1.81 | 0.72 | 2.97 | 0.09 | 416 | 0.32 | 164 | 5  | 33.0  | 40 | 0.20 |

### Drill core MCDD0005 – Rare earth element concentrations (PAAS normalised)

| ID | LaN  | CeN  | PrN  | NdN  | SmN  | EuN  | GdN  | TbN  | DyN  | HoN  | ErN  | TmN | YbN  | LuN  | YN   |
|----|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|
| 1  | 0.44 | 0.47 | 0.52 | 0.58 | 0.68 | 0.68 | 0.77 | 0.65 | 0.7  | 0.6  | 0.62 | 0.5 | 0.59 | 0.52 | 0.54 |
| 2  | 0.35 | 0.36 | 0.4  | 0.44 | 0.54 | 0.55 | 0.6  | 0.49 | 0.48 | 0.42 | 0.4  | 0.3 | 0.36 | 0.28 | 0.39 |
| 3  | 0.42 | 0.42 | 0.46 | 0.48 | 0.5  | 0.55 | 0.6  | 0.49 | 0.52 | 0.46 | 0.43 | 0.4 | 0.43 | 0.32 | 0.39 |
| 4  | 0.42 | 0.42 | 0.46 | 0.48 | 0.54 | 0.55 | 0.64 | 0.49 | 0.53 | 0.42 | 0.43 | 0.3 | 0.43 | 0.32 | 0.39 |
| 5  | 0.57 | 0.56 | 0.6  | 0.62 | 0.69 | 0.64 | 0.81 | 0.68 | 0.7  | 0.6  | 0.64 | 0.5 | 0.62 | 0.52 | 0.5  |
| 6  | 0.63 | 0.6  | 0.62 | 0.64 | 0.65 | 0.73 | 0.85 | 0.68 | 0.73 | 0.66 | 0.66 | 0.5 | 0.68 | 0.56 | 0.54 |
| 7  | 0.68 | 0.62 | 0.63 | 0.65 | 0.68 | 0.68 | 0.85 | 0.68 | 0.72 | 0.6  | 0.62 | 0.5 | 0.62 | 0.52 | 0.54 |
| 8  | 0.58 | 0.59 | 0.63 | 0.67 | 0.74 | 0.77 | 0.85 | 0.7  | 0.75 | 0.62 | 0.62 | 0.5 | 0.61 | 0.52 | 0.54 |
| 9  | 0.48 | 0.47 | 0.49 | 0.52 | 0.54 | 0.5  | 0.64 | 0.49 | 0.49 | 0.4  | 0.4  | 0.3 | 0.36 | 0.28 | 0.39 |
| 10 | 0.42 | 0.41 | 0.44 | 0.46 | 0.5  | 0.55 | 0.55 | 0.49 | 0.52 | 0.42 | 0.43 | 0.3 | 0.41 | 0.32 | 0.39 |
| 11 | 0.67 | 0.62 | 0.63 | 0.64 | 0.7  | 0.68 | 0.81 | 0.62 | 0.69 | 0.58 | 0.6  | 0.5 | 0.64 | 0.52 | 0.5  |
| 12 | 0.66 | 0.64 | 0.68 | 0.67 | 0.72 | 0.73 | 0.85 | 0.68 | 0.75 | 0.62 | 0.64 | 0.5 | 0.61 | 0.52 | 0.54 |
| 13 | 0.6  | 0.56 | 0.59 | 0.61 | 0.68 | 0.68 | 0.77 | 0.57 | 0.66 | 0.52 | 0.53 | 0.4 | 0.52 | 0.44 | 0.46 |
| 14 | 0.95 | 0.67 | 0.59 | 0.53 | 0.52 | 0.55 | 0.55 | 0.49 | 0.53 | 0.44 | 0.45 | 0.4 | 0.46 | 0.4  | 0.39 |
| 15 | 0.75 | 0.69 | 0.73 | 0.73 | 0.72 | 0.73 | 0.81 | 0.6  | 0.64 | 0.52 | 0.5  | 0.4 | 0.46 | 0.4  | 0.43 |

|    |      |      |      |      |      |      |      |      |      |      |      |     |      |      |      |
|----|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|
| 16 | 0.86 | 0.76 | 0.79 | 0.82 | 0.9  | 0.86 | 0.94 | 0.75 | 0.84 | 0.7  | 0.69 | 0.6 | 0.7  | 0.56 | 0.54 |
| 17 | 0.81 | 0.61 | 0.57 | 0.53 | 0.54 | 0.5  | 0.6  | 0.49 | 0.53 | 0.44 | 0.45 | 0.4 | 0.52 | 0.4  | 0.36 |
| 18 | 0.65 | 0.6  | 0.69 | 0.74 | 0.8  | 0.82 | 0.89 | 0.7  | 0.73 | 0.56 | 0.53 | 0.4 | 0.46 | 0.36 | 0.54 |
| 19 | 0.88 | 0.78 | 0.85 | 0.89 | 0.96 | 0.95 | 1.02 | 0.83 | 0.88 | 0.74 | 0.74 | 0.6 | 0.75 | 0.6  | 0.61 |
| 20 | 0.67 | 0.66 | 0.78 | 0.84 | 0.96 | 0.82 | 0.94 | 0.73 | 0.73 | 0.56 | 0.53 | 0.4 | 0.48 | 0.36 | 0.5  |
| 21 | 1    | 0.73 | 0.69 | 0.64 | 0.68 | 0.68 | 0.77 | 0.62 | 0.65 | 0.52 | 0.52 | 0.4 | 0.54 | 0.48 | 0.43 |
| 22 | 0.88 | 0.82 | 0.93 | 0.98 | 1.09 | 1    | 1.11 | 0.83 | 0.82 | 0.66 | 0.62 | 0.5 | 0.55 | 0.48 | 0.54 |
| 23 | 0.78 | 0.61 | 0.62 | 0.69 | 0.68 | 0.64 | 0.72 | 0.6  | 0.6  | 0.52 | 0.55 | 0.4 | 0.52 | 0.44 | 0.43 |
| 24 | 0.55 | 0.52 | 0.54 | 0.51 | 0.45 | 0.45 | 0.47 | 0.39 | 0.42 | 0.38 | 0.36 | 0.3 | 0.34 | 0.32 | 0.29 |
| 25 | 0.73 | 0.57 | 0.53 | 0.51 | 0.46 | 0.45 | 0.47 | 0.42 | 0.45 | 0.4  | 0.4  | 0.3 | 0.43 | 0.36 | 0.36 |
| 26 | 0.41 | 0.38 | 0.39 | 0.4  | 0.42 | 0.45 | 0.43 | 0.36 | 0.41 | 0.36 | 0.36 | 0.3 | 0.41 | 0.32 | 0.29 |
| 27 | 0.59 | 0.64 | 0.76 | 0.86 | 0.94 | 0.82 | 0.98 | 0.68 | 0.66 | 0.52 | 0.48 | 0.3 | 0.43 | 0.32 | 0.5  |
| 28 | 0.6  | 0.52 | 0.53 | 0.52 | 0.5  | 0.45 | 0.51 | 0.44 | 0.5  | 0.44 | 0.48 | 0.4 | 0.46 | 0.36 | 0.36 |
| 29 | 0.54 | 0.49 | 0.55 | 0.62 | 0.75 | 0.64 | 0.94 | 0.7  | 0.75 | 0.5  | 0.45 | 0.3 | 0.41 | 0.32 | 0.46 |
| 30 | 0.4  | 0.39 | 0.46 | 0.49 | 0.63 | 0.55 | 0.77 | 0.57 | 0.59 | 0.46 | 0.43 | 0.3 | 0.41 | 0.32 | 0.39 |
| 31 | 0.65 | 0.48 | 0.46 | 0.43 | 0.46 | 0.45 | 0.47 | 0.39 | 0.42 | 0.34 | 0.4  | 0.3 | 0.43 | 0.32 | 0.32 |
| 32 | 0.38 | 0.34 | 0.35 | 0.35 | 0.38 | 0.36 | 0.38 | 0.36 | 0.4  | 0.34 | 0.36 | 0.2 | 0.34 | 0.28 | 0.32 |
| 33 | 1.07 | 0.81 | 0.8  | 0.81 | 0.89 | 0.86 | 0.94 | 0.68 | 0.66 | 0.52 | 0.52 | 0.4 | 0.52 | 0.4  | 0.46 |
| 34 | 1.03 | 0.76 | 0.73 | 0.69 | 0.72 | 0.68 | 0.85 | 0.68 | 0.69 | 0.54 | 0.55 | 0.4 | 0.54 | 0.44 | 0.46 |
| 35 | 1.16 | 0.83 | 0.75 | 0.69 | 0.68 | 0.68 | 0.77 | 0.62 | 0.72 | 0.6  | 0.64 | 0.5 | 0.61 | 0.44 | 0.54 |
| 36 | 0.94 | 0.78 | 0.77 | 0.72 | 0.62 | 0.59 | 0.6  | 0.49 | 0.56 | 0.48 | 0.53 | 0.5 | 0.57 | 0.48 | 0.39 |
| 37 | 0.85 | 0.72 | 0.73 | 0.66 | 0.59 | 0.55 | 0.55 | 0.44 | 0.49 | 0.42 | 0.45 | 0.4 | 0.52 | 0.44 | 0.36 |
| 38 | 0.97 | 0.75 | 0.72 | 0.67 | 0.62 | 0.64 | 0.68 | 0.57 | 0.61 | 0.52 | 0.52 | 0.4 | 0.52 | 0.4  | 0.39 |
| 39 | 0.84 | 0.57 | 0.52 | 0.49 | 0.58 | 0.64 | 0.64 | 0.55 | 0.56 | 0.5  | 0.52 | 0.5 | 0.61 | 0.48 | 0.46 |
| 40 | 0.92 | 0.75 | 0.79 | 0.81 | 0.88 | 0.86 | 0.94 | 0.73 | 0.76 | 0.6  | 0.6  | 0.5 | 0.61 | 0.44 | 0.57 |
| 41 | 0.3  | 0.27 | 0.3  | 0.32 | 0.38 | 0.41 | 0.43 | 0.36 | 0.35 | 0.3  | 0.33 | 0.2 | 0.3  | 0.28 | 0.29 |
| 42 | 0.67 | 0.65 | 0.71 | 0.72 | 0.8  | 0.77 | 0.94 | 0.73 | 0.81 | 0.64 | 0.67 | 0.6 | 0.79 | 0.6  | 0.54 |
| 43 | 0.84 | 0.7  | 0.74 | 0.73 | 0.79 | 0.68 | 0.89 | 0.68 | 0.74 | 0.64 | 0.71 | 0.6 | 0.79 | 0.64 | 0.61 |
| 44 | 0.87 | 0.73 | 0.79 | 0.84 | 0.98 | 0.91 | 1.15 | 0.86 | 0.99 | 0.82 | 0.83 | 0.6 | 0.79 | 0.6  | 0.79 |
| 45 | 0.93 | 0.96 | 1.1  | 1.17 | 1.33 | 1.41 | 1.53 | 1.14 | 1.2  | 0.94 | 0.9  | 0.6 | 0.82 | 0.68 | 0.96 |
| 46 | 1.31 | 0.91 | 0.88 | 0.85 | 0.98 | 1    | 1.15 | 0.96 | 1.1  | 0.94 | 1.03 | 0.9 | 1.09 | 0.88 | 0.89 |
| 47 | 1.12 | 0.7  | 0.64 | 0.62 | 0.68 | 0.68 | 0.85 | 0.68 | 0.76 | 0.66 | 0.71 | 0.6 | 0.79 | 0.64 | 0.61 |
| 48 | 0.4  | 0.41 | 0.47 | 0.49 | 0.54 | 0.5  | 0.64 | 0.52 | 0.53 | 0.48 | 0.5  | 0.4 | 0.52 | 0.44 | 0.46 |
| 49 | 0.4  | 0.4  | 0.44 | 0.43 | 0.47 | 0.45 | 0.51 | 0.52 | 0.52 | 0.5  | 0.53 | 0.5 | 0.57 | 0.48 | 0.5  |
| 50 | 0.65 | 0.56 | 0.54 | 0.5  | 0.49 | 0.45 | 0.47 | 0.39 | 0.43 | 0.42 | 0.41 | 0.4 | 0.48 | 0.4  | 0.32 |
| 51 | 0.24 | 0.26 | 0.3  | 0.33 | 0.38 | 0.36 | 0.43 | 0.36 | 0.35 | 0.28 | 0.29 | 0.2 | 0.25 | 0.16 | 0.29 |
| 52 | 0.45 | 0.33 | 0.35 | 0.38 | 0.49 | 0.5  | 0.64 | 0.57 | 0.6  | 0.58 | 0.6  | 0.6 | 0.62 | 0.52 | 0.54 |
| 53 | 0.21 | 0.23 | 0.28 | 0.29 | 0.32 | 0.32 | 0.38 | 0.29 | 0.3  | 0.26 | 0.22 | 0.2 | 0.23 | 0.2  | 0.25 |

|    |      |      |      |      |      |      |      |      |      |      |      |     |      |      |      |
|----|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|
| 54 | 0.26 | 0.33 | 0.38 | 0.43 | 0.45 | 0.41 | 0.47 | 0.39 | 0.36 | 0.3  | 0.29 | 0.2 | 0.27 | 0.2  | 0.29 |
| 55 | 0.29 | 0.3  | 0.33 | 0.33 | 0.36 | 0.36 | 0.43 | 0.29 | 0.32 | 0.26 | 0.26 | 0.2 | 0.23 | 0.16 | 0.25 |
| 56 | 0.24 | 0.26 | 0.31 | 0.35 | 0.4  | 0.36 | 0.43 | 0.34 | 0.34 | 0.26 | 0.24 | 0.2 | 0.21 | 0.16 | 0.29 |
| 57 | 0.74 | 0.55 | 0.52 | 0.5  | 0.54 | 0.55 | 0.64 | 0.47 | 0.49 | 0.44 | 0.43 | 0.4 | 0.43 | 0.4  | 0.39 |
| 58 | 0.63 | 0.43 | 0.37 | 0.34 | 0.35 | 0.36 | 0.38 | 0.29 | 0.3  | 0.26 | 0.28 | 0.2 | 0.25 | 0.2  | 0.25 |
| 59 | 0.91 | 0.89 | 0.95 | 0.91 | 0.78 | 0.73 | 0.77 | 0.65 | 0.68 | 0.58 | 0.59 | 0.5 | 0.59 | 0.48 | 0.54 |
| 60 | 0.61 | 0.53 | 0.53 | 0.53 | 0.59 | 0.59 | 0.6  | 0.49 | 0.53 | 0.42 | 0.41 | 0.3 | 0.39 | 0.32 | 0.46 |
| 61 | 0.55 | 0.5  | 0.51 | 0.52 | 0.65 | 0.77 | 0.68 | 0.57 | 0.55 | 0.48 | 0.47 | 0.3 | 0.41 | 0.36 | 0.46 |
| 62 | 1.44 | 1.3  | 1.3  | 1.13 | 0.78 | 0.95 | 0.85 | 0.68 | 0.75 | 0.62 | 0.62 | 0.5 | 0.61 | 0.48 | 0.61 |
| 63 | 0.75 | 0.69 | 0.72 | 0.68 | 0.59 | 0.64 | 0.68 | 0.57 | 0.61 | 0.52 | 0.52 | 0.4 | 0.48 | 0.4  | 0.5  |
| 64 | 0.92 | 0.85 | 0.87 | 0.83 | 0.8  | 0.91 | 0.81 | 0.68 | 0.7  | 0.58 | 0.6  | 0.4 | 0.59 | 0.48 | 0.54 |
| 65 | 0.62 | 0.57 | 0.57 | 0.57 | 0.54 | 0.64 | 0.6  | 0.49 | 0.51 | 0.42 | 0.41 | 0.3 | 0.43 | 0.32 | 0.54 |
| 66 | 0.79 | 0.72 | 0.76 | 0.76 | 0.81 | 1    | 0.94 | 0.73 | 0.74 | 0.6  | 0.6  | 0.4 | 0.54 | 0.44 | 0.61 |
| 67 | 0.92 | 0.82 | 0.86 | 0.82 | 0.77 | 1    | 0.89 | 0.7  | 0.75 | 0.6  | 0.6  | 0.5 | 0.55 | 0.44 | 0.61 |
| 68 | 0.99 | 0.88 | 0.92 | 0.9  | 0.87 | 1.05 | 0.98 | 0.75 | 0.81 | 0.66 | 0.64 | 0.5 | 0.61 | 0.52 | 0.61 |
| 69 | 1.1  | 0.97 | 0.99 | 0.94 | 0.88 | 1.05 | 0.94 | 0.73 | 0.78 | 0.66 | 0.64 | 0.5 | 0.62 | 0.52 | 0.57 |
| 70 | 1.17 | 1.02 | 1.03 | 0.95 | 0.88 | 1.05 | 0.94 | 0.75 | 0.78 | 0.66 | 0.62 | 0.5 | 0.62 | 0.48 | 0.57 |
| 71 | 0.76 | 0.69 | 0.7  | 0.69 | 0.78 | 1    | 0.89 | 0.73 | 0.77 | 0.66 | 0.62 | 0.5 | 0.57 | 0.44 | 0.61 |
| 72 | 1.29 | 1.12 | 1.1  | 1    | 0.9  | 1.09 | 0.98 | 0.81 | 0.85 | 0.74 | 0.71 | 0.6 | 0.7  | 0.56 | 0.64 |
| 73 | 1.2  | 1.06 | 1.08 | 1.07 | 1.09 | 1.23 | 1.11 | 0.83 | 0.91 | 0.76 | 0.78 | 0.6 | 0.79 | 0.56 | 0.68 |
| 74 | 0.54 | 0.62 | 0.74 | 0.82 | 0.92 | 1    | 0.94 | 0.68 | 0.76 | 0.62 | 0.62 | 0.5 | 0.57 | 0.44 | 0.61 |
| 75 | 0.76 | 0.73 | 0.77 | 0.78 | 0.85 | 1.09 | 0.98 | 0.75 | 0.8  | 0.64 | 0.62 | 0.4 | 0.55 | 0.44 | 0.64 |
| 76 | 0.97 | 0.92 | 0.98 | 1    | 1.05 | 1.36 | 1.19 | 0.91 | 0.98 | 0.8  | 0.78 | 0.6 | 0.71 | 0.56 | 0.75 |
| 77 | 0.98 | 0.93 | 0.98 | 0.98 | 1.03 | 1.23 | 1.15 | 0.94 | 1.06 | 0.86 | 0.86 | 0.6 | 0.82 | 0.6  | 0.82 |
| 78 | 2.2  | 2.26 | 2.01 | 1.96 | 1.7  | 1.91 | 1.53 | 1.04 | 0.98 | 0.8  | 0.76 | 0.6 | 0.77 | 0.68 | 0.71 |
| 79 | 1.55 | 1.4  | 1.46 | 1.45 | 1.35 | 1.59 | 1.32 | 0.88 | 0.92 | 0.72 | 0.69 | 0.6 | 0.68 | 0.6  | 0.68 |
| 80 | 1.38 | 1.25 | 1.29 | 1.3  | 1.29 | 1.5  | 1.23 | 0.91 | 0.94 | 0.78 | 0.76 | 0.6 | 0.7  | 0.6  | 0.68 |
| 81 | 0.42 | 0.41 | 0.46 | 0.48 | 0.62 | 0.91 | 0.85 | 0.75 | 0.88 | 0.76 | 0.74 | 0.6 | 0.68 | 0.56 | 0.68 |
| 82 | 0.86 | 0.82 | 0.89 | 0.9  | 0.94 | 1.18 | 1.02 | 0.78 | 0.89 | 0.78 | 0.79 | 0.6 | 0.75 | 0.6  | 0.75 |
| 83 | 0.21 | 0.26 | 0.19 | 0.19 | 0.24 | 0.5  | 0.38 | 0.36 | 0.39 | 0.34 | 0.36 | 0.3 | 0.39 | 0.36 | 0.39 |
| 84 | 0.66 | 0.85 | 0.82 | 0.84 | 0.77 | 0.86 | 0.77 | 0.6  | 0.57 | 0.5  | 0.52 | 0.4 | 0.5  | 0.44 | 0.54 |
| 85 | 0.69 | 0.62 | 0.65 | 0.67 | 0.72 | 0.86 | 0.85 | 0.7  | 0.74 | 0.64 | 0.62 | 0.5 | 0.62 | 0.52 | 0.61 |
| 86 | 0.69 | 0.6  | 0.69 | 0.72 | 0.81 | 0.95 | 0.94 | 0.73 | 0.75 | 0.62 | 0.6  | 0.5 | 0.59 | 0.48 | 0.61 |
| 87 | 0.95 | 0.88 | 0.93 | 0.91 | 0.82 | 0.91 | 0.94 | 0.78 | 0.83 | 0.72 | 0.67 | 0.6 | 0.7  | 0.56 | 0.64 |
| 88 | 0.96 | 0.89 | 0.93 | 0.91 | 0.85 | 0.95 | 0.94 | 0.81 | 0.84 | 0.72 | 0.71 | 0.6 | 0.68 | 0.6  | 0.64 |
| 89 | 1.01 | 0.94 | 1.02 | 1.01 | 0.93 | 1    | 1.02 | 0.86 | 0.94 | 0.8  | 0.81 | 0.6 | 0.73 | 0.64 | 0.68 |
| 90 | 1.63 | 1.55 | 1.58 | 1.57 | 1.12 | 1    | 0.94 | 0.75 | 0.91 | 0.82 | 0.88 | 0.7 | 0.93 | 0.84 | 0.79 |
| 91 | 2.16 | 2.11 | 1.9  | 1.77 | 1.46 | 1.32 | 1.02 | 0.75 | 0.84 | 0.78 | 0.84 | 0.7 | 0.98 | 0.84 | 0.68 |

|     |      |      |      |      |      |      |      |      |      |      |      |     |      |      |      |
|-----|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|
| 92  | 0.94 | 0.86 | 0.87 | 0.88 | 0.97 | 1.09 | 1.23 | 1.01 | 1.17 | 0.98 | 1.05 | 0.8 | 1.07 | 0.88 | 1.18 |
| 93  | 1.11 | 1.04 | 1.1  | 1.06 | 1.09 | 1.09 | 1.06 | 1.04 | 1.07 | 1.02 | 0.98 | 1   | 1.05 | 1    | 0.96 |
| 94  | 0.94 | 0.83 | 0.83 | 0.78 | 0.89 | 1    | 1.15 | 1.09 | 1.3  | 1.12 | 1.19 | 1   | 1.34 | 1.16 | 1.11 |
| 95  | 1.69 | 1.52 | 1.56 | 1.51 | 1.35 | 1.32 | 1.19 | 1.19 | 1.18 | 1.02 | 1.1  | 0.9 | 1.18 | 0.96 | 1.14 |
| 96  | 2.36 | 2.42 | 2.3  | 2.27 | 1.96 | 1.73 | 1.53 | 1.22 | 1.35 | 1.16 | 1.29 | 1   | 1.41 | 1.24 | 1.14 |
| 97  | 1.7  | 1.59 | 1.65 | 1.64 | 1.58 | 1.55 | 1.74 | 1.45 | 1.84 | 1.48 | 1.53 | 1.2 | 1.5  | 1.32 | 1.5  |
| 98  | 1.88 | 1.75 | 1.8  | 1.76 | 1.56 | 1.36 | 1.28 | 0.99 | 1.09 | 0.96 | 1.02 | 0.9 | 1.09 | 0.92 | 0.93 |
| 99  | 1.32 | 1.26 | 1.34 | 1.35 | 1.29 | 1.27 | 1.23 | 1.04 | 1.14 | 0.98 | 0.97 | 0.8 | 0.98 | 0.84 | 1.04 |
| 100 | 1.74 | 1.64 | 1.75 | 1.74 | 1.7  | 1.59 | 1.49 | 1.19 | 1.39 | 1.1  | 1.16 | 0.9 | 1.2  | 1    | 1.11 |
| 101 | 1.88 | 1.8  | 1.89 | 1.92 | 1.84 | 1.68 | 1.7  | 1.4  | 1.53 | 1.28 | 1.36 | 1   | 1.3  | 1.12 | 1.21 |
| 102 | 1.66 | 1.57 | 1.67 | 1.65 | 1.64 | 1.55 | 1.62 | 1.22 | 1.36 | 1.12 | 1.17 | 0.9 | 1.16 | 0.92 | 1.04 |
| 103 | 1.09 | 1.03 | 1.12 | 1.17 | 1.29 | 1.41 | 1.7  | 1.09 | 1.17 | 0.92 | 0.93 | 0.7 | 0.93 | 0.76 | 0.89 |
| 104 | 2.13 | 2.09 | 2.13 | 2.15 | 1.96 | 1.64 | 1.49 | 1.14 | 1.42 | 1.16 | 1.17 | 1   | 1.29 | 1.04 | 1.11 |
| 105 | 1.08 | 1.04 | 1.13 | 1.13 | 1.25 | 1.14 | 1.32 | 1.12 | 1.27 | 0.98 | 0.98 | 0.8 | 0.89 | 0.8  | 0.86 |
| 111 | 1.45 | 1.38 | 1.49 | 1.52 | 1.52 | 1.41 | 1.53 | 1.17 | 1.28 | 1.04 | 1.07 | 0.9 | 1.04 | 0.84 | 1.04 |
| 112 | 1.79 | 1.68 | 1.75 | 1.72 | 1.58 | 1.41 | 1.49 | 1.12 | 1.22 | 1.02 | 1.07 | 0.9 | 1.07 | 0.88 | 0.96 |
| 113 | 1.81 | 1.7  | 1.78 | 1.78 | 1.71 | 1.59 | 1.62 | 1.27 | 1.49 | 1.24 | 1.28 | 1   | 1.23 | 1.04 | 1.25 |
| 114 | 2.16 | 2.25 | 2.16 | 2.14 | 2    | 1.77 | 1.91 | 1.48 | 1.65 | 1.36 | 1.4  | 1.1 | 1.41 | 1.12 | 1.36 |
| 115 | 1.65 | 1.57 | 1.67 | 1.7  | 1.64 | 1.45 | 1.53 | 1.19 | 1.35 | 1.12 | 1.16 | 0.9 | 1.14 | 0.88 | 1.07 |
| 116 | 2.52 | 2.7  | 2.6  | 2.66 | 2.36 | 2.05 | 1.96 | 1.53 | 1.85 | 1.36 | 1.45 | 1.1 | 1.46 | 1.2  | 1.39 |
| 117 | 0.81 | 0.78 | 0.84 | 0.85 | 0.95 | 0.91 | 1.06 | 0.88 | 0.97 | 0.88 | 0.79 | 0.6 | 0.79 | 0.64 | 0.82 |
| 118 | 1.36 | 1.29 | 1.37 | 1.38 | 1.38 | 1.27 | 1.32 | 1.04 | 1.16 | 0.94 | 0.95 | 0.7 | 0.96 | 0.76 | 1    |
| 119 | 1.25 | 1.23 | 1.35 | 1.41 | 1.68 | 1.68 | 1.91 | 1.56 | 1.76 | 1.46 | 1.5  | 1.2 | 1.61 | 1.32 | 1.29 |
| 120 | 2.33 | 2.42 | 2.38 | 2.45 | 2.36 | 2.23 | 2.34 | 1.66 | 1.75 | 1.4  | 1.45 | 1.1 | 1.41 | 1.12 | 1.39 |
| 121 | 1.49 | 1.41 | 1.52 | 1.56 | 1.62 | 1.55 | 1.66 | 1.25 | 1.36 | 1.12 | 1.12 | 0.9 | 1.12 | 1    | 1.11 |
| 122 | 1.39 | 1.32 | 1.42 | 1.45 | 1.52 | 1.45 | 1.57 | 1.22 | 1.35 | 1.12 | 1.16 | 0.9 | 1.11 | 0.88 | 1.21 |
| 123 | 1.44 | 1.35 | 1.47 | 1.48 | 1.59 | 1.59 | 1.7  | 1.38 | 1.41 | 1.14 | 1.14 | 0.9 | 1.12 | 0.88 | 1.11 |
| 124 | 1.3  | 1.24 | 1.31 | 1.34 | 1.42 | 1.36 | 1.53 | 1.22 | 1.24 | 1    | 1    | 0.7 | 0.98 | 0.84 | 1.11 |
| 125 | 1.45 | 1.38 | 1.45 | 1.44 | 1.42 | 1.36 | 1.45 | 1.12 | 1.26 | 1.04 | 1.1  | 0.8 | 1.05 | 0.84 | 1.14 |
| 126 | 1.63 | 1.51 | 1.6  | 1.59 | 1.59 | 1.64 | 1.66 | 1.3  | 1.4  | 1.16 | 1.17 | 0.9 | 1.2  | 0.92 | 1.21 |
| 127 | 1.44 | 1.35 | 1.46 | 1.47 | 1.66 | 1.55 | 1.7  | 1.38 | 1.51 | 1.32 | 1.38 | 1.1 | 1.34 | 1.08 | 1.29 |
| 128 | 1.24 | 1.17 | 1.28 | 1.27 | 1.37 | 1.23 | 1.4  | 1.19 | 1.24 | 1.1  | 1.1  | 0.9 | 1.09 | 0.88 | 1.21 |
| 129 | 1.32 | 1.25 | 1.31 | 1.34 | 1.38 | 1.32 | 1.53 | 1.19 | 1.33 | 1.06 | 1.12 | 0.8 | 1.07 | 0.84 | 1.07 |
| 130 | 2.01 | 1.9  | 2.16 | 2.22 | 2.14 | 1.82 | 1.79 | 1.27 | 1.42 | 1.12 | 1.16 | 0.9 | 1.09 | 0.88 | 1.18 |
| 131 | 1.35 | 1.26 | 1.37 | 1.39 | 1.44 | 1.36 | 1.53 | 1.22 | 1.34 | 1.12 | 1.12 | 0.9 | 1.11 | 0.88 | 1.04 |
| 132 | 1.87 | 1.76 | 1.9  | 1.94 | 1.91 | 1.77 | 1.83 | 1.32 | 1.48 | 1.2  | 1.24 | 1   | 1.25 | 1.04 | 1.11 |
| 133 | 1.59 | 1.49 | 1.6  | 1.61 | 1.59 | 1.45 | 1.53 | 1.19 | 1.3  | 1.06 | 1.16 | 0.9 | 1.09 | 0.88 | 1.11 |
| 134 | 1.78 | 1.66 | 1.78 | 1.76 | 1.66 | 1.55 | 1.57 | 1.19 | 1.25 | 1.06 | 1.09 | 1   | 1.07 | 0.88 | 1.07 |

|     |      |      |      |      |      |      |      |      |      |      |      |     |      |      |      |
|-----|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|
| 135 | 1.48 | 1.39 | 1.52 | 1.53 | 1.54 | 1.41 | 1.53 | 1.17 | 1.33 | 1.08 | 1.16 | 1.3 | 1.12 | 0.96 | 1.11 |
| 136 | 1.16 | 1.1  | 1.16 | 1.17 | 1.21 | 1.14 | 1.36 | 1.04 | 1.2  | 1    | 1.03 | 1.2 | 1.04 | 0.84 | 1    |
| 137 | 1.58 | 1.48 | 1.56 | 1.58 | 1.54 | 1.5  | 1.62 | 1.32 | 1.51 | 1.28 | 1.33 | 1   | 1.29 | 1    | 1.18 |
| 138 | 1.69 | 1.59 | 1.75 | 1.81 | 1.71 | 1.55 | 1.49 | 1.17 | 1.25 | 1.02 | 1.09 | 0.8 | 1    | 0.8  | 1    |
| 139 | 1.87 | 1.76 | 1.93 | 1.95 | 1.84 | 1.64 | 1.57 | 1.22 | 1.28 | 1.12 | 1.12 | 0.9 | 1.04 | 0.96 | 1.11 |
| 140 | 1.77 | 1.76 | 1.96 | 2.06 | 2.09 | 1.86 | 1.91 | 1.56 | 1.53 | 1.36 | 1.33 | 1.1 | 1.3  | 1.2  | 1.18 |
| 141 | 1.13 | 1.02 | 1.08 | 1.07 | 1.12 | 1.23 | 1.28 | 1.19 | 1.15 | 1    | 1    | 0.9 | 1    | 0.96 | 1    |
| 142 | 1.49 | 1.4  | 1.51 | 1.52 | 1.54 | 1.5  | 1.45 | 1.19 | 1.26 | 1.12 | 1.09 | 1   | 1.07 | 0.96 | 1    |
| 143 | 1.21 | 1.14 | 1.2  | 1.19 | 1.28 | 1.27 | 1.23 | 1.09 | 1.17 | 1.04 | 1.09 | 1   | 1.09 | 1.04 | 1.07 |

### Drill core MCDD0005 – Rare earth element concentrations (PAAS normalised)

| ID | LaN  | CeN  | PrN  | NdN  | SmN  | EuN  | GdN  | TbN  | DyN  | HoN  | ErN  | TmN | YbN  | LuN  | YN   |
|----|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|
| 1  | 0.63 | 0.57 | 0.63 | 0.64 | 0.73 | 0.77 | 0.81 | 0.7  | 0.75 | 0.64 | 0.66 | 0.6 | 0.66 | 0.6  | 0.61 |
| 2  | 0.72 | 0.62 | 0.63 | 0.57 | 0.53 | 0.55 | 0.55 | 0.49 | 0.53 | 0.5  | 0.55 | 0.5 | 0.59 | 0.52 | 0.46 |
| 3  | 1.06 | 0.96 | 1.02 | 0.99 | 0.96 | 1    | 1.06 | 0.88 | 0.89 | 0.74 | 0.79 | 0.7 | 0.77 | 0.68 | 0.71 |
| 4  | 0.53 | 0.51 | 0.57 | 0.6  | 0.73 | 0.73 | 0.81 | 0.68 | 0.74 | 0.64 | 0.66 | 0.6 | 0.62 | 0.52 | 0.64 |
| 5  | 0.71 | 0.64 | 0.68 | 0.69 | 0.72 | 0.77 | 0.81 | 0.65 | 0.7  | 0.62 | 0.66 | 0.6 | 0.68 | 0.6  | 0.57 |
| 6  | 0.65 | 0.56 | 0.58 | 0.59 | 0.58 | 0.55 | 0.6  | 0.55 | 0.61 | 0.5  | 0.57 | 0.5 | 0.55 | 0.48 | 0.54 |
| 7  | 0.73 | 0.71 | 0.8  | 0.83 | 0.89 | 0.86 | 0.98 | 0.78 | 0.76 | 0.64 | 0.66 | 0.6 | 0.64 | 0.56 | 0.71 |
| 8  | 0.68 | 0.59 | 0.65 | 0.68 | 0.81 | 0.91 | 0.94 | 0.81 | 0.81 | 0.68 | 0.69 | 0.6 | 0.66 | 0.6  | 0.61 |
| 9  | 0.84 | 0.73 | 0.75 | 0.73 | 0.77 | 0.82 | 0.85 | 0.7  | 0.7  | 0.6  | 0.62 | 0.6 | 0.64 | 0.56 | 0.57 |
| 10 | 0.51 | 0.5  | 0.6  | 0.67 | 0.87 | 1    | 0.98 | 0.81 | 0.8  | 0.66 | 0.66 | 0.6 | 0.61 | 0.56 | 0.57 |
| 11 | 0.74 | 0.69 | 0.75 | 0.74 | 0.77 | 0.86 | 0.89 | 0.75 | 0.78 | 0.66 | 0.67 | 0.6 | 0.66 | 0.6  | 0.61 |
| 12 | 0.58 | 0.54 | 0.6  | 0.59 | 0.6  | 0.68 | 0.68 | 0.62 | 0.69 | 0.6  | 0.66 | 0.6 | 0.68 | 0.6  | 0.57 |
| 13 | 0.66 | 0.62 | 0.69 | 0.71 | 0.8  | 0.91 | 0.89 | 0.81 | 0.84 | 0.78 | 0.71 | 0.6 | 0.73 | 0.6  | 0.71 |
| 14 | 0.55 | 0.48 | 0.52 | 0.5  | 0.44 | 0.5  | 0.43 | 0.44 | 0.53 | 0.52 | 0.57 | 0.5 | 0.59 | 0.52 | 0.46 |
| 15 | 0.54 | 0.44 | 0.4  | 0.39 | 0.46 | 0.55 | 0.6  | 0.47 | 0.52 | 0.48 | 0.57 | 0.5 | 0.57 | 0.56 | 0.5  |
| 16 | 0.73 | 0.62 | 0.6  | 0.56 | 0.54 | 0.55 | 0.6  | 0.49 | 0.53 | 0.46 | 0.53 | 0.5 | 0.54 | 0.48 | 0.5  |
| 17 | 0.89 | 0.84 | 0.93 | 0.95 | 0.96 | 0.95 | 1.11 | 1.01 | 1.11 | 0.96 | 0.98 | 0.9 | 0.96 | 0.88 | 1    |
| 18 | 0.73 | 0.65 | 0.69 | 0.67 | 0.7  | 0.95 | 0.77 | 0.65 | 0.68 | 0.6  | 0.66 | 0.6 | 0.66 | 0.6  | 0.57 |
| 19 | 0.63 | 0.61 | 0.67 | 0.7  | 0.79 | 0.73 | 0.85 | 0.73 | 0.7  | 0.6  | 0.62 | 0.5 | 0.62 | 0.52 | 0.57 |
| 20 | 0.71 | 0.63 | 0.67 | 0.67 | 0.72 | 0.73 | 0.85 | 0.68 | 0.7  | 0.62 | 0.66 | 0.6 | 0.7  | 0.64 | 0.64 |
| 21 | 0.82 | 0.8  | 0.86 | 0.88 | 0.91 | 0.82 | 0.94 | 0.75 | 0.8  | 0.66 | 0.69 | 0.6 | 0.71 | 0.64 | 0.61 |
| 22 | 0.58 | 0.52 | 0.56 | 0.57 | 0.63 | 0.64 | 0.68 | 0.57 | 0.66 | 0.54 | 0.59 | 0.5 | 0.57 | 0.48 | 0.57 |

|    |      |      |      |      |      |      |      |      |      |      |      |     |      |      |      |
|----|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|
| 23 | 0.88 | 0.81 | 0.88 | 0.85 | 0.87 | 0.82 | 0.94 | 0.75 | 0.81 | 0.7  | 0.71 | 0.6 | 0.68 | 0.64 | 0.57 |
| 24 | 0.85 | 0.77 | 0.84 | 0.8  | 0.84 | 0.82 | 0.89 | 0.78 | 0.82 | 0.74 | 0.74 | 0.7 | 0.75 | 0.68 | 0.68 |
| 25 | 0.46 | 0.46 | 0.51 | 0.55 | 0.66 | 0.68 | 0.77 | 0.62 | 0.62 | 0.48 | 0.5  | 0.4 | 0.5  | 0.44 | 0.54 |
| 26 | 0.66 | 0.68 | 0.75 | 0.76 | 0.81 | 0.77 | 0.89 | 0.75 | 0.8  | 0.68 | 0.72 | 0.6 | 0.68 | 0.6  | 0.68 |
| 27 | 0.92 | 0.86 | 0.92 | 0.91 | 0.88 | 0.77 | 0.89 | 0.78 | 0.81 | 0.7  | 0.72 | 0.7 | 0.77 | 0.68 | 0.68 |
| 28 | 1.05 | 1.14 | 1.3  | 1.33 | 1.18 | 1    | 1.11 | 0.96 | 1.01 | 0.86 | 0.93 | 0.8 | 0.93 | 0.84 | 0.89 |
| 29 | 1.01 | 0.96 | 1.04 | 1.02 | 0.99 | 0.86 | 1.02 | 0.88 | 0.98 | 0.84 | 0.9  | 0.8 | 0.91 | 0.8  | 0.86 |
| 30 | 1.09 | 0.97 | 0.97 | 0.92 | 0.9  | 0.77 | 0.94 | 0.81 | 0.92 | 0.72 | 0.76 | 0.7 | 0.73 | 0.68 | 0.61 |
| 31 | 0.84 | 0.8  | 0.85 | 0.82 | 0.83 | 0.77 | 0.85 | 0.73 | 0.78 | 0.66 | 0.69 | 0.6 | 0.7  | 0.64 | 0.61 |
| 32 | 0.84 | 0.79 | 0.84 | 0.81 | 0.91 | 0.82 | 1.02 | 0.86 | 0.91 | 0.74 | 0.79 | 0.7 | 0.77 | 0.68 | 0.68 |
| 33 | 0.83 | 0.81 | 0.88 | 0.88 | 0.86 | 0.77 | 0.89 | 0.73 | 0.75 | 0.62 | 0.66 | 0.6 | 0.66 | 0.56 | 0.61 |
| 34 | 0.91 | 0.85 | 0.91 | 0.91 | 0.93 | 0.86 | 0.98 | 0.83 | 0.88 | 0.74 | 0.76 | 0.7 | 0.79 | 0.68 | 0.68 |
| 35 | 0.98 | 0.87 | 0.92 | 0.88 | 0.94 | 0.82 | 1.02 | 0.86 | 0.9  | 0.74 | 0.91 | 0.7 | 0.77 | 0.72 | 0.71 |
| 36 | 0.68 | 0.69 | 0.79 | 0.8  | 0.81 | 0.73 | 0.85 | 0.7  | 0.7  | 0.6  | 0.64 | 0.6 | 0.62 | 0.56 | 0.61 |
| 37 | 0.75 | 0.8  | 0.91 | 0.93 | 0.93 | 0.77 | 0.98 | 0.81 | 0.83 | 0.74 | 0.76 | 0.7 | 0.79 | 0.68 | 0.75 |
| 38 | 1.01 | 0.84 | 0.81 | 0.77 | 0.83 | 0.77 | 0.98 | 0.81 | 0.84 | 0.7  | 0.69 | 0.6 | 0.7  | 0.6  | 0.71 |
| 39 | 0.81 | 0.74 | 0.77 | 0.73 | 0.76 | 0.77 | 0.85 | 0.73 | 0.76 | 0.64 | 0.67 | 0.6 | 0.71 | 0.6  | 0.64 |
| 40 | 0.71 | 0.67 | 0.71 | 0.68 | 0.74 | 0.73 | 0.81 | 0.7  | 0.74 | 0.62 | 0.66 | 0.6 | 0.66 | 0.56 | 0.64 |
| 41 | 0.75 | 0.71 | 0.75 | 0.76 | 0.78 | 0.77 | 0.85 | 0.7  | 0.74 | 0.62 | 0.66 | 0.6 | 0.66 | 0.56 | 0.61 |
| 42 | 0.74 | 0.71 | 0.77 | 0.79 | 0.81 | 0.77 | 0.81 | 0.7  | 0.7  | 0.6  | 0.64 | 0.5 | 0.62 | 0.56 | 0.61 |
| 43 | 0.84 | 0.73 | 0.78 | 0.77 | 0.79 | 0.73 | 0.85 | 0.7  | 0.75 | 0.64 | 0.66 | 0.6 | 0.66 | 0.6  | 0.68 |
| 44 | 0.8  | 0.77 | 0.85 | 0.88 | 0.84 | 0.77 | 0.85 | 0.68 | 0.7  | 0.6  | 0.66 | 0.6 | 0.61 | 0.56 | 0.61 |
| 45 | 0.71 | 0.66 | 0.72 | 0.72 | 0.76 | 0.68 | 0.81 | 0.7  | 0.72 | 0.62 | 0.66 | 0.6 | 0.64 | 0.6  | 0.57 |
| 46 | 0.69 | 0.68 | 0.75 | 0.74 | 0.66 | 0.59 | 0.68 | 0.55 | 0.59 | 0.52 | 0.59 | 0.5 | 0.55 | 0.52 | 0.54 |
| 47 | 0.73 | 0.59 | 0.56 | 0.52 | 0.54 | 0.5  | 0.64 | 0.47 | 0.49 | 0.44 | 0.52 | 0.5 | 0.57 | 0.52 | 0.5  |
| 48 | 0.07 | 0.08 | 0.09 | 0.09 | 0.11 | 0.14 | 0.13 | 0.1  | 0.1  | 0.08 | 0.07 | NA  | 0.07 | 0.08 | 0.11 |
| 49 | 0.07 | 0.09 | 0.12 | 0.14 | 0.19 | 0.18 | 0.21 | 0.18 | 0.18 | 0.14 | 0.14 | NA  | 0.11 | 0.08 | 0.14 |
| 50 | 0.36 | 0.39 | 0.43 | 0.43 | 0.38 | 0.36 | 0.34 | 0.29 | 0.32 | 0.26 | 0.28 | 0.2 | 0.29 | 0.24 | 0.29 |
| 51 | 0.06 | 0.08 | 0.1  | 0.1  | 0.14 | 0.18 | 0.17 | 0.13 | 0.14 | 0.12 | 0.09 | NA  | 0.11 | 0.12 | 0.11 |
| 52 | 0.08 | 0.09 | 0.1  | 0.11 | 0.12 | 0.14 | 0.13 | 0.13 | 0.12 | 0.1  | 0.09 | NA  | 0.07 | 0.08 | 0.11 |
| 53 | 0.07 | 0.08 | 0.09 | 0.1  | 0.11 | 0.09 | 0.13 | 0.1  | 0.1  | 0.08 | 0.09 | NA  | 0.07 | 0.04 | 0.07 |
| 54 | 0.26 | 0.24 | 0.25 | 0.25 | 0.26 | 0.23 | 0.26 | 0.23 | 0.24 | 0.2  | 0.21 | 0.2 | 0.21 | 0.2  | 0.21 |
| 55 | 0.06 | 0.07 | 0.08 | 0.09 | 0.11 | 0.14 | 0.13 | 0.1  | 0.11 | 0.08 | 0.09 | NA  | 0.07 | 0.04 | 0.11 |
| 56 | 0.9  | 0.68 | 0.65 | 0.62 | 0.64 | 0.59 | 0.72 | 0.62 | 0.72 | 0.74 | 0.79 | 0.7 | 0.86 | 0.76 | 0.68 |
| 57 | 0.06 | 0.08 | 0.11 | 0.11 | 0.15 | 0.18 | 0.17 | 0.16 | 0.15 | 0.12 | 0.1  | NA  | 0.07 | 0.08 | 0.11 |
| 58 | 0.92 | 0.86 | 0.9  | 0.9  | 0.93 | 0.91 | 0.98 | 0.83 | 0.89 | 0.74 | 0.79 | 0.7 | 0.8  | 0.72 | 0.75 |
| 59 | 0.56 | 0.54 | 0.58 | 0.6  | 0.68 | 0.68 | 0.77 | 0.62 | 0.62 | 0.5  | 0.52 | 0.4 | 0.52 | 0.44 | 0.54 |
| 60 | 0.1  | 0.11 | 0.13 | 0.16 | 0.31 | 0.36 | 0.55 | 0.6  | 0.7  | 0.64 | 0.67 | 0.6 | 0.71 | 0.68 | 0.64 |

|    |      |      |      |      |      |      |      |      |      |      |      |     |      |      |      |
|----|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|
| 61 | 0.88 | 0.78 | 0.82 | 0.81 | 0.84 | 0.82 | 0.89 | 0.73 | 0.8  | 0.66 | 0.66 | 0.6 | 0.66 | 0.56 | 0.64 |
| 62 | 0.06 | 0.05 | 0.08 | 0.06 | 0.06 | 0.09 | 0.09 | 0.05 | 0.06 | 0.04 | 0.03 | NA  | 0.04 | NA   | NA   |
| 63 | 0.73 | 0.69 | 0.74 | 0.74 | 0.71 | 0.68 | 0.72 | 0.6  | 0.68 | 0.54 | 0.59 | 0.5 | 0.59 | 0.52 | 0.54 |
| 64 | 0.51 | 0.49 | 0.52 | 0.54 | 0.61 | 0.59 | 0.72 | 0.57 | 0.59 | 0.5  | 0.53 | 0.5 | 0.54 | 0.48 | 0.5  |
| 65 | 1.04 | 1.02 | 1.11 | 1.14 | 1.16 | 0.95 | 1.11 | 0.91 | 0.93 | 0.74 | 0.78 | 0.7 | 0.75 | 0.68 | 0.61 |
| 66 | 0.51 | 0.49 | 0.53 | 0.55 | 0.56 | 0.5  | 0.6  | 0.52 | 0.53 | 0.48 | 0.5  | 0.4 | 0.5  | 0.44 | 0.46 |
| 67 | 0.72 | 0.67 | 0.7  | 0.69 | 0.67 | 0.59 | 0.68 | 0.55 | 0.57 | 0.48 | 0.52 | 0.5 | 0.54 | 0.48 | 0.5  |
| 68 | 0.61 | 0.57 | 0.59 | 0.58 | 0.51 | 0.45 | 0.51 | 0.44 | 0.48 | 0.42 | 0.45 | 0.4 | 0.46 | 0.4  | 0.46 |
| 69 | 0.59 | 0.57 | 0.58 | 0.6  | 0.56 | 0.55 | 0.6  | 0.47 | 0.53 | 0.44 | 0.47 | 0.4 | 0.48 | 0.44 | 0.46 |
| 70 | 0.76 | 0.71 | 0.74 | 0.75 | 0.69 | 0.64 | 0.68 | 0.57 | 0.62 | 0.52 | 0.57 | 0.5 | 0.59 | 0.52 | 0.57 |
| 71 | 0.52 | 0.44 | 0.47 | 0.48 | 0.56 | 0.55 | 0.64 | 0.55 | 0.59 | 0.5  | 0.53 | 0.5 | 0.54 | 0.48 | 0.54 |
| 72 | 0.66 | 0.62 | 0.66 | 0.69 | 0.72 | 0.64 | 0.77 | 0.65 | 0.68 | 0.58 | 0.64 | 0.5 | 0.62 | 0.56 | 0.57 |
| 73 | 0.63 | 0.6  | 0.63 | 0.65 | 0.69 | 0.68 | 0.72 | 0.62 | 0.68 | 0.56 | 0.59 | 0.5 | 0.59 | 0.52 | 0.57 |
| 74 | 0.73 | 0.7  | 0.72 | 0.72 | 0.69 | 0.64 | 0.68 | 0.55 | 0.6  | 0.48 | 0.55 | 0.4 | 0.52 | 0.48 | 0.54 |
| 75 | 0.32 | 0.37 | 0.37 | 0.38 | 0.42 | 0.45 | 0.51 | 0.39 | 0.41 | 0.36 | 0.33 | 0.3 | 0.27 | 0.24 | 0.36 |
| 76 | 0.59 | 0.55 | 0.58 | 0.6  | 0.65 | 0.64 | 0.72 | 0.57 | 0.62 | 0.54 | 0.59 | 0.5 | 0.59 | 0.56 | 0.57 |
| 77 | 0.67 | 0.66 | 0.68 | 0.7  | 0.64 | 0.55 | 0.64 | 0.49 | 0.52 | 0.44 | 0.48 | 0.4 | 0.48 | 0.44 | 0.46 |
| 78 | 0.4  | 0.4  | 0.42 | 0.44 | 0.49 | 0.5  | 0.55 | 0.44 | 0.47 | 0.4  | 0.41 | 0.4 | 0.41 | 0.36 | 0.46 |
| 79 | 0.66 | 0.63 | 0.63 | 0.64 | 0.65 | 0.55 | 0.64 | 0.55 | 0.62 | 0.54 | 0.6  | 0.6 | 0.64 | 0.56 | 0.61 |
| 80 | 0.58 | 0.55 | 0.58 | 0.61 | 0.65 | 0.64 | 0.72 | 0.62 | 0.65 | 0.54 | 0.57 | 0.5 | 0.54 | 0.52 | 0.57 |
| 81 | 0.72 | 0.69 | 0.71 | 0.74 | 0.8  | 0.77 | 0.98 | 0.94 | 1.01 | 0.84 | 0.91 | 0.8 | 0.89 | 0.8  | 0.93 |
| 82 | 0.77 | 0.66 | 0.7  | 0.69 | 0.74 | 0.73 | 0.81 | 0.7  | 0.7  | 0.6  | 0.66 | 0.5 | 0.59 | 0.56 | 0.57 |
| 83 | 0.85 | 0.77 | 0.81 | 0.82 | 0.86 | 0.86 | 0.94 | 0.81 | 0.82 | 0.7  | 0.71 | 0.6 | 0.68 | 0.6  | 0.71 |
| 84 | 0.87 | 0.8  | 0.85 | 0.87 | 0.9  | 0.91 | 0.98 | 0.83 | 0.89 | 0.76 | 0.83 | 0.7 | 0.77 | 0.68 | 0.75 |
| 85 | 0.63 | 0.57 | 0.61 | 0.64 | 0.73 | 0.77 | 0.85 | 0.75 | 0.84 | 0.7  | 0.74 | 0.6 | 0.7  | 0.6  | 0.71 |
| 86 | 0.73 | 0.74 | 0.78 | 0.81 | 0.86 | 0.77 | 0.89 | 0.73 | 0.77 | 0.64 | 0.66 | 0.6 | 0.62 | 0.56 | 0.68 |
| 87 | 0.95 | 0.92 | 0.94 | 0.96 | 0.97 | 0.91 | 0.98 | 0.81 | 0.86 | 0.74 | 0.76 | 0.7 | 0.77 | 0.68 | 0.75 |
| 88 | 0.76 | 0.77 | 0.81 | 0.86 | 0.9  | 0.91 | 1.02 | 0.88 | 0.94 | 0.82 | 0.86 | 0.7 | 0.77 | 0.72 | 0.89 |
| 89 | 0.89 | 0.73 | 0.77 | 0.77 | 0.8  | 0.77 | 0.89 | 0.78 | 0.8  | 0.7  | 0.72 | 0.6 | 0.71 | 0.64 | 0.75 |
| 90 | 1    | 0.79 | 0.83 | 0.81 | 0.84 | 0.82 | 0.98 | 0.86 | 0.93 | 0.78 | 0.83 | 0.7 | 0.8  | 0.72 | 0.82 |
| 91 | 0.77 | 0.74 | 0.78 | 0.8  | 0.86 | 0.82 | 0.94 | 0.81 | 0.83 | 0.7  | 0.72 | 0.6 | 0.73 | 0.64 | 0.71 |
| 92 | 0.7  | 0.62 | 0.67 | 0.69 | 0.77 | 0.73 | 0.85 | 0.75 | 0.76 | 0.66 | 0.67 | 0.6 | 0.68 | 0.6  | 0.71 |
| 93 | 0.6  | 0.7  | 0.78 | 0.83 | 0.86 | 0.77 | 0.81 | 0.65 | 0.67 | 0.54 | 0.57 | 0.5 | 0.54 | 0.48 | 0.61 |
| 94 | 0.67 | 0.67 | 0.69 | 0.73 | 0.8  | 0.77 | 0.89 | 0.83 | 0.86 | 0.74 | 0.78 | 0.7 | 0.75 | 0.68 | 0.82 |
| 95 | 0.7  | 0.73 | 0.78 | 0.83 | 0.96 | 0.91 | 0.98 | 0.83 | 0.89 | 0.74 | 0.78 | 0.7 | 0.75 | 0.68 | 0.75 |
| 96 | 0.95 | 0.92 | 0.95 | 0.96 | 0.94 | 0.86 | 0.98 | 0.83 | 0.86 | 0.72 | 0.74 | 0.7 | 0.73 | 0.68 | 0.75 |
| 97 | 0.91 | 0.87 | 0.92 | 0.95 | 0.91 | 0.86 | 0.98 | 0.81 | 0.88 | 0.72 | 0.79 | 0.7 | 0.77 | 0.68 | 0.71 |
| 98 | 0.69 | 0.66 | 0.7  | 0.72 | 0.82 | 0.82 | 0.89 | 0.78 | 0.84 | 0.72 | 0.76 | 0.6 | 0.71 | 0.68 | 0.75 |

|     |      |      |      |      |      |      |      |      |      |      |      |     |      |      |      |
|-----|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|
| 99  | 0.71 | 0.69 | 0.73 | 0.76 | 0.81 | 0.77 | 0.85 | 0.7  | 0.74 | 0.64 | 0.64 | 0.6 | 0.62 | 0.56 | 0.68 |
| 100 | 0.81 | 0.77 | 0.83 | 0.86 | 0.89 | 0.82 | 0.98 | 0.86 | 0.84 | 0.74 | 0.72 | 0.6 | 0.71 | 0.64 | 0.82 |
| 101 | 0.85 | 0.84 | 0.87 | 0.9  | 0.9  | 0.91 | 0.98 | 0.83 | 0.84 | 0.7  | 0.72 | 0.6 | 0.71 | 0.68 | 0.82 |
| 102 | 0.8  | 0.77 | 0.81 | 0.84 | 0.85 | 0.86 | 0.89 | 0.75 | 0.81 | 0.7  | 0.71 | 0.6 | 0.73 | 0.64 | 0.75 |
| 103 | 1.06 | 1.03 | 1.09 | 1.12 | 1.08 | 1.05 | 1.15 | 1.04 | 1.12 | 0.94 | 1.02 | 0.9 | 0.96 | 0.88 | 0.79 |
| 104 | 0.83 | 0.81 | 0.87 | 0.9  | 0.96 | 0.95 | 1.06 | 0.88 | 0.94 | 0.78 | 0.84 | 0.8 | 0.82 | 0.76 | 0.89 |
| 105 | 0.76 | 0.74 | 0.81 | 0.85 | 1    | 1.05 | 1.15 | 1.01 | 1.08 | 0.9  | 0.97 | 0.9 | 0.95 | 0.84 | 0.96 |
| 106 | 0.84 | 0.81 | 0.85 | 0.86 | 0.95 | 0.95 | 1.06 | 0.91 | 0.99 | 0.82 | 0.86 | 0.8 | 0.84 | 0.76 | 0.93 |
| 107 | 0.81 | 0.8  | 0.83 | 0.86 | 0.91 | 0.82 | 0.94 | 0.81 | 0.86 | 0.72 | 0.74 | 0.6 | 0.71 | 0.64 | 0.79 |
| 108 | 0.83 | 0.8  | 0.84 | 0.88 | 0.88 | 0.86 | 0.94 | 0.81 | 0.84 | 0.72 | 0.76 | 0.6 | 0.75 | 0.64 | 0.86 |
| 109 | 0.91 | 0.88 | 0.93 | 0.96 | 1.02 | 0.95 | 1.11 | 0.91 | 0.98 | 0.82 | 0.86 | 0.7 | 0.84 | 0.72 | 0.86 |
| 110 | 0.81 | 0.79 | 0.84 | 0.85 | 0.92 | 0.91 | 1.02 | 0.86 | 0.91 | 0.74 | 0.79 | 0.7 | 0.75 | 0.72 | 0.89 |
| 111 | 0.76 | 0.73 | 0.78 | 0.79 | 0.84 | 0.82 | 0.94 | 0.75 | 0.82 | 0.7  | 0.71 | 0.6 | 0.7  | 0.64 | 0.75 |
| 112 | 0.79 | 0.76 | 0.83 | 0.86 | 0.88 | 0.86 | 0.94 | 0.81 | 0.86 | 0.72 | 0.76 | 0.6 | 0.73 | 0.64 | 0.79 |
| 113 | 0.74 | 0.71 | 0.78 | 0.81 | 0.88 | 0.86 | 0.94 | 0.81 | 0.84 | 0.72 | 0.79 | 0.7 | 0.71 | 0.64 | 0.86 |
| 114 | 0.83 | 0.8  | 0.88 | 0.89 | 0.93 | 0.86 | 0.98 | 0.86 | 0.89 | 0.74 | 0.78 | 0.7 | 0.77 | 0.68 | 0.79 |
| 115 | 0.85 | 0.82 | 0.88 | 0.9  | 0.97 | 0.91 | 1.06 | 0.91 | 0.99 | 0.82 | 0.88 | 0.8 | 0.86 | 0.76 | 1    |
| 116 | 0.85 | 0.83 | 0.88 | 0.91 | 0.91 | 0.86 | 0.98 | 0.83 | 0.89 | 0.74 | 0.79 | 0.7 | 0.79 | 0.68 | 0.86 |
| 117 | 0.82 | 0.78 | 0.84 | 0.86 | 0.91 | 0.86 | 0.98 | 0.81 | 0.88 | 0.74 | 0.74 | 0.6 | 0.73 | 0.68 | 0.79 |
| 118 | 0.89 | 0.86 | 0.92 | 0.92 | 0.91 | 0.82 | 0.98 | 0.81 | 0.88 | 0.74 | 0.79 | 0.7 | 0.79 | 0.72 | 0.89 |
| 119 | 0.84 | 0.81 | 0.87 | 0.89 | 0.9  | 0.86 | 0.94 | 0.81 | 0.84 | 0.7  | 0.78 | 0.7 | 0.75 | 0.68 | 0.79 |
| 120 | 0.8  | 0.78 | 0.82 | 0.83 | 0.88 | 0.86 | 0.94 | 0.83 | 0.86 | 0.72 | 0.76 | 0.7 | 0.75 | 0.68 | 0.86 |
| 121 | 0.57 | 0.56 | 0.57 | 0.57 | 0.69 | 0.68 | 0.81 | 0.68 | 0.78 | 0.6  | 0.62 | 0.5 | 0.59 | 0.52 | 0.64 |
| 122 | 0.74 | 0.7  | 0.75 | 0.77 | 0.82 | 0.82 | 0.89 | 0.78 | 0.78 | 0.66 | 0.67 | 0.6 | 0.68 | 0.6  | 0.75 |
| 123 | 0.81 | 0.77 | 0.83 | 0.85 | 0.9  | 0.86 | 0.98 | 0.81 | 0.84 | 0.7  | 0.74 | 0.6 | 0.73 | 0.64 | 0.75 |
| 124 | 0.82 | 0.79 | 0.85 | 0.88 | 0.99 | 1    | 1.19 | 1.09 | 1.18 | 1.02 | 1.1  | 0.9 | 1.07 | 0.96 | 1.04 |
| 125 | 0.76 | 0.74 | 0.78 | 0.79 | 0.84 | 0.77 | 0.89 | 0.75 | 0.8  | 0.68 | 0.74 | 0.6 | 0.71 | 0.64 | 0.79 |
| 126 | 0.82 | 0.79 | 0.84 | 0.85 | 0.87 | 0.82 | 0.94 | 0.81 | 0.85 | 0.74 | 0.78 | 0.7 | 0.75 | 0.68 | 0.86 |
| 127 | 0.93 | 0.91 | 0.95 | 0.94 | 0.96 | 0.91 | 1.11 | 0.94 | 0.99 | 0.82 | 0.86 | 0.8 | 0.82 | 0.76 | 0.96 |
| 128 | 1.04 | 1.04 | 1.07 | 1.07 | 0.96 | 0.82 | 0.94 | 0.83 | 0.9  | 0.76 | 0.84 | 0.7 | 0.82 | 0.72 | 0.82 |
| 129 | 0.9  | 0.9  | 0.92 | 0.92 | 0.86 | 0.73 | 0.85 | 0.73 | 0.77 | 0.66 | 0.69 | 0.6 | 0.68 | 0.6  | 0.82 |
| 130 | 0.74 | 0.72 | 0.76 | 0.78 | 0.76 | 0.73 | 0.81 | 0.68 | 0.73 | 0.6  | 0.66 | 0.6 | 0.66 | 0.6  | 0.82 |
| 131 | 1.53 | 1.45 | 1.25 | 1.12 | 0.83 | 0.86 | 0.77 | 0.65 | 0.7  | 0.58 | 0.64 | 0.6 | 0.61 | 0.56 | 0.68 |
| 132 | 1.63 | 1.54 | 1.33 | 1.12 | 0.81 | 0.82 | 0.77 | 0.62 | 0.69 | 0.58 | 0.6  | 0.5 | 0.61 | 0.56 | 0.57 |
| 133 | 1.68 | 1.51 | 1.33 | 1.17 | 0.84 | 0.86 | 0.77 | 0.62 | 0.68 | 0.56 | 0.6  | 0.5 | 0.61 | 0.56 | 0.57 |
| 134 | 1.81 | 1.57 | 1.31 | 1.13 | 0.81 | 0.82 | 0.89 | 0.6  | 0.61 | 0.5  | 0.55 | 0.5 | 0.55 | 0.56 | 0.54 |
| 135 | 0.26 | 0.27 | 0.33 | 0.41 | 0.61 | 0.73 | 0.77 | 0.65 | 0.66 | 0.52 | 0.52 | 0.4 | 0.45 | 0.36 | 0.54 |
| 136 | 0.2  | 0.23 | 0.3  | 0.35 | 0.44 | 0.5  | 0.51 | 0.42 | 0.4  | 0.32 | 0.31 | 0.3 | 0.25 | 0.2  | 0.36 |

|     |      |      |      |      |      |      |      |      |      |      |      |     |      |      |      |
|-----|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|
| 137 | 1.87 | 1.52 | 1.28 | 1.1  | 0.92 | 0.91 | 0.89 | 0.68 | 0.67 | 0.54 | 0.59 | 0.5 | 0.54 | 0.48 | 0.61 |
| 138 | 3.11 | 2.35 | 1.91 | 1.54 | 0.97 | 0.95 | 0.85 | 0.68 | 0.68 | 0.56 | 0.59 | 0.5 | 0.54 | 0.48 | 0.61 |
| 139 | 1.51 | 1.1  | 1.11 | 1.01 | 0.85 | 0.86 | 0.85 | 0.65 | 0.61 | 0.48 | 0.5  | 0.4 | 0.45 | 0.4  | 0.57 |
| 140 | 1.8  | 1.59 | 1.42 | 1.25 | 1.05 | 1.09 | 1.06 | 0.86 | 0.89 | 0.7  | 0.72 | 0.6 | 0.71 | 0.64 | 0.89 |
| 141 | 0.22 | 0.37 | 0.5  | 0.62 | 0.92 | 0.91 | 1.23 | 1.3  | 1.56 | 1.42 | 1.57 | 1.3 | 1.46 | 1.28 | 1.57 |
| 142 | 1.62 | 1.6  | 1.46 | 1.37 | 1.14 | 1.14 | 1.11 | 0.86 | 0.83 | 0.68 | 0.69 | 0.6 | 0.66 | 0.6  | 0.68 |
| 143 | 1.52 | 1.35 | 1.36 | 1.32 | 1.17 | 1.27 | 1.11 | 0.86 | 0.85 | 0.7  | 0.71 | 0.6 | 0.66 | 0.6  | 0.79 |
| 144 | 1.28 | 1.17 | 1.18 | 1.11 | 1.02 | 1    | 1.02 | 0.83 | 0.84 | 0.7  | 0.71 | 0.6 | 0.66 | 0.6  | 0.79 |
| 145 | 1.06 | 0.98 | 0.96 | 0.88 | 0.81 | 0.77 | 0.85 | 0.73 | 0.75 | 0.62 | 0.67 | 0.6 | 0.62 | 0.56 | 0.71 |
| 146 | 1.23 | 1.1  | 1.1  | 1.03 | 0.96 | 0.86 | 1.02 | 0.81 | 0.84 | 0.68 | 0.69 | 0.6 | 0.61 | 0.56 | 0.71 |
| 147 | 0.48 | 0.4  | 0.5  | 0.6  | 0.75 | 0.73 | 0.85 | 0.7  | 0.72 | 0.6  | 0.64 | 0.5 | 0.59 | 0.56 | 0.71 |
| 148 | 1.07 | 0.98 | 1.05 | 1    | 0.81 | 0.77 | 0.81 | 0.65 | 0.68 | 0.54 | 0.57 | 0.5 | 0.54 | 0.48 | 0.61 |
| 149 | 1.04 | 0.94 | 0.96 | 0.92 | 0.83 | 0.77 | 0.89 | 0.73 | 0.74 | 0.64 | 0.66 | 0.6 | 0.62 | 0.56 | 0.68 |
| 150 | 1.24 | 1.2  | 1.15 | 1.05 | 0.93 | 0.91 | 0.94 | 0.75 | 0.8  | 0.68 | 0.69 | 0.6 | 0.68 | 0.6  | 0.71 |
| 151 | 1.43 | 1.12 | 1.05 | 0.94 | 0.87 | 0.82 | 0.89 | 0.73 | 0.77 | 0.64 | 0.67 | 0.6 | 0.66 | 0.56 | 0.64 |
| 152 | 0.37 | 0.39 | 0.47 | 0.52 | 0.66 | 0.64 | 0.77 | 0.65 | 0.7  | 0.58 | 0.59 | 0.5 | 0.59 | 0.52 | 0.57 |
| 153 | 0.62 | 0.66 | 0.71 | 0.73 | 0.74 | 0.73 | 0.81 | 0.65 | 0.69 | 0.56 | 0.6  | 0.5 | 0.55 | 0.52 | 0.57 |
| 154 | 0.46 | 0.51 | 0.6  | 0.64 | 0.74 | 0.73 | 0.85 | 0.7  | 0.74 | 0.62 | 0.66 | 0.5 | 0.61 | 0.56 | 0.61 |
| 155 | 0.7  | 0.65 | 0.71 | 0.74 | 0.76 | 0.73 | 0.85 | 0.7  | 0.74 | 0.6  | 0.62 | 0.6 | 0.57 | 0.56 | 0.57 |
| 156 | 1.03 | 0.83 | 0.84 | 0.8  | 0.81 | 0.77 | 0.89 | 0.81 | 0.88 | 0.74 | 0.83 | 0.7 | 0.79 | 0.72 | 0.64 |
| 157 | 1.22 | 0.99 | 0.96 | 0.88 | 0.83 | 0.77 | 0.89 | 0.81 | 0.84 | 0.72 | 0.78 | 0.7 | 0.73 | 0.68 | 0.64 |
| 158 | 0.81 | 0.69 | 0.7  | 0.69 | 0.71 | 0.68 | 0.85 | 0.75 | 0.83 | 0.74 | 0.84 | 0.7 | 0.82 | 0.76 | 0.86 |
| 159 | 0.78 | 0.73 | 0.78 | 0.76 | 0.83 | 0.82 | 0.94 | 0.81 | 0.85 | 0.74 | 0.78 | 0.7 | 0.73 | 0.68 | 0.71 |
| 160 | 0.35 | 0.38 | 0.46 | 0.5  | 0.52 | 0.5  | 0.6  | 0.47 | 0.43 | 0.36 | 0.36 | 0.3 | 0.32 | 0.28 | 0.39 |
| 161 | 0.52 | 0.49 | 0.52 | 0.54 | 0.59 | 0.59 | 0.68 | 0.6  | 0.61 | 0.5  | 0.52 | 0.4 | 0.5  | 0.44 | 0.46 |
| 162 | 0.73 | 0.59 | 0.6  | 0.61 | 0.69 | 0.68 | 0.77 | 0.68 | 0.68 | 0.6  | 0.66 | 0.6 | 0.68 | 0.6  | 0.57 |
| 163 | 0.69 | 0.59 | 0.62 | 0.63 | 0.71 | 0.68 | 0.81 | 0.68 | 0.73 | 0.62 | 0.66 | 0.6 | 0.66 | 0.6  | 0.57 |
| 164 | 0.64 | 0.54 | 0.58 | 0.58 | 0.65 | 0.64 | 0.72 | 0.62 | 0.67 | 0.58 | 0.62 | 0.6 | 0.61 | 0.56 | 0.57 |
| 165 | 0.52 | 0.37 | 0.38 | 0.38 | 0.49 | 0.5  | 0.64 | 0.57 | 0.65 | 0.58 | 0.64 | 0.6 | 0.64 | 0.56 | 0.57 |
| 166 | 0.7  | 0.59 | 0.61 | 0.64 | 0.72 | 0.68 | 0.77 | 0.7  | 0.74 | 0.64 | 0.67 | 0.6 | 0.66 | 0.6  | 0.57 |
| 167 | 0.39 | 0.34 | 0.36 | 0.36 | 0.42 | 0.45 | 0.51 | 0.44 | 0.48 | 0.44 | 0.47 | 0.4 | 0.46 | 0.44 | 0.39 |
| 168 | 0.51 | 0.45 | 0.49 | 0.52 | 0.55 | 0.55 | 0.64 | 0.55 | 0.55 | 0.46 | 0.5  | 0.4 | 0.45 | 0.4  | 0.5  |
| 169 | 0.51 | 0.47 | 0.53 | 0.57 | 0.81 | 0.86 | 0.98 | 0.91 | 1.02 | 0.94 | 1.05 | 1   | 1.16 | 1.04 | 0.75 |
| 170 | 0.66 | 0.57 | 0.61 | 0.62 | 0.67 | 0.68 | 0.77 | 0.62 | 0.61 | 0.5  | 0.55 | 0.5 | 0.52 | 0.48 | 0.46 |
| 171 | 0.97 | 0.7  | 0.67 | 0.68 | 0.69 | 0.68 | 0.77 | 0.62 | 0.68 | 0.58 | 0.64 | 0.6 | 0.66 | 0.6  | 0.54 |
| 172 | 0.82 | 0.68 | 0.72 | 0.75 | 0.82 | 0.77 | 0.89 | 0.75 | 0.75 | 0.64 | 0.66 | 0.6 | 0.61 | 0.56 | 0.57 |
| 173 | 1.16 | 0.97 | 1.04 | 1.04 | 1.46 | 1.05 | 1.15 | 0.99 | 1.03 | 0.88 | 0.93 | 0.8 | 0.88 | 0.8  | 0.68 |
| 174 | 0.38 | 0.37 | 0.43 | 0.45 | 0.49 | 0.45 | 0.51 | 0.42 | 0.41 | 0.32 | 0.31 | 0.3 | 0.29 | 0.28 | 0.29 |

|     |      |      |      |      |      |      |      |      |      |      |      |     |      |      |      |
|-----|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|
| 175 | 0.45 | 0.4  | 0.45 | 0.48 | 0.5  | 0.45 | 0.55 | 0.44 | 0.43 | 0.38 | 0.38 | 0.3 | 0.36 | 0.32 | 0.29 |
| 176 | 0.44 | 0.42 | 0.5  | 0.57 | 0.69 | 0.64 | 0.77 | 0.57 | 0.55 | 0.44 | 0.41 | 0.3 | 0.36 | 0.32 | 0.39 |
| 177 | 0.45 | 0.42 | 0.52 | 0.61 | 1.05 | 1.18 | 1.4  | 1.27 | 1.45 | 1.36 | 1.62 | 1.6 | 1.77 | 1.64 | 1.32 |
| 178 | 0.44 | 0.41 | 0.47 | 0.48 | 0.54 | 0.5  | 0.6  | 0.44 | 0.47 | 0.4  | 0.4  | 0.3 | 0.36 | 0.32 | 0.29 |
| 179 | 0.58 | 0.55 | 0.64 | 0.69 | 0.78 | 0.64 | 0.81 | 0.6  | 0.56 | 0.44 | 0.45 | 0.4 | 0.38 | 0.36 | 0.36 |
| 180 | 0.43 | 0.44 | 0.51 | 0.57 | 0.69 | 0.59 | 0.77 | 0.62 | 0.64 | 0.48 | 0.43 | 0.4 | 0.36 | 0.32 | 0.43 |
| 181 | 1.01 | 0.95 | 0.94 | 0.84 | 0.68 | 0.45 | 0.55 | 0.42 | 0.42 | 0.34 | 0.36 | 0.3 | 0.36 | 0.32 | 0.29 |
| 182 | 1.1  | 1    | 1.03 | 1.02 | 1.05 | 0.91 | 1.11 | 0.99 | 1.12 | 1.06 | 1.28 | 1.2 | 1.41 | 1.28 | 0.89 |
| 183 | 0.51 | 0.38 | 0.38 | 0.38 | 0.44 | 0.45 | 0.51 | 0.44 | 0.45 | 0.4  | 0.41 | 0.4 | 0.46 | 0.4  | 0.39 |
| 184 | 2.66 | 2.74 | 2.49 | 2.3  | 1.73 | 1.09 | 1.28 | 0.86 | 0.83 | 0.64 | 0.62 | 0.5 | 0.55 | 0.48 | 0.64 |
| 185 | 0.58 | 0.45 | 0.46 | 0.49 | 0.49 | 0.45 | 0.55 | 0.44 | 0.45 | 0.4  | 0.4  | 0.4 | 0.45 | 0.4  | 0.32 |
| 186 | 0.57 | 0.47 | 0.48 | 0.48 | 0.46 | 0.45 | 0.51 | 0.34 | 0.33 | 0.28 | 0.28 | 0.3 | 0.29 | 0.28 | 0.21 |
| 187 | 0.73 | 0.6  | 0.63 | 0.64 | 0.59 | 0.59 | 0.64 | 0.42 | 0.41 | 0.32 | 0.33 | 0.3 | 0.32 | 0.32 | 0.25 |
| 188 | 0.66 | 0.58 | 0.59 | 0.57 | 0.54 | 0.55 | 0.55 | 0.42 | 0.4  | 0.34 | 0.38 | 0.3 | 0.39 | 0.36 | 0.29 |
| 189 | 0.74 | 0.64 | 0.66 | 0.66 | 0.66 | 0.59 | 0.68 | 0.52 | 0.56 | 0.46 | 0.52 | 0.5 | 0.54 | 0.48 | 0.39 |
| 190 | 0.9  | 0.59 | 0.53 | 0.49 | 0.5  | 0.5  | 0.55 | 0.47 | 0.52 | 0.48 | 0.55 | 0.5 | 0.62 | 0.56 | 0.36 |
| 191 | 0.69 | 0.58 | 0.57 | 0.55 | 0.47 | 0.45 | 0.43 | 0.34 | 0.32 | 0.28 | 0.33 | 0.3 | 0.32 | 0.28 | 0.21 |

#### Drill core MCDD0005 – Eu\*, Ce\* & Pr\* anomalies

| ID | Depth | Ce/Ce*     | Eu/Eu*   | Pr/Pr*      |
|----|-------|------------|----------|-------------|
| 1  | 165.2 | 0.90476190 | 1        | 1.041322314 |
| 2  | 166.3 | 0.91851852 | 1.018519 | 1.058823529 |
| 3  | 167.3 | 0.92307692 | 0.990099 | 1.046153846 |
| 4  | 167.9 | 0.92727273 | 0.948052 | 1.027027027 |
| 5  | 169.9 | 0.92086331 | 1.006536 | 1.022556391 |
| 6  | 170.7 | 0.91056911 | 0.932203 | 1.008695652 |
| 7  | 171.8 | 0.92810458 | 0.919786 | 1.038961039 |
| 8  | 172.8 | 0.88721805 | 1.04     | 1.023622047 |
| 9  | 173.9 | 0.91823899 | 1.012346 | 1.02739726  |
| 10 | 175.3 | 0.90090090 | 1.081081 | 1.025641026 |
| 11 | 176.3 | 0.92617450 | 1.036145 | 1.048951049 |
| 12 | 177.5 | 0.91525424 | 1.0625   | 1.061946903 |
| 13 | 179.1 | 0.91851852 | 1.076923 | 1.037593985 |
| 14 | 180.6 | 0.89719626 | 1.149425 | 1.06122449  |

|    |       |            |          |             |
|----|-------|------------|----------|-------------|
| 15 | 181.6 | 0.93617021 | 1.037736 | 0.963855422 |
| 16 | 182.8 | 0.93233083 | 0.964912 | 1.016949153 |
| 17 | 184.2 | 0.92307692 | 0.917874 | 1.039106145 |
| 18 | 185.1 | 0.91549296 | 1.292517 | 1.045454545 |
| 19 | 185.9 | 0.93846154 | 0.890244 | 1.022900763 |
| 20 | 187.2 | 0.91304348 | 0.929936 | 1.030769231 |
| 21 | 188   | 0.95238095 | 0.886486 | 1.023809524 |
| 22 | 189.6 | 0.91228070 | 0.977099 | 1.027522936 |
| 23 | 190.8 | 0.92045455 | 0.906077 | 1.060240964 |
| 24 | 192.3 | 0.91124260 | 0.947977 | 1.070063694 |
| 25 | 194   | 0.94845361 | 0.951049 | 1.00990099  |
| 26 | 195   | 0.96453901 | 0.905882 | 1.041666667 |
| 27 | 196.3 | 0.93478261 | 0.870056 | 1.039548023 |
| 28 | 197.6 | 0.97021277 | 0.873362 | 1.052631579 |
| 29 | 198.4 | 0.93658537 | 0.855721 | 1.050505051 |
| 30 | 199.5 | 0.94174757 | 0.836957 | 1.026455026 |
| 31 | 200.9 | 0.94674556 | 0.916667 | 1.049382716 |
| 32 | 201.6 | 0.94047619 | 0.849741 | 1.05        |
| 33 | 202.8 | 0.94736842 | 0.88     | 1.041420118 |
| 34 | 203.9 | 0.93406593 | 0.900524 | 1.034090909 |
| 35 | 204.9 | 0.91578947 | 0.836735 | 1.051428571 |
| 36 | 206.6 | 0.93877551 | 0.879518 | 1.060402685 |
| 37 | 207.9 | 0.96385542 | 0.806283 | 1.052023121 |
| 38 | 209.3 | 0.92307692 | 0.850829 | 1.00621118  |
| 39 | 210.5 | 0.93670886 | 0.956522 | 1.047619048 |
| 40 | 211.4 | 0.94366197 | 0.941935 | 1.051851852 |
| 41 | 212.6 | 0.94666667 | 0.944785 | 1.020408163 |
| 42 | 213.9 | 0.94039735 | 0.950617 | 1.026666667 |
| 43 | 214.9 | 0.90123457 | 0.890244 | 1.04        |
| 44 | 216   | 0.93333333 | 0.911243 | 1.03030303  |
| 45 | 217   | 0.92307692 | 0.866242 | 1.043478261 |
| 46 | 218.8 | 0.94444444 | 0.880597 | 1.056338028 |
| 47 | 220.7 | 0.91472868 | 0.847458 | 1.009009009 |
| 48 | 221.9 | 1.00000000 | 1.166667 | 1.058823529 |
| 49 | 222.9 | 0.94736842 | 0.9      | 1.043478261 |
| 50 | 224   | 0.98734177 | 1        | 1.048780488 |
| 51 | 224.9 | 1.00000000 | 1.16129  | 1.111111111 |
| 52 | 225.5 | 1.00000000 | 1.12     | 1           |

|    |       |            |          |             |
|----|-------|------------|----------|-------------|
| 53 | 227.8 | 1.00000000 | 0.75     | 1           |
| 54 | 229.1 | 0.94117647 | 0.884615 | 1.020408163 |
| 55 | 229.9 | 1.00000000 | 1.166667 | 1           |
| 56 | 232   | 0.87741935 | 0.867647 | 1           |
| 57 | 232.6 | 0.94117647 | 1.125    | 1.157894737 |
| 58 | 233.7 | 0.94505495 | 0.95288  | 1.022727273 |
| 59 | 236.1 | 0.94736842 | 0.937931 | 1.01754386  |
| 60 | 237.3 | 0.95652174 | 0.837209 | 0.962962963 |
| 61 | 238.8 | 0.91764706 | 0.947977 | 1.031446541 |
| 62 | 240   | 0.71428571 | 1.2      | 1.454545455 |
| 63 | 242.2 | 0.93877551 | 0.951049 | 1.034965035 |
| 64 | 243.1 | 0.95145631 | 0.887218 | 1.009708738 |
| 65 | 244.5 | 0.94883721 | 0.837004 | 1.027777778 |
| 66 | 245.8 | 0.94230769 | 0.862069 | 1.019230769 |
| 67 | 246.9 | 0.94366197 | 0.874074 | 1.029411765 |
| 68 | 247.5 | 0.95000000 | 0.882353 | 1.026086957 |
| 69 | 248.6 | 0.97435897 | 0.948276 | 0.991452991 |
| 70 | 249.7 | 0.94666667 | 0.934307 | 1.01369863  |
| 71 | 251.5 | 0.88888889 | 0.916667 | 1.02173913  |
| 72 | 252.5 | 0.93939394 | 0.85906  | 1.007633588 |
| 73 | 254.5 | 0.95238095 | 0.964539 | 1.008       |
| 74 | 255.5 | 0.96551724 | 0.934307 | 1.014084507 |
| 75 | 256.8 | 1.07246377 | 0.967742 | 0.986666667 |
| 76 | 258.3 | 0.94017094 | 0.934307 | 1.008695652 |
| 77 | 259.8 | 0.97777778 | 0.859375 | 1           |
| 78 | 261.6 | 0.97560976 | 0.961538 | 1           |
| 79 | 262.6 | 0.97674419 | 0.852713 | 0.992125984 |
| 80 | 264.2 | 0.94827586 | 0.934307 | 1           |
| 81 | 266.8 | 0.96503497 | 0.865169 | 0.993006993 |
| 82 | 268.5 | 0.89795918 | 0.941935 | 1.037037037 |
| 83 | 269.7 | 0.92771084 | 0.955556 | 1.018867925 |
| 84 | 271.7 | 0.93023256 | 0.968085 | 1.017964072 |
| 85 | 273.4 | 0.91935484 | 0.974684 | 1.008264463 |
| 86 | 274.6 | 0.98013245 | 0.88     | 1.006451613 |
| 87 | 276.2 | 0.97354497 | 0.933333 | 1           |
| 88 | 277.3 | 0.98089172 | 0.947917 | 0.993865031 |
| 89 | 279.1 | 0.87951807 | 0.911243 | 1.026666667 |
| 90 | 280.6 | 0.86338798 | 0.901099 | 1.0375      |

|     |       |            |          |             |
|-----|-------|------------|----------|-------------|
| 91  | 281.3 | 0.95483871 | 0.911111 | 1.012987013 |
| 92  | 282.8 | 0.90510949 | 0.901235 | 1.022900763 |
| 93  | 284.9 | 1.01449275 | 0.922156 | 1.019607843 |
| 94  | 286.6 | 0.98529412 | 0.911243 | 0.985714286 |
| 95  | 288   | 0.98648649 | 0.938144 | 1           |
| 96  | 289.6 | 0.96842105 | 0.895833 | 1.010638298 |
| 97  | 290.6 | 0.95081967 | 0.910053 | 1.010989011 |
| 98  | 292.1 | 0.94964029 | 0.959064 | 1.014492754 |
| 99  | 293.9 | 0.95833333 | 0.927711 | 1.006896552 |
| 100 | 295   | 0.93902439 | 0.877005 | 1.018404908 |
| 101 | 296.2 | 0.97674419 | 0.968085 | 1           |
| 102 | 297.9 | 0.95652174 | 0.988506 | 1.00621118  |
| 103 | 299.5 | 0.95813953 | 0.941704 | 1.013953488 |
| 104 | 301.4 | 0.95294118 | 0.940594 | 1.01754386  |
| 105 | 302.7 | 0.94267516 | 0.976744 | 1.018867925 |
| 106 | 304.9 | 0.95857988 | 0.945274 | 1.017964072 |
| 107 | 306.2 | 0.97560976 | 0.886486 | 1           |
| 108 | 307.4 | 0.95808383 | 0.945055 | 1           |
| 109 | 308.9 | 0.95652174 | 0.892019 | 1.010869565 |
| 110 | 310.4 | 0.95757576 | 0.938144 | 1.024390244 |
| 111 | 311.2 | 0.94805195 | 0.921348 | 1.026315789 |
| 112 | 312.8 | 0.93827160 | 0.945055 | 1.024691358 |
| 113 | 314.3 | 0.93421053 | 0.945055 | 1.026315789 |
| 114 | 315.5 | 0.93567251 | 0.900524 | 1.041420118 |
| 115 | 317.4 | 0.94797688 | 0.896552 | 1.023255814 |
| 116 | 318.5 | 0.95953757 | 0.910053 | 1.011494253 |
| 117 | 319.3 | 0.93975904 | 0.910053 | 1.024390244 |
| 118 | 323.6 | 0.95027624 | 0.867725 | 1.033707865 |
| 119 | 325   | 0.94736842 | 0.934783 | 1.023529412 |
| 120 | 326.7 | 0.96296296 | 0.945055 | 1.01863354  |
| 121 | 329.1 | 0.98245614 | 0.906667 | 1.008849558 |
| 122 | 330.1 | 0.93959732 | 0.959064 | 1.020408163 |
| 123 | 331.7 | 0.93902439 | 0.914894 | 1.024691358 |
| 124 | 332.9 | 0.94610778 | 0.917431 | 1.017964072 |
| 125 | 334.2 | 0.96103896 | 0.890173 | 1.019607843 |
| 126 | 353.4 | 0.95180723 | 0.906077 | 1.024390244 |
| 127 | 336.8 | 0.96808511 | 0.879227 | 1.027027027 |
| 128 | 340.8 | 0.98578199 | 0.863158 | 1.014218009 |

|     |        |             |          |             |
|-----|--------|-------------|----------|-------------|
| 129 | 341.7  | 0.98901099  | 0.853801 | 1.010989011 |
| 130 | 344.9  | 0.96000000  | 0.929936 | 1.013333333 |
| 131 | 488.75 | 1.043165468 | 1.075    |             |
| 132 | 490.25 | 1.040540541 | 1.037975 | 0.972762646 |
| 133 | 490.83 | 1.003322259 | 1.068323 | 1           |
| 134 | 491.9  | 1.006410256 | 0.964706 | 0.992537313 |
| 135 | 492.83 | 0.915254237 | 1.057971 | 0.97037037  |
| 136 | 493.3  | 0.92        | 1.052632 | 0.970588235 |
| 137 | 495.3  | 0.965079365 | 1.005525 | 1.034482759 |
| 138 | 495.62 | 0.93625498  | 1.043956 | 0.977099237 |
| 139 | 496.66 | 0.839694656 | 1.011765 | 0.982005141 |
| 140 | 498.08 | 0.98757764  | 1.033175 | 1.052132701 |
| 141 | 499    | 1.027777778 | 0.846512 | 1           |
| 142 | 500.05 | 1.038961039 | 1.013333 | 1.01010101  |
| 143 | 501.14 | 0.9375      | 1.114035 | 0.983164983 |
| 144 | 502.68 | 0.951219512 | 0.980392 | 1.018726592 |
| 145 | 503.8  | 0.97029703  | 0.927711 | 1.035087719 |
| 146 | 505.55 | 0.944206009 | 0.868687 | 1.032258065 |
| 147 | 506.6  | 0.816326531 | 0.9125   | 1.03286385  |
| 148 | 507.5  | 0.924528302 | 0.950617 | 1           |
| 149 | 508.6  | 0.94        | 0.895349 | 1.060606061 |
| 150 | 509.2  | 1.0041841   | 0.973262 | 1.032258065 |
| 151 | 510.7  | 0.903225806 | 0.931818 | 1.022222222 |
| 152 | 510.6  | 0.928571429 | 0.895105 | 1.019417476 |
| 153 | 512    | 0.992481203 | 0.941935 | 1.032967033 |
| 154 | 512.9  | 0.962264151 | 0.918239 | 1.021582734 |
| 155 | 514.28 | 0.921985816 | 0.906832 | 1.043478261 |
| 156 | 515.8  | 0.887700535 | 0.905882 | 1.021582734 |
| 157 | 516.9  | 0.908256881 | 0.895349 | 1.030674847 |
| 158 | 517.9  | 0.913907285 | 0.871795 | 1.026737968 |
| 159 | 519.36 | 0.935897436 | 0.926554 | 1.014492754 |
| 160 | 520.8  | 0.938271605 | 0.892857 | 1.046979866 |
| 161 | 523    | 0.942307692 | 0.929134 | 1.045454545 |
| 162 | 524    | 0.887218045 | 0.931507 | 1.009708738 |
| 163 | 525.2  | 0.900763359 | 0.894737 | 1           |
| 164 | 526.65 | 0.885245902 | 0.934307 | 1.016393443 |
| 165 | 527    | 0.822222222 | 0.884956 | 1.035714286 |
| 166 | 527.65 | 0.900763359 | 0.912752 | 1.013333333 |

|     |        |             |          |             |
|-----|--------|-------------|----------|-------------|
| 167 | 528.6  | 0.906666667 | 0.967742 | 0.991869919 |
| 168 | 529.5  | 0.9         | 0.92437  | 1.028571429 |
| 169 | 531.17 | 0.903846154 | 0.960894 | 1.010309278 |
| 170 | 532.8  | 0.897637795 | 0.944444 | 1.019230769 |
| 171 | 534.3  | 0.853658537 | 0.931507 | 1.025210084 |
| 172 | 535    | 0.883116883 | 0.900585 | 0.971014493 |
| 173 | 537.45 | 0.881818182 | 0.804598 | 1.006993007 |
| 174 | 538.1  | 0.913580247 | 0.9      | 1.034825871 |
| 175 | 539.1  | 0.888888889 | 0.857143 | 1.048780488 |
| 176 | 540.7  | 0.893617021 | 0.876712 | 1.022727273 |
| 177 | 541.45 | 0.865979381 | 0.963265 | 1.01010101  |
| 178 | 544.5  | 0.901098901 | 0.877193 | 1.009708738 |
| 179 | 544.8  | 0.901639344 | 0.805031 | 1.056179775 |
| 180 | 546.8  | 0.936170213 | 0.808219 | 1.032258065 |
| 181 | 547.9  | 0.974358974 | 0.731707 | 1.00990099  |
| 182 | 548.9  | 0.938967136 | 0.842593 | 1.05027933  |
| 183 | 549.67 | 0.853932584 | 0.947368 | 1.01980198  |
| 184 | 550.5  | 1.06407767  | 0.724252 | 1           |
| 185 | 550.9  | 0.865384615 | 0.865385 | 0.988095238 |
| 186 | 551.1  | 0.895238095 | 0.927835 | 0.978723404 |
| 187 | 551.72 | 0.882352941 | 0.95935  | 1.010526316 |
| 188 | 553.38 | 0.928       | 1.009174 | 1.016129032 |
| 189 | 554.25 | 0.914285714 | 0.880597 | 1.026086957 |
| 190 | 554.63 | 0.825174825 | 0.952381 | 1.015384615 |
| 191 | 555.39 | 0.920634921 | 1        | 0.981481481 |

**Drill core MCDD0003 - Eu\*, Ce\* & Pr\* anomalies**

| ID | Depth | Eu/Eu*      | Ce/Ce*      | Pr/Pr*     |
|----|-------|-------------|-------------|------------|
| 1  | 8.67  | 0.937931034 | 0.979166667 | 0.99047619 |
| 2  | 9.35  | 0.964912281 | 0.96        | 1          |
| 3  | 10.68 | 1           | 0.954545455 | 1.02222222 |
| 4  | 11.55 | 0.93220339  | 0.954545455 | 1.02222222 |
| 5  | 12.7  | 0.853333333 | 0.957264957 | 1.01694915 |
| 6  | 13.7  | 0.973333333 | 0.96        | 1          |
| 7  | 15.05 | 0.888888889 | 0.946564885 | 0.99212598 |
| 8  | 16.35 | 0.968553459 | 0.975206612 | 1          |
| 9  | 17.72 | 0.847457627 | 0.969072165 | 0.98989899 |
| 10 | 8.67  | 1.047619048 | 0.953488372 | 1.01149425 |
| 11 | 20.44 | 0.900662252 | 0.953846154 | 1          |
| 12 | 21.34 | 0.929936306 | 0.955223881 | 1.03816794 |
| 13 | 22.55 | 0.937931034 | 0.941176471 | 1.00854701 |
| 14 | 23.9  | 1.028037383 | 0.87012987  | 0.98333333 |
| 15 | 24.95 | 0.954248366 | 0.932432432 | 1.02816901 |
| 16 | 25.78 | 0.934782609 | 0.921212121 | 1          |
| 17 | 26.12 | 0.877192982 | 0.884057971 | 1          |
| 18 | 28.1  | 0.970414201 | 0.895522388 | 1.02985075 |
| 19 | 29    | 0.95959596  | 0.901734104 | 1.01796407 |
| 20 | 30.18 | 0.863157895 | 0.910344828 | 1.04       |
| 21 | 31.1  | 0.937931034 | 0.863905325 | 1.00729927 |
| 22 | 32.15 | 0.909090909 | 0.906077348 | 1.03333333 |
| 23 | 33.21 | 0.914285714 | 0.871428571 | 0.95384615 |
| 24 | 34.12 | 0.97826087  | 0.95412844  | 1.04854369 |
| 25 | 35.6  | 0.967741935 | 0.904761905 | 0.98148148 |
| 26 | 36.4  | 1.058823529 | 0.95        | 1          |
| 27 | 38.4  | 0.854166667 | 0.948148148 | 1.01333333 |
| 28 | 39.35 | 0.891089109 | 0.920353982 | 1.01923077 |
| 29 | 40.65 | 0.75739645  | 0.899082569 | 0.99099099 |
| 30 | 41.75 | 0.785714286 | 0.906976744 | 1.04545455 |
| 31 | 42.69 | 0.967741935 | 0.864864865 | 1.01098901 |
| 32 | 43.7  | 0.947368421 | 0.931506849 | 1.01449275 |
| 33 | 44.76 | 0.93989071  | 0.86631016  | 0.98765432 |
| 34 | 45.85 | 0.866242038 | 0.863636364 | 1.00689655 |
| 35 | 46.65 | 0.937931034 | 0.869109948 | 0.98684211 |

|    |       |             |             |            |
|----|-------|-------------|-------------|------------|
| 36 | 47.75 | 0.967213115 | 0.912280702 | 1.02666667 |
| 37 | 48.52 | 0.964912281 | 0.911392405 | 1.05797101 |
| 38 | 49.73 | 0.984615385 | 0.887573964 | 1.01408451 |
| 39 | 51.62 | 1.049180328 | 0.838235294 | 0.98113208 |
| 40 | 52.45 | 0.945054945 | 0.877192982 | 1.01282051 |
| 41 | 53.42 | 1.012345679 | 0.9         | 1.01694915 |
| 42 | 54.55 | 0.885057471 | 0.942028986 | 1.03649635 |
| 43 | 55.7  | 0.80952381  | 0.886075949 | 1.03496503 |
| 44 | 56.3  | 0.854460094 | 0.879518072 | 1.00636943 |
| 45 | 57.44 | 0.986013986 | 0.945812808 | 1.03286385 |
| 46 | 58.55 | 0.938967136 | 0.831050228 | 1          |
| 47 | 59.63 | 0.888888889 | 0.795454545 | 0.96969697 |
| 48 | 60.2  | 0.847457627 | 0.942528736 | 1.04444444 |
| 49 | 61.03 | 0.918367347 | 0.952380952 | 1.06024096 |
| 50 | 62.33 | 0.9375      | 0.941176471 | 1.01886792 |
| 51 | 63.65 | 0.888888889 | 0.962962963 | 1.01694915 |
| 52 | 64.72 | 0.884955752 | 0.825       | 0.98591549 |
| 53 | 65.05 | 0.914285714 | 0.93877551  | 1.07692308 |
| 54 | 65.99 | 0.891304348 | 1.03125     | 1          |
| 55 | 66.93 | 0.911392405 | 0.967741935 | 1.04761905 |
| 56 | 68.68 | 0.86746988  | 0.945454545 | 1.01639344 |
| 57 | 69.75 | 0.93220339  | 0.873015873 | 0.99047619 |
| 58 | 70.6  | 0.98630137  | 0.86        | 0.96103896 |
| 59 | 71.65 | 0.941935484 | 0.956989247 | 1.05555556 |
| 60 | 73.01 | 0.991596639 | 0.929824561 | 1          |
| 61 | 74.79 | 1.157894737 | 0.943396226 | 1          |
| 62 | 76.21 | 1.165644172 | 0.948905109 | 1.06995885 |
| 63 | 77.2  | 1.007874016 | 0.93877551  | 1.05109489 |
| 64 | 78.11 | 1.130434783 | 0.94972067  | 1.03571429 |
| 65 | 78.95 | 1.122807018 | 0.957983193 | 1          |
| 66 | 81.12 | 1.142857143 | 0.929032258 | 1.02702703 |
| 67 | 82.01 | 1.204819277 | 0.921348315 | 1.04878049 |
| 68 | 82.61 | 1.135135135 | 0.921465969 | 1.03370787 |
| 69 | 83.59 | 1.153846154 | 0.928229665 | 1.03664921 |
| 70 | 84.16 | 1.153846154 | 0.927272727 | 1.04568528 |
| 71 | 85.21 | 1.19760479  | 0.945205479 | 1.01449275 |
| 72 | 86.31 | 1.159574468 | 0.937238494 | 1.03773585 |
| 73 | 86.79 | 1.118181818 | 0.929824561 | 1.01408451 |

|     |        |             |             |            |
|-----|--------|-------------|-------------|------------|
| 74  | 89.22  | 1.075268817 | 0.96875     | 1.02777778 |
| 75  | 91.01  | 1.191256831 | 0.954248366 | 1.01986755 |
| 76  | 91.6   | 1.214285714 | 0.943589744 | 1.02083333 |
| 77  | 92.29  | 1.128440367 | 0.948979592 | 1.02617801 |
| 78  | 93.46  | 1.182662539 | 1.073634204 | 0.95260664 |
| 79  | 94.71  | 1.191011236 | 0.930232558 | 1.0245614  |
| 80  | 95.16  | 1.19047619  | 0.936329588 | 1.01176471 |
| 81  | 96.12  | 1.238095238 | 0.931818182 | 1.03370787 |
| 82  | 97.09  | 1.204081633 | 0.937142857 | 1.03488372 |
| 83  | 218.33 | 0.88372093  | 0.844444444 | 0.88372093 |
| 84  | 219.3  | 1.054794521 | 0.970414201 | 1.05660377 |
| 85  | 220.65 | 1.08974359  | 1.007751938 | 0.97810219 |
| 86  | 222.21 | 1.119047619 | 1.045454545 | 0.96       |
| 87  | 223.47 | 1.112426036 | 1.039106145 | 1.04       |
| 88  | 223.75 | 1.068181818 | 1.033333333 | 1.02247191 |
| 89  | 224.3  | 1.096774194 | 1.046153846 | 1.03589744 |
| 90  | 225.1  | 1.074285714 | 1.012820513 | 1.16296296 |
| 91  | 227.95 | 0.985507246 | 0.979381443 | 1.05357143 |
| 92  | 235.1  | 1.171428571 | 1           | 0.95652174 |
| 93  | 255.9  | 0.995305164 | 1.047619048 | 0.96803653 |
| 94  | 257.69 | 1.100478469 | 1.031055901 | 0.90697674 |
| 95  | 259.83 | 0.948207171 | 1.02970297  | 1.03780069 |
| 96  | 260.9  | 1.037288136 | 0.980810235 | 1.0657277  |
| 97  | 262.13 | 1.16        | 1.021671827 | 1.01547988 |
| 98  | 263.05 | 1.089361702 | 1.025641026 | 1.04761905 |
| 99  | 264.91 | 1.064935065 | 1.026819923 | 1.02661597 |
| 100 | 265.9  | 1.071942446 | 1.035502959 | 1.00869565 |
| 101 | 266.75 | 1.103896104 | 1.016129032 | 1.02949062 |
| 102 | 268.35 | 1.16967509  | 1.037267081 | 0.99697885 |
| 103 | 269.78 | 1.36        | 1.018181818 | 0.97095436 |
| 104 | 271.21 | 1.071942446 | 1.004716981 | 1.05134474 |
| 105 | 272.37 | 1.168141593 | 1.041474654 | 0.94957983 |
| 111 | 274.54 | 1.186046512 | 1.027586207 | 1.00996678 |
| 112 | 276    | 1.177865613 | 1.029411765 | 1.03303303 |
| 113 | 281.91 | 1.132867133 | 1.022988506 | 1.02005731 |
| 114 | 284.25 | 1.175384615 | 0.98405467  | 1.02884615 |
| 115 | 290.71 | 1.159090909 | 1.021406728 | 1.02719033 |
| 116 | 294.5  | 1.094972067 | 0.970149254 | 1.07258065 |

|     |        |             |             |            |
|-----|--------|-------------|-------------|------------|
| 117 | 297.57 | 1.184357542 | 1.030674847 | 0.94972067 |
| 118 | 298.33 | 1.142857143 | 1.026217228 | 1.00363636 |
| 119 | 299.1  | 1.179012346 | 1.022727273 | 0.93069307 |
| 120 | 301.34 | 1.203084833 | 0.977412731 | 1.03375527 |
| 121 | 303.11 | 1.185714286 | 1.023569024 | 0.99363057 |
| 122 | 304.9  | 1.176029963 | 1.025270758 | 0.98639456 |
| 123 | 306.53 | 1.144781145 | 1.038869258 | 0.96732026 |
| 124 | 309.25 | 1.186046512 | 1.015503876 | 0.98168498 |
| 125 | 310.79 | 1.169354839 | 1.028368794 | 1.00348432 |
| 126 | 311.17 | 1.129251701 | 1.032258065 | 0.9968652  |
| 127 | 335.16 | 1.160409556 | 1.035460993 | 0.94230769 |
| 128 | 335.96 | 1.157024793 | 1.049180328 | 0.95849057 |
| 129 | 337.9  | 1.219123506 | 1.011583012 | 0.99628253 |
| 130 | 339.08 | 1.158576052 | 1.048543689 | 1.03255814 |
| 131 | 339.94 | 1.186046512 | 1.033962264 | 0.98932384 |
| 132 | 341.56 | 1.184466019 | 1.027027027 | 1.0183727  |
| 133 | 343.18 | 1.159090909 | 1.032258065 | 1.00940439 |
| 134 | 344.25 | 1.145985401 | 1.040935673 | 1.02325581 |
| 135 | 345.4  | 1.186046512 | 1.04109589  | 1          |
| 136 | 347.81 | 1.247706422 | 1.022026432 | 0.98734177 |
| 137 | 348.62 | 1.14893617  | 1.019607843 | 1.01935484 |
| 138 | 350.1  | 1.095588235 | 1.029411765 | 1.04624277 |
| 139 | 350.91 | 1.097902098 | 1.040431267 | 1.03448276 |
| 140 | 352.71 | 1.116959064 | 1.02617801  | 1.01728395 |
| 141 | 353.46 | 1.05785124  | 1.033492823 | 0.97272727 |
| 142 | 355.11 | 1.078066914 | 1.034246575 | 0.99672131 |
| 143 | 357.29 | 1.042372881 | 1.030042918 | 0.95967742 |